



सत्यमेव जयते

**Government of India  
Ministry of Environment, Forest and Climate Change**



Date: 14/11/2024

**ACKNOWLEDGEMENT**

This is to acknowledge that ISKCO IRON & STEEL PRIVATE LIMITED has provided the information on PARIVESH Portal in respect of Proposed Change in the DRI plant configuration from 2 x 200 TPD Kilns to 1 x 400 TPD Kiln without increase in the Pollution Load by ISKCO Iron & Steel Private Limited as per NIPL Gazette Notification dated 23rd November 2016, 16th January 2020 & 2nd March 2021 issued by Ministry of Environment, Forest & Climate Change. in the format attached herewith under the provisions of Para 7(ii) b of EIA Notification, 2006 and its subsequent amendment S.O.980 (E), dated 02nd March 2021.

To claim exemption from obtaining Prior Environment Clearance under the provisions of Para 7(ii) b of EIA Notification, 2006 and its subsequent amendment S.O 980 (E) dated 02nd March 2021 in respect of any increase in production capacity with or without any change in (i) raw material-mix or (ii) product-mix or (iii) quantities within products or (iv) number of products including new products falling in the same category or (v) configuration of the plant or process or (vi) operations in existing area or (vii) In areas contiguous to the existing area specified in the environmental clearance of the project, the project proponent / SPCB or UTPCC shall follow the following process:

1. The project proponent shall inform the SPCB or UTPCC, as the case may be, in specified format along with: (i) 'No increase in Pollution Load' certificate from the Environmental Auditor or reputed institutions empanelled by the SPCB or UTPCC or CPCB or Ministry; (ii) last Consent to Operate certificate for the project or activity; and (iii) online system generated acknowledgement of uploading of intimation and 'no increase in pollution load' certificate on PARIVESH Portal.
2. Based on the submission of above information, the project proponent may carry on the proposed activity as per the submitted details. However, if on verification the SPCB or UTPCC, as the case may be, holds that the change or expansion or modernization will result or has resulted in increase in pollution load, the exemption claimed under this clause shall not be valid and it shall be deemed that the project proponent was liable to obtain Prior Environmental Clearance before under taking such changes or increase, as per the clause (a) of sub-paragraph (ii) of paragraph 7 of EIA Notification, 2006 and the provisions of Environment (Protection) Act, 1986 shall apply accordingly.

Encl: Attached the Information provided by the project proponent

[CAFForm 10](#)

**Application for No Increase in Pollution Load - Form-10**

- 1  
Basic Information
- 2  
Product Details
- 3  
Emission Generation
- 4  
Hazardous Waste Generation
- 5  
Additional Information

### Basic Details

<b>1.</b>	Whether Project /Activity accorded prior EC?		Yes
<b>1.1.</b>	IA/CG/IND1/464478/2024		
<b>1.2.</b>	Greenfield Steel plant comprising of Establishment of DRI Kilns (Sponge Iron – 1,32,000 TPA), Induction Furnace with LRF & CCM (Hot Billets / MS Billets / Ingots – 1,65,000 TPA), Strip Mill (Strips) (85 % Hot charging with Hot Billets and remaining 15% through RHF with Producer Gas/Coal Pulveriser as fuel – 1,65,000 TPA), Submerged Electric Arc Furnace (FeSi - 14,000 TPA / FeMn – 50,400 TPA / SiMn – 28,800 TPA / FeCr - 30,000 TPA / Pig Iron – 50,400 TPA), WHRB based Power Plant – 2 x 5.0 MW, FB		
<b>1.3.</b>	Whether the Project Activity attracts the provisions under 7(ii) (b)		
<b>1.3.1.</b>	Category		A
<b>1.3.2.</b>	Whether Project/Activity falls in the category of Processing or Production or Manufacturing Sectors?		Yes
<b>1.3.3.</b>	Whether multiple items (Components) as per the notification involved in the proposal?		No
<b>1.3.3.1.</b>	Item No. as per schedule to EIA Notification, 2006 for Major Activity	3(a) Metallurgical Industries (ferrous and non ferrous)	Primary Metallurgical Industry - All Projects
<b>1.3.3.2.</b>	Capacity	0.132	MTPA
<b>1.3.3.3.</b>	Whether Project/Activity falls in 'B2' Category		No
<b>2.</b>	Whether the project proposed to be located in the Notified industrial area?		No

### 3. Details of Consent under Air (P&CP) Act, 1981 & Water (P&CP) Act, 1974

Consent No/Application No	Date	Valid Up to	Copy of Consent order
IA/CG/IND1/464478/2024	25/06/2024	24/06/2034	environmental clearance-iskco iron & steel.pdf Preview

#### 4. Details of Authorization under Hazardous & Other Waste Management Rules, 2016 and subsequent amendment

Authorization No./ Application No	Date	Valid Up to	Copy of Authorization order
IA/CG/IND1/464478/2024	25/06/2024	23/06/2034	environmental clearance-iskco iron & steel.pdf Preview

### Product Details

#### 1. Details of products & by-products including changes in product mix

List of products/by-products permitted under EC / CTO with CAS Number	Quantity permitted under EC / CTO	Unit	List of products/by-products proposed under clause 7(ii)(b) with CAS Number	Quantity proposed under clause 7(ii)(b)	Unit	Remarks if any
Sponge Iron	132000	TPA	Sponge Iron	132000	TPA	There will be no change in total production capacity with the change in plant configuration Change in plant configuration from 2 x 200 TPD to 1 x 400 TPD.

#### 2. Details of Raw materials including water consumption and fuel consumption including changes in the raw material mix

List of raw materials envisaged under EC / CTO with CAS Number	Quantity permitted under EC/CTO	Unit	List of raw materials proposed under clause 7(ii)(b)	Quantity proposed under clause 7(ii)(b)	Unit	Remarks if any
Iron Ore	211200	TPA	Iron Ore	211200	TPA	No Change
Pellets	191400	TPA	Pellets	191400	TPA	No Change
Indian Coal	171600	TPA	Indian Coal	171600	TPA	No Change
Imported Coal	109824	TPA	Imported Coal	109824	TPA	No Change
Dolomite	6600	TPA	Dolomite	6600	TPA	No Change
2.1. Approval for additional water consumption if applicable			No			

### 3. Details of Effluent Generation

#### 3.1. Quantity

Propose	Quantity of existing effluent generation in KLD (as per EC/CTO)	Quantity of effluent generation after the proposed change in product or raw material mix in KLD	Mode of Disposal Ultimate Receiving Body
Industrial	0	0	There will not be any wastewater discharge as Closed circuit cooling system is proposed in Sponge iron plant.

### 3.2. Quality

Composition as per the EC/CTO	Concentration as per EC/CTO in (mg/L)	Composition after proposed change in product or raw material mix	Concentration after proposed change in product or raw material mix in (mg/L)	Remarks, if any
pH:-8.5, TSS:-100 mg/l, TDS:- 2100 mg/l, Oil and Grease:- 10mg/l.	0	pH:-8.5, TSS:-100 mg/l, TDS:- 2100 mg/l, Oil and Grease:- 10mg/l.	0	There will be no additional effluent generation with Proposed NIPL

### 3.3. Total load in respect of Effluent

Total load in respect of Effluent as per the EC/CTO	Treatment facility existing (with capacity in KLD)	Total load in respect of Effluent after proposed change in product or raw material mix in KLD	Treatment facility proposed with capacity after proposed change in product or raw material mix in KLD	Remarks if any
0	0	0	0	There will be no additional effluent generation with Proposed NIPL.

### 3.4. Details of effluent management

<b>3.4.1.</b> Whether Segregation of Concentrated stream and its disposal is proposed?	No
<b>7.4.2.</b> Whether Reduction / Recycle / Reuse of effluent are proposed?	No
<b>7.4.3.</b> Whether any additional Effluent Treatment Facilities Provided?	No
<b>7.4.4.</b> Whether is there any proposal for up-gradation of ETP?	No
<b>7.4.5.</b> Whether the unit is having Membership of Common Effluent Conveyance / Disposal Facility?	No
<b>7.4.6.</b> Whether it is Proposed to achieve zero discharge?	Yes
<b>7.4.6.1.</b> Brief report on Proposal to achieve zero discharge with technical justification and feasibility	effluent management.pdf Preview
<b>7.4.7.</b> Whether Project has Membership of CETP?	No

## Emission Generation

### 1. Details of Emission Generation

#### 1.1.

#### Quantity

**(i) From Stacks**

Point Source (s)	Height of stack (m)	As per EC / CTO			After the proposed change in product or raw material mix				
		Emission rate	Unit	Total emission	Unit	Emission rate	Unit	Total emission	Unit
NOx From DRI Kiln	65	941.76	Tons per Day (TPD)	941.76	Tons per Day (TPD)	941.76	Tons per Day (TPD)	941.76	Tons per Day (TPD)
SO2 From DRI Kiln	65	3996	Tons per Day (TPD)	3996	Tons per Day (TPD)	3996	Tons per Day (TPD)	399600	Tons per Day (TPD)
PM From DRI Kiln	65	138.24	Tons per Day (TPD)	138.24	Tons per Day (TPD)	138.24	Tons per Day (TPD)	138.24	Tons per Day (TPD)

**(ii) From Fugitive sources**

Fugitive Sources	Height of discharge in m	As per EC / CTO			After the proposed change in product or raw material mix				
		Emission rate	Unit	Total emission	Unit	Emission rate	Unit	Total emission	Unit
0	0	0	Tons per Day (TPD)	0	Tons per Day (TPD)	0	Tons per Day (TPD)	0	Tons per Day (TPD)

**(iii) From other sources**

Other Source(s)	Height of discharge in m	As per EC / CTO			After proposed change in product or raw material mix				
		Emission rate	Unit	Total emission	Unit	Emission rate	Unit	Total emission	Unit
0	0	0		0	Tons per Day (TPD)	0	Tons per Day (TPD)	0	Tons per Day (TPD)

**1.2.**

**Quality**

Stack attached to	Stack Height in Meter	APCM	Parameter	Concentration			
				As per EC / CTO	Unit	After the proposed change in product or raw material mix	Unit
DRI Kiln	65	ESP	PM	138.24	Tons per	138.24	Tons per

Stack attached to	Stack Height in Meter	APCM	Parameter	Concentration			
				As per EC / CTO	Unit	After the proposed change in product or raw material mix	Unit
					Day (TPD)		Day (TPD)

2.

**Total load in respect of Emission**

Total load in respect of emission as per the EC / CTO	Unit	APCM existing with capacity	Unit	Total load in respect of emission after proposed change in product or raw material mix	Unit	APCM proposed with capacity after proposed change in product or raw material mix	Unit	Remarks if any
138.24	Tons per Day (TPD)	30	Miligram per Normal cubic meter (mg/Nm3)	138.24	Tons per Day (TPD)	30	Miligram per Normal cubic meter (mg/Nm3)	No Change

**3.Details of emission management**

<p>3.1.</p> <p>Whether there is any Proposal for switching over to cleaner fuel?</p>	No
<p>3.2.</p> <p>Whether there is any Proposal for the up gradation of existing APCM? (with the time-bound program)</p>	No
<p>3.3.</p> <p>Whether there is Proposal for the installation of new APCM? (with time-bound program)</p>	No

**1.Hazardous Waste Generation**

1.1.

**Quantity and type of waste**

Type of Waste	Category (As per Schedule under Hazardous & Other Waste Management Rules, 2016)	Generation per Year						
		Existing as per the EC / CTO	Unit	After Change in Product Mix	Unit	Source of Generation	Mode of Storage	Mode of Treatment & Disposal method
Ash/Dust from DRI Kiln	Non-Hazardous	23760	Tons per Annum (TPA)	23760	Tons per Annum (TPA)	DRI Kiln	Covered Shed	Will be utilized in the proposed Brick Manufacturing Unit.
Dolochar from DRI Kiln	Non-Hazardous	26400	Tons per Annum (TPA)	26400	Tons per Annum (TPA)	DRI Kiln	Covered Shed	Will be used in FBC power plant as fuel.
Wet scrapper sludge from DRI Kiln	Non-Hazardous	5280	Tons per Annum (TPA)	5280	Tons per Annum (TPA)	DRI Kiln	Covered Shed	Will be utilized in the proposed Brick Manufacturing Unit
Kiln accretion Slag from DRI Kiln	Non-Hazardous	1188	Tons per Annum (TPA)	1188	Tons per Annum (TPA)	DRI Kiln	Covered Shed	Will be utilized in the proposed Brick Manufacturing Unit

## 1.2.

### Details of Waste management

1.2.1. Whether Proposal for reduction / recovery / reuse / recycle / sale of waste (with technical details) is proposed?	No
1.2.2. Whether Project has Membership of Common Secured Landfill Site?	No
1.2.3. Whether Project has Membership of Common hazardous waste incineration facility	No

## 2.

**No Increase in Pollution Load certificates from the authorized environmental auditor and countersigned by Project Proponent**

2.1. Authorized environmental auditor/Reputed Institution Empaneled by the SPCB/CPCB/MoEFCC	Institution Empaneled By the MoEFCC
2.2. Upload the Certificate of 'No Increase in Pollution' Load.	nipl certificate.pdf Preview

3.

### Online Continuous effluent/emission Monitoring System

Quantity

							Date of connection to the servers of	
Attribute	Constituents	Date of installation	Details calibration of OCEMS	No. of time data exceeds the limit	Value Exceeded	Status of OCEMS functioning	CPCB	SPCB
Effluents	PM <30 mg/Nm3	25/06/2024	NA	0	0	No	No	No

### 1.Additional Information

S. No.	Document Name	Remark	Document
1	NIPL certificate	NIPL certificate	nipl certificate.pdf Preview
2	Project Report	Project Report	project report - iskco.pdf Preview
3	Solid Waste Management	Solid Waste Management	solid waste mangament.pdf Preview
4	Emission Management	Emission Management	emission management.pdf Preview
5	Effluent Management	Effluent Management	effluent management.pdf Preview
6	EC Copy	EC Copy	environmental clearance-iskco iron & steel.pdf Preview

### 1.Undertaking

I hereby give undertaking that the data and information given in the application and enclosures are true to be best of my knowledge and belief and I am aware that if any part of the data and information is found to be false or misleading at any stage, the project will be rejected and clearance given if any to the project will be revoked at our risk and cost. In addition to the above, I hearby give undertaking that no activity/construction/expansion has been taken up

1.1. Name	Pannalal Bansal
1.2. Designation	Director
1.3. Company	ISKCO IRON & STEEL PRIVATE LIMITED
1.4. Address	A-36, WALFORT CITY, BHATAGAON, RING ROAD NO. 1, RAIPUR (CG).

1.5.

Date

14-11-2024

