



सत्यमेव जयते

File No.: OL/RE_EC/MIN/SURGUJA/3677
Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment Authority(SEIAA),
CHHATTISGARH)



Dated 04/04/2025



To,

BIRENDRA SINGH
BIRENDRA SINGH
Birendra Singh, Mandeep Singh Gram Panchayat Kudar, Mandirpara, Kudar Surguja, Babouli,
SURGUJA, CHHATTISGARH, 497101
ec.birendra23@gmail.com

Subject: Grant of prior Environmental Clearance (EC) to the proposed Mining Project under the provisions of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application submitted to SEIAA vide proposal number SIA/CG/MIN/497858/2024 dated 24/09/2024 for grant of prior Environmental Clearance (EC) to the project under the provision of the EIA Notification 2006-and as amended thereof.

2. The particulars of the proposal are as below :

| | |
|--|---------------------------|
| (i) EC Identification No. | EC24C0108CG5690214N |
| (ii) File No. | OL/RE_EC/MIN/SURGUJA/3677 |
| (iii) Clearance Type | Mining EC Under 5 Ha |
| (iv) Category | B2 |
| (v) Project/Activity Included Schedule No. | 1(a) Mining of minerals |
| (vii) Name of Project | Birendra Singh |
| (ix) Location of Project (District, State) | SURGUJA, CHHATTISGARH |
| (x) Issuing Authority | SEIAA |
| (xii) Applicability of General Conditions | No |

3. SEIAA, Chhattisgarh in its 186th Meeting held on 25/02/2025 perused the application submitted by the project proponent and minutes of the 555th meeting of SEAC-1 held on 27/01/2025. It is noted that original application is for mining of Lime stone (Minor Minerals) capacity - 4,006.25 TPA. After deliberation, SEIAA, Chhattisgarh unanimously accepted the recommendation of SEAC-1, Chhattisgarh and decided to grant environmental clearance for mining of Lime stone capacity – 4,006.25 TPA, Kharsa No. 389 (Part), area - 0.526 Ha. at Village - Chandreshwarpur, Tehsil - Lundra, District - Surguja (C.G.)

4. **PP has submitted the required affidavit.**
5. **All the conditions laid down by SEAC-1 are to be followed by all concerned in letter and spirit.**
6. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-2(Part A, B and C)/ EIA & EMP Reports were submitted to the SEIAA for an appraisal by the SEIAA under the provision of EIA notification 2006 and its subsequent amendments.
7. The above-mentioned proposal has been considered by SEIAA in the meeting held on 25/02/2025. The minutes of the meeting and all the project documents are available on PARIVESH portal which can be accessed from the PARIVESH portal by scanning the QR Code above. Brief description of the project is as under:
8. Details of the minerals to be mined along with production capacity and the brief on the salient features of the project as submitted by the project proponent in Form 1 (Part A and B) in the reports and as presented during SEIAA are annexed to this EC as Annexure (1).
9. The SEIAA, in its meeting held on 25/02/2025, based on information submitted viz: Form 1 (Part A, B and C), EIA/EMP report etc & clarifications provided by the project proponent and after detailed deliberations on all technical aspects and public hearing issues and compliance thereto furnished by the Project Proponent, recommended the proposal for grant of Environment Clearance under the provision of EIA Notification, 2006 and as amended thereof subject to stipulation of Specific and Standard EC conditions as detailed in the point below.
10. The SEIAA has examined the proposal in accordance with the provisions contained in the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and based on the recommendations of the SEIAA hereby accords Environment Clearance for the instant proposal to M/s. BIRENDRA SINGH under the provisions of EIA Notification, 2006 and as amended thereof subject to compliance of the Specific and Standard EC conditions as given in Annexure (2)
11. The Ministry reserves the right to stipulate additional conditions, if found necessary.
12. The Environmental Clearance to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
13. The PP is under obligation to implement commitments made in the Environment Management Plan, which forms part of this EC.
14. General Instructions:
 1. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of SEIAA website where it is displayed.
 2. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn must display the same for 30 days from the date of receipt.
 3. The project proponent shall have a well laid down environmental policy duly approved by the Board of Directors (in case of Company) or competent authority, duly prescribing standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions.
 4. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the project proponent (during construction phase) and authorized entity mandated with compliance of conditions (during operational phase) shall be prepared. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Six monthly progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.

5. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
 6. The Regional Office of this SEIAA shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
 7. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
15. This issue with an approval of the Competent Authority.

Copy To

| S.No. | Address |
|-------|---|
| 1 | Director, Ministry of Environment, Forest and Climate Change, Prithvi Wing, 2nd Floor, Indira Paryavaran Bhawan, Jorbagh Road, New Delhi - 100003 |
| 2 | Integrated Regional Office RAIPUR, MoEF&CC , Govt. of India , Ground Floor, Aranya Bhawan, North Block, Sector- 19,Naya Raipur, Atal Nagar, Chhattisgarh – 492002 |
| 3 | Director, Directorate of Geology and Mining, Chhattisgarh, Indravati Bhavan, Block-4, Second Floor, Nawa Raipur Atal Nagar, Chhattisgarh India |
| 4 | Member Secretary, Chhattisgarh Environment Protection Board, Paryavas Bhawan, Sector-19, Nava Raipur Atal Nagar, District-Raipur (Chhattisgarh) |
| 5 | Member Secretary, Central Ground Water Board, West Block-2, Wing-3, Ground Floor, Sector-1, R.K. Puram, New Delhi - 110066 |
| 6 | Collector, Office of the Collector, SURGUJA, District-SURGUJA(C.G.) for information and necessary action. |
| 7 | Forwarded to Regional Officer, Regional Office, Chhattisgarh Environment Conservation Board, Ambikapur for information and necessary action. |

Annexure 1

Specific EC Conditions for (Mining Of Minerals)

1. Specific

| S. No | EC Conditions |
|-------|---|
| 1.1 | <ul style="list-style-type: none"> • PP shall submit the compliance report for plantation over entire safety zone area along with geotag photography and drone survey photography within one year of grant of EC date. |

Standard EC Conditions for (Mining of minerals)

1.

| S. No | EC Conditions |
|-------|-------------------------------|
| 1.1 | Additional conditions: |

| S. No | EC Conditions |
|-------|--|
| | <ol style="list-style-type: none"> 1. PP shall submit the affidavit regarding ready to contribute his share in executing the CEMP of cluster mines. 2. Topsoil will be stacked over 7.50 m wide safety zone (mine boundary) with maximum 1 m height and 28 degree of slope and plantation will be done. Rest Topsoil will be preserved over no mining zone of lease area. 3. Dense plantation of trees (498 nos) around the 7.5 meter mine lease area (area restricted for excavation) and ensuring a 90 percent survival rate of the planted plants in upcoming monsoon season. 4. Regular water sprinkling arrangements in the mine lease area and also in haul road to control the fugitive dust emissions. 5. Project Proponent shall contribute in CEMP of EC received in same cluster. 6. Employment provided to the local people under the Chhattisgarh Model Rehabilitation Policy. 7. Project proponent shall ensure that any kind of contaminated water (if generated) shall not flow into the natural water source, pond, river, drain under any circumstances. 8. There should be regular monitoring of the mining activities in the State to ensure effective compliance of stipulated EC conditions and of the provisions under the Minor Mineral Concessions Rules framed by the State Government. 9. Project proponent shall ensure that mining operation shall be carried out in day time. 10. No excavation work will be done in future around the mine area (area restricted for excavation). 11. The pollution load due to transportation on the environment shall be effectively controlled and water sprinkling shall also be done regularly. 12. Project proponent shall ensure that control blasting and this shall be done by DGMS authorized license holder. 13. Project proponent shall ensure that the construction of boundary pillars as per Mineral Concession Rules, 1960 (as amended). 14. The mineral transportation shall be carried out through covered trucks only and the vehicles carrying the mineral shall not be overloaded. 15. Project proponent shall ensure at the time of closure of mine the whole pit will be reclaimed by overburden/ topsoil etc. and do native tree species plantation. 16. The project proponent shall carry out mining as per the approved Mine Plan and specific conditions mentioned hereafter. The project proponent should strictly comply the provisions applicable of Chhattisgarh Minor Minerals Rules 2015 and amendment thereby. 17. 7.5 meters safety zone area all along lease boundary should be fenced off from outside and inside, which will helpful in protecting the plantation done within safety zone and will also help in preventing unauthorized entry and entry of animals while blasting. 18. The Top soil, soil, soft overburden available in mine area should be used for plantation of safety zone and if it is not available in mine area, then it should be brought from outside. 19. The species of safety zone plantation should be with healthy fast growing species and good |

| S. No | EC Conditions |
|-------|---|
| | <p>canopy for develop dense afforestation so as to serve as barrier for propagation of dust and noise pollution from mines area.</p> <p>20. In case the safety zone has been excavated then it should be filled up, if the excavated safety zone area is deeper from surrounding area and is danger to safety. However, this action taken shall not be considered as action against unauthorized mining of safety zone by project proponent.</p> <p>21. Transport road should be developed and made “pacca” to minimize the dust emission and should be with minimum width of 7 meters within lease premises before commencement of mining operation after getting EC.</p> <p>22. The availability of water and water tanker should be ensured before start of mining operation after getting E C for wetting of road surface of lease area.</p> <p>23. If possible, the project proponent should develop an additional pit for storing rain water for his use in mine, because in general it has been seen that, the mine management use to do pumping out of accumulated rain water for extraction of mineral from pit.</p> <p>24. If the mineral transport route passes through or nearby to residential area, then consent of head of village should be obtained and the road should be black topped or should be made pacca / WBM to minimize the dust emission.</p> <p>25. Provisions of wetting of road surface at required interval should be made before start of transport operation to eliminate the public complaints.</p> <p>26. Depth of mining should be restricted to the above of the ground water table.</p> <p>27. Drainage system should be made incorporating garland canal, silt trap / pits / siltation ponds and outflow channel connecting to natural drain prior to the commencement of first monsoon after getting EC.</p> <p>28. Garland drain, silt traps, siltation ponds and outflow channel should be desilted periodically and geo- tagged photographs of the process should be included in the compliance report.</p> <p>29. Retaining wall of appropriate height should be provided at the overburden dumping site.</p> <p>30. CER Plan should be implemented within the first two years and it should be operated and maintained till the mine closure plan is implemented.</p> <p>31. Adequate sanitation, waste management system should be developed.</p> <p>32. Adequate energy conservation measures proposed should be implemented including solar power installation, like solar street light, solar power operated water pump.</p> <p>33. In case of crusher within lease area, the dust suppression system of crusher (water sprinkler) should be inter connected with starter panel of crusher so as the water sprinkler system should be started before start of crusher.</p> <p>34. Personal protective appliances like dust mask and ear plug should be issued to workers at required interval, who are exposed to dust and noise pollution beyond it’s permissible limit and at it’s generation points.</p> <p>Statutory compliance:</p> <p>1. The Environmental clearance shall be subject to orders of Hon’ble Supreme Court of India, Hon’ble High Courts, NGT and any other Court of Law, from time to time, and as applicable</p> |

| S. No | EC Conditions |
|-------|---|
| | <p>to the project.</p> <ol style="list-style-type: none"> 2. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1980, in case of the diversion of forest land for non-forest purpose involved in the project. 3. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable. 4. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report (in case of the presence of schedule-I species in the study area). 5. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee. 6. The project proponent shall obtain the necessary permission from the Central Ground Water Authority or competent authority for usage of water. 7. Solid/hazardous waste generated in the mines needs to be addressed in accordance to the Solid Waste Management Rules, 2016/Hazardous & Other Waste Management Rules, 2016. 8. Permission of power supply to be taken from the concerned authority for meeting power demand of the project site. 9. The maximum production or peak production at any given time shall not exceed the limit as prescribed in the EC. 10. The Project Proponent shall inform the MoEF&CC for any change in ownership of the mining lease. In case there is any change in ownership or mining lease is transferred. PP needs to apply for transfer of EC as per provisions of the para 11 of EIA Notification, 2006 as amended from time to time. 11. Validity of EC is as per life of the mine mentioned in EC letter or 30 years as per EIA Notification, 2006 and its amendments therein. <p>Air quality monitoring and mitigation measure:</p> <ol style="list-style-type: none"> 1. Ambient air quality monitoring shall be conducted once in a year in the core zone as well as in the buffer zone for monitoring of pollutants, namely particulates, SO₂ and NO_x. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive receptors. The report shall be submitted to the SEIAA, C.G./ SEAC, C.G. 2. The Ambient Air Quality monitoring in the core zone shall be carried out. Data on ambient air quality and heavy metals such as Hg, As, Ni, Cd, Cr and other monitoring data shall be regularly reported to the Ministry/Regional Office and to the CPCB/SPCB. 3. Transportation of minerals, to the extent if permitted by road, shall be carried out by covered trucks. Effective control measures such as regular water sprinkling etc., shall be carried out in critical areas prone to air pollution with higher level of particulate matter all through the transport roads, loading/unloading and transfer points. Fugitive dust emissions from all |

| S. No | EC Conditions |
|-------|---|
| | <p>sources shall be controlled regularly. It shall be ensured that the ambient air quality parameters conform to the norms prescribed by the Central/State Pollution Control Board.</p> <ol style="list-style-type: none"> 4. Major approach roads shall be properly maintained. 5. PP to install solar lights along the road used for transportation to avoid the accidents at night and also seek its maintenance. 6. The transportation of mineral shall be carried out as per the provisions and route proposed in the approved mining plan. Road passing through any village shall be avoided. In case, it is proposed to construct a 'bypass' road, it should be so constructed that the impact of sound, dust and accidents could be appropriately mitigated. 7. Vehicular emissions shall be kept under control and regularly monitored. All the vehicles engaged in mining and allied activities shall operate only after obtaining 'PUC' certificate from the authorized pollution testing centers. 8. Water sprinkling arrangement shall be provided to reduce the impact of air pollution. 9. Post environmental closure third party monitoring by reputed institued in air quality, water, land & soil etc shall be carried out and analyses with EMP measures at regular interval. A suitable recommendation in this regard, shall be furnished to IRO, MoEF&CC for compliance. <p>Water quality monitoring and mitigation measures:</p> <ol style="list-style-type: none"> 1. Regular monitoring of ground water level and quality shall be carried out in and around the mine lease area by establishing a network of existing wells and constructing new piezometers during the mining operations. The monitoring of ground water levels shall be carried out four times a year i.e. pre-monsoon, monsoon, post-monsoon and winter. The ground water quality shall be monitored once a year, and the data thus collected shall be sent regularly to MOEFCC/RO. 2. If any river, ponds and lakes close to the mine lease area, monitoring of water quality upstream and downstream of river including ponds, lakes shall be carried out once in six months and record of monitoring data shall be maintained and submitted to the Ministry of Environment, Forest and Climate Change/Regional Office. 3. Ground water, excluding mine water, shall not be used for mining operations. Rainwater harvesting shall be implemented for conservation and augmentation of ground water resources. 4. The project proponent shall not alter major water channels around the site. Appropriate embankment shall be provided along the side of the river/nallah flowing near or adjacent to the mine. The embankment constructed along the river/nallah boundary shall be of suitable dimensions and critical patches shall be strengthened by stone pitching on the river front side, stabilized with plantation so as to withstand the peak water pressure preventing any chance of mine inundation. 5. Garland drains (of suitable size, gradient and length) around the critical areas i.e. mine shaft and low lying areas, shall be designed keeping at least 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine sites. The sump capacity shall also provide adequate retention period to allow proper settling of silt material of the surface runoff The water pumped out from the mine, after siltation, shall be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly |

| S. No | EC Conditions |
|-------|---|
| | <p>desilted particularly after monsoon and maintained properly.</p> <p>6. The water pumped out from the mine, after siltation, shall be utilized for industrial purpose viz. watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.</p> <p>7. Adequate groundwater recharge measures shall be taken up for augmentation of ground water. The project authorities shall meet water requirement of nearby village(s) in case the village wells go dry due to dewatering of mine.</p> <p>8. The surface drainage plan including surface water conservation plan for the area of influence affected by the said mining operations shall be prepared, considering the presence of any river/rivulet/pond/lake etc., with impact of mining activities on it, and implemented by the project proponent. The surface drainage plan and/or any diversion of natural water courses shall be as per the provisions of the approved Mining Plan/ EIA-EMP submitted to this Ministry and the same should be done with due approval of the concerned State/GoI Authority. The construction of embankment to prevent any danger against inrush of surface water into the mine should be as per the approved mining plan and as per the permission of DGMS.</p> <p>9. Domestic water shall be providing to the residents/villages which are coming under the zone of influence of the project due to ground water extraction by installing a RO plant.</p> <p>Noise and Vibration monitoring and prevention:</p> <p>1. Adequate measures shall be taken for control of noise levels as per Noise Pollution Rules, 2016 in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with personal protective equipments (PPE) like ear plugs/muffs in conformity with the prescribed norms and guidelines in this regard. Adequate awareness programme for users to be conducted. Progress in usage of such accessories to be monitored.</p> <p>2. The noise level survey shall be carried out as per the prescribed guidelines to assess noise exposure of the workmen at vulnerable points in the mine premises, and report in this regard shall be submitted to the Ministry/RO on six-monthly basis.</p> <p>Mining Plan:</p> <p>1. Mining shall be carried out under strict adherence to provisions of the Mines Act 1952 and subordinate legislations made there-under as applicable.</p> <p>2. Mining shall be carried out as per the approved mining plan (including Mine Closure Plan) and the relevant circulars issued by Directorate General Mines Safety (DGMS).</p> <p>3. No mining shall be carried out in forest land without obtaining Forestry Clearance as per Forest (Conservation) Act, 1980 and also adhering to The Scheduled Tribes and Other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 read with provisions of Indian Forest Act, 1927.</p> <p>4. Efforts should be made to reduce energy and fuel consumption by conservation, efficiency improvements and use of renewable energy.</p> <p>Land Reclamation:</p> <p>1. Post-mining land be rendered usable for agricultural/forestry purposes and shall be handed</p> |

| S. No | EC Conditions | | | | | | | | | | |
|-------------------------------------|---|-------------------------------------|--|--------------------------------------|--|--------------------------------------|------|----|------|--|--------|
| | <p>over to the respective State Government, as specified in the Guidelines for Preparation of Mine Closure Plan.</p> <ol style="list-style-type: none"> 2. Regular monitoring of subsidence movement on the surface over and around the working areas and its impact on natural drainage pattern, water bodies, vegetation, structure, roads and surroundings shall be continued till movement ceases completely. In case of observation of any high rate of subsidence beyond the limit prescribed, appropriate effective mitigation measures shall be taken to avoid loss of life and materials. Cracks should be effectively plugged in with ballast and clay soil/suitable material. 3. A separate team for subsidence monitoring and surface mitigation measures shall be constituted and continuous monitoring & implementation of mitigation measures be carried out. 4. Thorough inspection of the mine lease area for any cracks developed at the surface due to mining activities below ground shall be carried out to prevent inrush of water in the mine. 5. Native tree species shall be selected and planted over areas affected by subsidence. 6. The project proponent shall make necessary alternative arrangements, if grazing land is involved in core zone, in consultation with the State government to provide alternate areas for livestock grazing, if any. In this context, the project proponent shall implement the directions of Hon'ble Supreme Court with regard to acquiring grazing land. <p>Corporate Environment Responsibility:</p> <ol style="list-style-type: none"> 1. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/ forest/ wildlife norms/ conditions. 2. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization. 3. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report. 4. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out. <p>CER Details :</p> <table border="1" data-bbox="331 1736 1476 2027"> <thead> <tr> <th>Capital Investment (in Lakh Rupees)</th> <th>Percentage of Capital Investment Spent</th> <th>Amount Required (in Lakh Rupees)</th> <th>Amount Proposed & Details for CER Activities Particulars</th> <th>CER Fund Allocation (in Lakh Rupees)</th> </tr> </thead> <tbody> <tr> <td>24.4</td> <td>2%</td> <td>0.48</td> <td>Following activities at Nearby Village - Kudar Installation of Rain water Harvesting System</td> <td>0.6052</td> </tr> </tbody> </table> | Capital Investment (in Lakh Rupees) | Percentage of Capital Investment Spent | Amount Required (in Lakh Rupees) | Amount Proposed & Details for CER Activities Particulars | CER Fund Allocation (in Lakh Rupees) | 24.4 | 2% | 0.48 | Following activities at Nearby Village - Kudar Installation of Rain water Harvesting System | 0.6052 |
| Capital Investment (in Lakh Rupees) | Percentage of Capital Investment Spent | Amount Required (in Lakh Rupees) | Amount Proposed & Details for CER Activities Particulars | CER Fund Allocation (in Lakh Rupees) | | | | | | | |
| 24.4 | 2% | 0.48 | Following activities at Nearby Village - Kudar Installation of Rain water Harvesting System | 0.6052 | | | | | | | |

| S. No | EC Conditions |
|-------|--|
| | <p style="text-align: right;">Total 0.6052</p> <p>Installation of Rainwater Harvesting System shall be done under the provisions of Corporate Environment Responsibility at Shashkiya Prathmik Shala, Village - Kudar. The total amount of expenses in the five years will be Rs. 60,525 (Construction of circular recharge well 1 nos. cost - Rs. 30,000, Water intake drain - Rs. 16,300, Pipe, accessories & maintenance cost & miscellaneous - Rs. 14,225) The consent of the headmaster of school has been submitted by the project proponent.</p> <p>The project proponent shall form a Tripartite Committee (Mine owner, Representative of District administration / CECB and Member of Gram panchayat) which will monitor the compliance of Green Belt within the premises, plantation and Corporate Environmental Responsibility activities.</p> <p>Miscellaneous:</p> <ol style="list-style-type: none"> 1. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently. 2. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt. 3. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis. 4. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal. 5. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Act, 1986. 6. The project authorities shall inform to the Regional Office of the MOEFCC regarding commencement of mining operations. 7. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government. 8. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC). 9. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986. 10. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory. 11. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions. |

| S. No | EC Conditions |
|-------|--|
| | <p>12. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/ monitoring reports.</p> <p>13. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.</p> <p>14. The illumination and sound at night at project sites disturb the villages in respect of both human and animal population. Consequent sleeping disorders and stress may affect the health in the villages located close to mining operations. Habitations have a right for darkness and minimal noise levels at night. PPs must ensure that the biological clock of the villages is not disturbed; by orienting the floodlights/ masks away from the villagers and keeping the noise levels well within the prescribed limits for day light/night hours.</p> |

Annexure 2

Details of the Project

| S. No. | Particulars | Details | |
|--------|---|--|-------|
| a. | Details of the Project | Birendra Singh | |
| b. | Latitude and Longitude of the project site | 23.25397572044323,83.38344832691887 23.25463407906168,83.38431808705026 | |
| c. | Land Requirement (in Ha) of the project or activity | Nature of Land involved | |
| | | Area in Ha | |
| | | Non-Forest Land (A) | 0 |
| | | Forest Land (B) | |
| | | Total Land (A+B) | 0.526 |
| d. | Date of Public Consultation | Public consultation for the project was held on | |
| e. | Rehabilitation and Resettlement (R&R) involvement | NO | |
| f. | Project Cost (in lacs) | 24.4 | |
| g. | EMP Cost (in lacs) | | |

| S. No. | Particulars | Details |
|--------|--------------------|---------|
| h. | Employment Details | |

