



सत्यमेव जयते

File No: SEIAA 41 IND 2021  
Government of India  
Ministry of Environment, Forest and Climate Change  
(Issued by the State Environment Impact Assessment  
Authority(SEIAA), KARNATAKA)

\*\*\*



Date 01/01/2025



To,

The Chief Officer  
GUNDLUPET TMC  
TMC, Gundlupet, Karnataka , Kutanooru, CHAMARAJANAGARA, KARNATAKA, , 571111  
gundlupettmc@gmail.com

**Subject:** Grant of prior Environmental Clearance (EC) to the proposed project under the provision of the EIA Notification 2006 -regarding.

**Sir/Madam,**

This is in reference to your application submitted to SEIAA vide proposal number SIA/KA/INFRA2/436968/2023 dated 12/07/2024 for grant of prior Environmental Clearance (EC) to the proposed project under the provision of the EIA Notification 2006 and as amended thereof.

2. The particulars of the proposal are as below :

(i) EC Identification No.	EC23B3401KA5738403N
(ii) File No.	SEIAA 41 IND 2021
(iii) Clearance Type	Fresh EC
(iv) Category	B1
(v) Project/Activity Included Schedule No.	7(i) Common Municipal Solid Waste Management Facility (CMSWMF)
(vii) Name of Project	Setting up of Municipal Solid Waste Management Facility at Gundlupet TMC
(viii) Name of Company/Organization	GUNDLUPETTMC
(ix) Location of Project (District, State)	CHAMARAJANAGARA, KARNATAKA
(x) Issuing Authority	SEIAA
(xi) Applicability of General Conditions as per EIA Notification, 2006	No

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-1(Part A, B and C)/ EIA & EMP Reports were submitted to the SEIAA for an appraisal by the SEIAA under the provision of EIA notification 2006 and its subsequent amendments.

4. The above-mentioned proposal has been considered by SEIAA in the meeting held on 16.12.2024 . The minutes of the meeting and all the project documents are available on PARIVESH portal which can be accessed from the PARIVESH portal by scanning the QR Code above .
5. The brief about configuration of products and byproducts as submitted by the Project Proponent in form-1 (Part A, B and C)/ EIA & EMP Reports / presented during SEIAA are annexed to this EC .
6. The SEIAA, in its meeting held on 16.12.2024 , based on information submitted viz: Form 1 (Part A, B and C), EIA/EMP report etc & clarifications provided by the project proponent and after detailed deliberations on all technical aspects and public hearing issues and compliance thereto furnished by the Project Proponent, recommended the proposal for grant of Environment Clearance under the provision of EIA Notification, 2006 and as amended thereof subject to compliance of Specific and Standard EC conditions as given in this letter.
7. The SEIAA has examined the proposal in accordance with the provisions contained in the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and based on the recommendations of the State Environment Impact Assessment Authority(SEIAA) Appraisal Committee hereby accords Environment Clearance under the provisions of EIA Notification, 2006 and as amended thereof subject to compliance of the Specific and Standard EC conditions
8. The Ministry reserves the right to stipulate additional conditions, if found necessary.
9. The Environmental Clearance to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
10. The Project Proponent is under obligation to implement commitments made in the Environment Management Plan, which forms part of this EC.
- 11.
12. General Instructions:
  - (a) The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC/SEIAA website where it is displayed.
  - (b) The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
  - (c) The project proponent shall have a well laid down environmental policy duly approved by the Board of Directors (in case of Company) or competent authority, duly prescribing standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions.
  - (d) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the project proponent (during construction phase) and authorized entity mandated with compliance of conditions (during operational phase) shall be prepared. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Six monthly progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.
  - (e) Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
  - (f) The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
  - (g) Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
13. This issues with the approval of the Competent Authority

#### **Copy To**

1. The Secretary, Ministry of Environment, Forests and Climate Change, Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi – 110 003.
2. The Commissioner, Bruhat Bengaluru Mahanagara Palike (BBMP), N.R. Square, Bangalore – 560 002.

3. The Member Secretary, Karnataka State Pollution Control Board, Bengaluru.
4. The APCCF, Regional Office, Ministry of Environment & Forests (SZ), Kendriya Sadan, IV Floor, E & F wings, 17<sup>th</sup> Main Road, Koramangala II Block, Bengaluru – 560 034.
5. Guard File.

## Annexure 1

### Specific EC Conditions for (Common Municipal Solid Waste Management Facility (Cmswmf))

#### 1.1

S. No	EC Conditions
1.1	
1.2	

#### Additional EC Conditions

N/A

## Annexure 2


### Details of the Project

S. No.	Particulars	Details	
a.	Details of the Project	Setting up of Municipal Solid Waste Management Facility at Gundlupet TMC	
b.	Latitude and Longitude of the project site	11.7892094011373,76.66265768001807 11.79178049622075,76.66484705668955	
c.	Land Requirement (in Ha) of the project or activity	Nature of Land involved	Area in Ha
		Non-Forest Land (A)	4.96
		Forest Land (B)	0
		Total Land (A+B)	4.96
d.	Date of Public Consultation	Public consultation for the project was held on 2022-09-06	
e.	Rehabilitation and Resettlement (R&R) involvement	NO	
f.	Project Cost (in lacs)	441.36	

S. No.	Particulars	Details
g.	EMP Cost (in lacs)	24.75
h.	Employment Details	During Construction - 20 Nos, During Operation - 49

**Details of Products & By-products**

Name of the product /By-product	Product / By-product	Quantity	Unit	Mode of Transport / Transmission	Remarks (eg. CAS number)
Compost	Product	2956	Tons per Annum (TPA)	Road	





सत्यमेव जयते

## State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

No. SEIAA 41 IND 2021

To,

Chief Officer  
Town Municipal Council, Gundlupete  
Chamarajanagara District  
Karnataka- 571111

Sir,

**Sub:** Development of Integrated Solid Waste & Disposal Facility Project at Sy.Nos.75, 77/1 & 77/2, Kutanooru Village, Gundlupet Taluk, Chamarajanagara District by Town Municipal Council, Gundlupete – Chamarajanagara - issue of Environmental Clearance Reg.

\* \* \* \* \*

1. This has reference to your online application dated 15<sup>th</sup> July 2021 bearing proposal No.SIA/KA/MIS/64298/2021 and EIA proposal No. SIA/KA/INFRA2/436968/2023 dated 12.07.2024 addressed to SEIAA, Karnataka on the subject mentioned above. The proposal has been appraised as per procedure prescribed in the provisions under the EIA notification, 2006 on the basis of the mandatory documents enclosed with the application viz., the application in Form-1, Pre-feasibility report, EIA Report and the additional clarification furnished in response to the observations of the SEAC/SEIAA, Karnataka.
2. It is a proposal seeking Environmental clearance for Development of Integrated Solid Waste & Disposal Facility Project at Sy.Nos.75, 77/1 & 77/2, Kutanooru Village, Gundlupet Taluk, Chamarajanagara District by Town Municipal Council, Gundlupete – Chamarajanagar. This is a project covered under SI.No.7(i) of the Schedule Under EIA Notification 2006 and amendments made there on.
3. The project proposal was considered by SEAC during the meeting held on 1<sup>st</sup> September 2021 and got recommended for issue of ToR. The SEIAA considered the proposal during the meeting held on 27th September 2021 and decided to issue ToR for conducting EIA study. Accordingly ToR was issued on 15.11.2021 for conducting Environment Impact Assessment (EIA) study in accordance with EIA notification 2006. The EIA has been conducted by Smt. Suma Rani S N S/o Gundappa D, Arvi Enviro Engineers LLP, No. 87, 301, 3rd Floor, Shreshta Bhumi Complex, KR Road, Shankarapuram, Bangalore - 560004 in respect of whom the Applicability of the Notification No. S.O 648(E) dated 3rd March 2016 issued by the MoEF, GoI, regarding mandatory accreditation of Environmental Consultants from NABET stands deferred in view of the interim order granted by Hon'ble High court of Karnataka in W.P. Nos. 22947/2023 (GM-RES) dated 06.11.2023. The Public hearing was held on 06.09.2022. The proponent has submitted the Final EIA

report on 12.07.2024. SEAC has recommended the following parameters for issue of Environmental Clearance in their meeting held on 13th & 14th November 2024.

Sl.No	Particulars	Information Provided by PP
1.	New/Expansion/Modification/ Product mix change	New
2.	Plot Area (acres)	12 acres 28 guntas
3.	Capacity	45 TPD
4.	Component of developments and method of handling waste	<ul style="list-style-type: none"> <li>• Construction of facility (Office building, Processing shed, landfill site, green belt, etc)</li> <li>• Processing, Treatment and Disposal of Solid Waste (Aerobic composting, recycling, RDF/bailing and scientific disposal)</li> </ul>
5.	Projectcost (Rs. In crores)	4.14 Crores
6.	Details of Land Use (Sqm)	
7.	a. Built upArea including office building	1, 527Sqmt
	b. KharabLand	Nil
	c. Internal Roads	2,681.22Sqmt
	d. Pavedarea	3,184 Sqmt
	e. Parking	20 Sqmt
	f. Green belt & open area	36,489.78Sqmt
	g. Others Specify weigh bridge, land fill etc	5,793Sqmt
	h. Total	49,695 Sqmt
8.	Mode of transportation of solid waste	Auto tippers and Tractors
9.	WATER	
10.	I. Construction Phase	
	a. Source of water	<ul style="list-style-type: none"> <li>• Fresh water from tankers/borewell for domestic purpose</li> <li>• Treated STP for construction purpose</li> </ul>
	b. Quantity of water for Construction in KLD	2 KLD
	c. Quantity of water for Domestic Purpose in KLD	1 KLD
	d. Waste water generation in KLD	0.8 KLD
	e. Treatment facility proposed and scheme of disposal of treated water	Mobile Sewage Treatment Plant (STP)
	II. Operational Phase	
	a. Source of water	Tankers, Borewell, Treated STP
b. Total Requirement of Water in KLD	Fresh (Portable water)	6 KLD
	Recycled	9.45 KLD
	Total	15.45 KLD
c. Requirement of water for industrial purpose / production in KLD	Fresh	9.45 KLD
	Recycled	
	Total	9.45 KLD
d. Waste water generation in KLD	Industrial effluent	0.9 KLD
	Total	0.9 KLD

12.	Storm water management plan	We have provided 6 KLD of roof top collection sump. Silt/sediment traps and screens for the separately constructed Storm water drains.
13.	Air Pollution	
	a. Sources of Air pollution	Vehicles, DG set (15 kVA)
	b. Composition of Emissions	PM, SO <sub>2</sub> , NO <sub>2</sub>
	c. Air pollution control measures proposed and technology employed	Use of PUC certified vehicles, Prescribed stack height for DG set
14.	Noise Pollution	
	a. Sources of Noise pollution	Major source of noise pollution in the facility is DG set and movement of vehicles
	b. Expected levels of Noise pollution in dB	Will be within the limits of KSPCB prescribed for the industrial area
	c. Noise pollution control measures proposed	<ul style="list-style-type: none"> <li>• Acoustic enclosure will be provided for the DG set.</li> <li>• The workers will be provided with earmuffs.</li> <li>• Equipments will be kept in good condition to control the noise.</li> <li>• Green belt along the periphery within the premises of the facility will be developed</li> </ul>
15.	Waste management	
	Operational Phase	
	a. Quantity of Solid waste generated per day and their disposal	<p>Solid waste generated from working staff in the facility during operational phase is 0.9 kgs/day (less than 1 kg/day) - 0.54 kgs will be sent to RDF/bailing and 0.36 kgs will be sent to composting</p> <p>Solid waste handled and processed in the facility of capacity 45 TPD</p> <ul style="list-style-type: none"> <li>• Compost-6.3 TPD</li> <li>• RDF-8.1 TPD</li> <li>• Recyclables-2.25 TPD</li> <li>• Scientific Landfill (inert waste)-6.75 TPD</li> </ul>
	b. Quantity of Hazardous Waste generation with source and mode of Disposal as per norms	Household Hazardous Waste will be collected daily in separate sac placed in Auto Tipper and sent to Hazardous waste landfill and incinerator- Dabaspeta /Harohalli / KSPCB authorized TSDF
	c. Quantity of E waste generation with source and mode of Disposal as per norms	E-waste from households, educational institutions, commercial shops etc, will be collected in separate sac placed in Auto Tipper and sent to KSPCB authorized recyclers/dismantlers
	D Bio-Medical waste generation with source and mode of Disposal as per norms	Bio Medical Waste generated from households will be collected daily in separate sac placed in designated place for collection by the KSPCB authorized facility M/s. Shree Consultants, No. 25, Varuna Village, Mysore District.
	E Quantity of Leachate generation and mode of Disposal	<p>Leachate -0.9 KLD is generated and will be</p> <ul style="list-style-type: none"> <li>• Used for maintaining moisture in the windrows</li> <li>• Will be treated in Leachate Pond (biological</li> </ul>

		and/or solar evaporation)
16.	Power	
	a. Total Power Requirement in the Operational Phase with source	35 kVA from CESCO
	b. Numbers of DG set and capacity in KVA for Standby Power Supply	One 15 kVA DG set
	c. Details of Fuel used with purpose such as boilers, DG, Furnace, TFH, Incinerator Set etc.,	Low sulphuric diesel for the DG set
	d. Energy conservation plan and Percentage of savings including plan for utilization of solar energy as per ECBC 2007	18%
	Parking	
17.	Parking Requirement as per norms	Total parking for 10 vehicles will be provided for <ul style="list-style-type: none"> <li>• 1 JCB</li> <li>• 3 auto tippers</li> <li>• 2 tractors</li> <li>• 1 four-wheeler (office vehicle)</li> <li>• 4 vehicles of visitors, etc</li> </ul>
18.	EMP Cost: Construction Phase Operation Phase.	Construction phase- Rs 1 lakhs (Providing PPE kit, dust suppression measures, etc) Operational phase- Rs 34.75 Lakhs (Environmental monitoring, Green belt development, STP, CER activities, etc)
19.	Employment details	During Construction- 20 No's During Operation – 49 No's
20.	Project cost (Rs. In crores)	4.14 Crores

The SEIAA Karnataka in its meeting held on 16<sup>th</sup> December 2024 after due consideration of the relevant documents submitted by the project proponent and additional clarifications furnished in response to its observations and has accepted the recommendation of SEAC and has decided to accord Environmental Clearance in accordance with the provisions of Environmental Impact Assessment Notification-2006 and its subsequent amendments, subject to strict compliance of the following terms and conditions: -

**I. Statutory compliance**

- i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest

Department. The implementation report shall be furnished along with the six-monthly compliance report. (Incase of the presence of schedule-1 species in the study area)

- iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board/ Committee.
- v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
- vi. A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained
- vii. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable by project proponents from the respective competent authorities.

## **II. Air quality monitoring and preservation**

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. As proposed, air pollution control device viz, gas quencher; treatment with mixture of hydrated lime and activated powder for adsorption of partial acidity and VOCs (if any); bagfilter/ESP for removal of particulate matter; venturi scrubber followed by packed bed scrubber with caustic circulation to neutralize the acidic vapours in flue gas; and demister column for arresting water carry over will be provided to the incinerator. Online pollutant monitoring shall be provided as per CPCB guidelines for monitoring particulate matter, 802, NO<sub>x</sub> and CO from the incinerator stack. The periodical monitoring of Dioxins and Furans in the Stack emissions shall be carried out.
- iii. Analysis of Dioxins and Furans shall be done through CSIR — National Institute for Interdisciplinary Science and Technology (NIIST), Thiruvananthapuram or equivalent NABL Accredited laboratory.
- iv. Incinerator shall be designed as per CPCB guidelines. Energy shall be recovered from incinerator.
- v. Gas generated in the Land fill should be properly collected, monitored and flared.
- vi. The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PK() and PM<sub>2.5</sub> in reference to PM emission, and SO<sub>2</sub> and NO<sub>x</sub> in reference to SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120 degrees), covering upwind and downwind directions.

### **III. Water quality monitoring and preservation**

- i. The project proponent shall install continuous effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. Sufficient number of Piezometer wells shall be installed in and around the project site to monitor the ground water quality in consultation with the State Pollution Control Board / CPCB. Trend analysis of ground water quality shall be carried out each season and information shall be submitted to the SPCB and the Regional Office of MoEF&CC.
- iii. The depth of the land fill site shall be decided based on the ground water table at the site.
- iv. Rain water runoff from the landfill area and other hazardous waste management area shall be collected and treated in the effluent treatment plant.
- v. Total fresh water use shall not exceed the proposed requirement as provided in the project details. Prior permission from competent authority shall be obtained for use of fresh water.
- vi. The Company shall ensure proper handling of all spillages by introducing spill control procedures for various chemicals.
- vii. All leachates arising from premises should be collected and treated in the ETP followed by RD. RO rejects shall be evaporated in MEE. Toxicity Characteristic Leaching Procedure (TCLP) test to be performed on leachates.
- viii. Scrubber water, leachate water or wheel wash effluent shall be treated in the effluent Treatment plant followed by RD to achieve zero liquid discharge.
- ix. Sewage Treatment Plant shall be provided to treat the wastewater generated from the project. Treated water shall be reused within the project.
- x. A certificate from the competent authority for discharging treated effluent/ untreated effluents into the Public sewer/ disposal/drainage systems along with the final disposal point should be obtained.

### **IV. Waste management**

- i. No non-hazardous wastes, as defined under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, shall be handled in the premises.
- ii. The solid wastes shall be segregated, managed and disposed as per the norms of the Solid Waste Management Rules, 2016.
- iii. Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.
- iv. A certificate from the competent authority handling municipal solid wastes should be

obtained, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project.

#### **V. Transportation**

- i. Project should ensure that the site is properly cordoned off from general movement and no unauthorized person or goods permitted to enter the premises. Necessary security provision should be made as a condition in the Authorisation under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 to prevent unwanted access.
- ii. Traffic congestion near the entry and exit points from the roads adjoining the project site shall be avoided. Parking should be fully internalized and no public space should be utilized.
- iii. A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 02 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 02 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.

#### **VI. Green Belt**

- i. Green belt shall be developed in an area as provided in project details, with native tree species in accordance with Forest Department. The greenbelt shall inter alia cover the entire periphery of the project site.
- ii. Top soil shall be separately stored and used in the development of green belt.

#### **VII. Safety, Public hearing and Human health issues**

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented
- ii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iii. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

#### **IX. Corporate Environment Responsibility**

- i. The project proponent shall comply with provision contained in OM vide F.No. 22-65/2017-IA.III dated 20th October 2020, of the Ministry of Environment, Forest and Climate Change as applicable, regarding Corporate Environment Responsibility and shall execute the action plan of Green Belt development, Approach road (asphalting),

development of nalla adjacent to the approach road- drain stabilisation, check dams, afforestation along the nalla etc as submitted in PARIVESH Portal. Contact details and Email Ids of Beneficiary in this regard shall be submitted to SEIAA while furnishing the Half Year Compliance report.

- ii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest /wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholder's / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- v. Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

#### X. Miscellaneous

- i) **The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEFCC/SEIAA website where it is displayed.**
- ii) The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iii) The Project Proponent shall obtain the construction material such as stones and aggregates etc. only from the approved quarries and other construction material shall also be procured from the authorized agencies/traders.
- iv) The project proponent shall not use Kharab land if any for any purpose and keep available to the general public duly displaying a board as public property. No structure of any kind be put up in the Kharab land and shall be afforested and maintained as green belt only.
- v) The Project proponent shall build in infrastructure required for use of Piped Natural Gas (PNG) such as pipelines and space for installation of PNG distribution equipment for both domestic/commercial purpose and DG set and shall ensure that PNG is supplied for both commercial and for DG sets instead of other type of fuels.
- vi) The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.


- vii) The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- viii) **Half Yearly Compliances Reports (HYCRs) on the Environmental Conditions stipulated in the Environmental Clearance (EC) letter shall be submitted strictly through the dedicated module of PARIVESH 2.0 in the timely manner on or before 1<sup>st</sup> June and 1<sup>st</sup> December of Each calendar year as per MoEF&CC O M dated 14.06.2024. The HYCRs with its contents of a covering letter, compliance reports, and environmental monitoring data has to be in PDF format merged into a single document. The email should clearly mention the name of project, EC No. & date, period of submission and to be sent to the Regional Office of MOEF&CC by email only at email ID ros.z.bng-mefcc@gov.in. Hard copy of HYCRs shall not be acceptable.**
- ix) The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- x) The project proponent shall inform the Regional Office as well as the Ministry of Environment, Forest and Climate Change, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- xi) The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- xii) The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also that during their presentation to the Expert Appraisal Committee.
- xiii) No further expansion or modifications in the plan shall be carried out without prior Environmental Clearance from the competent authority.
- xiv) Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xv) The State Level Environment Impact Assessment Authority, Karnataka may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xvi) The SEIAA, Karnataka reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xvii) The Regional Office of MoEF&CC shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xviii) The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.

- xix) Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- xx) In case of any material supported by documents/ court orders which is contrary to the claim of the applicant and material facts produced, the SEIAA reserves the right to withdraw the EC at any point of time.

**Additional Condition:**

1. The PP shall undertake plantation in early stage of construction.
2. Proponent to comply with the request/opinions of the Public expressed during Public Hearing.
3. To handle Bio-Medical waste as per Bio-Medical waste management Rules.
4. Proponent agreed to make financial provisions for operation cost before starting of project.
5. The PP shall provide Labur Sanitation facility as per Labour Act.
6. The PP shall provide green barrier all around the project by planting aromatic trees in three tier plantations for odour menance

Yours faithfully,

  
**(Vijay Mohan Raj V)**  
Member Secretary,  
SEIAA, Karnataka.

**Copy to:**

- 1) The Secretary, Ministry of Environment, Forests and Climate Change, Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi- 110 003.
- 2) The Member Secretary, Karnataka State Pollution Control Board, Bangalore.
- 3) The APCCF, Regional Office, Ministry of Environment & Forests (SZ), Kendriya Sadan, IV Floor, E & F wings, 17<sup>th</sup> Main Road, Koramangala II Block, Bangalore – 560 034.
- 4) Guard File.