



सत्यमेव जयते

File No: EC-01(87)/2024

Government of India

Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), UTTARAKHAND)



Dated 17/02/2024



To,

LEELA DEVI
LEELA DEVI
LEELA DEVI ,W/O BALWANT SINGH ,LINGADI,TEHSIL- THARALI,
CHAMOLI,BORAGARH,UTTARAKHAND, Village Lingri Tehsil Tharali, CHAMOLI,
UTTARAKHAND, 246427
19254317@gmail.com

Subject: Grant of EC under the provision of the EIA Notification 2006-regarding.

Sir/Madam,

This is in reference to your application for Grant of EC under the provision of the EIA Notification 2006-regarding in respect of project Lingari Soapstone & Dolomite Mining Project submitted to Ministry vide proposal number SIA/UK/MIN/458734/2024 dated 17/02/2024.

2. The particulars of the proposal are as below :

(i) EC Identification No.	EC24C0108UK5970263N
(ii) File No.	EC-01(87)/2024
(iii) Clearance Type	EC
(iv) Category	B2
(v) Project/Activity Included Schedule No.	1(a) Mining of minerals
(vii) Name of Project	Lingari Soapstone & Dolomite Mining Project
(viii) Name of Company/Organization	LEELA DEVI
(ix) Location of Project (District, State)	CHAMOLI, UTTARAKHAND
(x) Issuing Authority	SEIAA
(xii) Applicability of General Conditions	no
(xiii) Applicability of Specific Conditions	no

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-1(Part A and B) were submitted to the Ministry for an appraisal by the State Environment Impact Assessment Authority(SEIAA) Appraisal Committee (SEIAA) in the Ministry under the provision of EIA notification 2006 and its subsequent amendments.

4. The above-mentioned proposal has been considered by State Environment Impact Assessment Authority (SEIAA) Appraisal Committee of SEIAA in the meeting held on 09/02/2024. The minutes of the meeting and all the Application and documents submitted [(viz. Form-1 Part A, Part B, Part C EIA, EMP)] are available on PARIVESH portal which can be accessed by scanning the QR Code above.
5. The brief about configuration of plant/equipment, products and byproducts and salient features of the project along with environment settings, as submitted by the Project proponent in Form-1 (Part A, B and C)/EIA & EMP Reports/presented during SEIAA are annexed to this EC as Annexure (1).
6. The SEIAA, in its meeting held on 09/02/2024, based on information & clarifications provided by the project proponent and after detailed deliberations recommended the proposal for grant of EC under the provision of EIA Notification, 2006 and as amended thereof subject to stipulation of specific and general conditions as detailed in Annexure (2).
7. The SEIAA has examined the proposal in accordance with the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and after accepting the recommendations of the State Environment Impact Assessment Authority (SEIAA) Appraisal Committee hereby decided to grant EC for instant proposal of M/s. LEELA DEVI under the provisions of EIA Notification, 2006 and as amended thereof.
8. The Ministry reserves the right to stipulate additional conditions, if found necessary.
9. The EC to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
10. This issues with the approval of the Competent Authority.

Copy To

N/A

Annexure 1

Standard EC Conditions for (Mining of minerals)

1. Land Recalmation

S. No	EC Conditions
1.1	Native tree species shall be selected and planted over areas affected by subsidence.

Additional EC Conditions

1- Pre –Operation 1. The project proponent should advertise with basic details at least in two widely circulated local newspapers, within seven (7) days of the receipt of the clearance letter informing that the project has been accorded environmental clearance by the State Environment Impact Assessment Authority, Dehradun and a copy of the same be sent to the Regional Office of Ministry of Environment, Forest and Climate Change, Government of India located at 25 Subhash, Road Dehradun. 2. The legal status of the mining lease area shall remain unchanged and the Environment Clearance shall remain co-terminus with lease period. The mined lease area shall not be used for any purpose other than that specified in the proposal. 3. The mining/extraction of soapstone shall not be done without approved mine plan from designated authority. The mine plan should be revised every 5 years and no fresh mine plan shall be prepared without site inspection by designated authority. A copy of this shall be submitted to SEIAA. 4. The boundary of the mined lease area shall be demarcated on ground by erecting pillars, each inscribed with its serial number, DGPS coordinates, forward and back bearing, and distance from adjoining pillars etc. This demarcation will be ensured by the Revenue Department. A bench mark will be established to monitor depth of the mining. A safety zone of 7.5 mt (surrounding the mine site) shall

be left free from mining. 5. The mining area shall be properly fenced to avoid any inadvertent entry into the mining pit. There will be one entry gate of mine which will be manual and barricade under supervision of watch man. 6. The project proponent should submit route map before start of the work to this office. There shall be no change in the route after the submission. This shall be done within one month. 7. Socio-economic study shall be done in detail in the 10 km radius area of the mine. The questioners should be site specific and shall be repeated after three years. The indicator, sample etc for the study shall be clearly marked this shall be done in next three months and submitted to SEIAA, Uttarakhand. 8. The flora of core area is in the 500 mt radius of the mine shall be again noted and the report shall be submitted to SEIAA within three months. 9. In the plantation activity plants shall be planted on the advice of local DFO. Preference will be to shrubs and grasses. 10. Disaster management plan shall be made and submitted to SEIAA, Adequate provision of fund shall be given. This plan shall be submitted within three months. 11. In the 7.5 meter width safety zone local shrubs like berberis agave spp, mulberry will be planted at the 1.5 mt spacing. Minimum two rows will be planted around the mine. 12. The project proponent shall submit authentic list of flora & fauna along with six monthly compliance report. 13. The Project Proponent shall submit a detail of the socio-economic status of the villages falling within 10.0 Km radius of the project area. 14. Project Proponent shall undertake mining works 50 meter away from the river & construct retaining wall at a distance of 50 meter from river bank to prevent soil erosion and carry over of overburden material. 15. Project Proponent shall provide Rs 3.0 lakh for modernizing Chemistry/Biology Lab of nearby Govt. Inter College and submit documentary evidence to SEIAA along with six monthly compliance report. 16. Project Proponent shall carryout impact assessment study for aquatic fauna along with mitigation measures and submit documentary evidence to SEIAA along with six monthly compliance report. 2. General Conditions 1. The mining/extraction of mineral and progressive mine closure should be done as per the approved mine plan. The mine plan should have validity till the mining period. 2. The Proponent will ensure that mine site should have well demarcated safety zone i.e. mining operation will not be carried out in the vicinity of 100 m from nearby bridges, educational institution or structures of historical importance. 3. Minimum 8000 plants in 8.0 ha shall be planted in first two year in nearby Van Panchayat and shall be maintained for next three years. 4. The project area shall be strictly used for the activities permitted. No cutting, pollarding of existing tree is allowed. No work shall be carried out after sunset 5. The overall manpower will be restricted to bare minimum. Though mostly local labour will be deployed, but for the essential manpower staying at site, no fuel wood based support will be provided for cooking purpose. 6. Sufficient numbers of dustbins will be provided to labourers for collection of their daily use garbage, Bio-degradable & solid garbage will be collected in separated bins & proper disposal of these garbage will be ascertained. 7. At no stage mining shall be carried out after exhausting extraction of the estimated mineable quantity as stated above. 8. The Proponent should provide Eco-friendly toilets for the workforce. The workers shall be directed to use the sanitation facilities provided at project site and instructed not to litter the project site. Sufficient numbers of Bio-Toilets will be provide to workers at safe distance from the roli which flowing in the area. 9. Wild Animals being sensitive to noise, no project activities shall be carried out at night (sunset to sunrise) time. 10. Photography of the proposed mining site (preferably using Drone) should be done and submitted to SEIAA along with half-yearly compliance report. 11. The project proponent shall submit half yearly compliance report of stipulated conditions of Environment Clearance in soft copy through PARIVESH PORTAL given link: <https://parivesh.nic.in>. The compliance report shall also be e mailed to the Regional Office in Dehradun in moef.ddn@gov.in 12. The project proponent shall submit half yearly reports pertaining to ambient air quality, ground water quality and noise. These reports should be monitored and generated by a NABL approved laboratory having scope of it. 13. All the vehicles being used for transportation from the mine site should have a valid pollution under control certificate. 14. The Proponent shall ensure installation of water sprinklers within the premises to prevent dust hazards. 15. Adequate drinking water and sanitation facility shall be provided on site for the workforce. Provision shall be made for supply of domestic fuel to the workforce so that they do not remain dependent on adjoining forest areas for fuel wood. 16. The project proponent shall ensure proper collection, treatment and disposal of mule excrete. Rest room for mule shall be provided. 17. The project proponent shall undertake suitable measures to avoid spillage of over burden and inter burden. During monsoon stocked over burden shall be covered so that it will not spill into nearby water bodies. 18. The project Proponent shall ensure the reclamation of mining area as per mine closure plan at his own cost. 19. The project proponent shall undertake all the activities agreed during public consultation. 3- Conditions for operation phase 1. Bore core hole drilling shall be carried out upto adequate depth to ascertain the grade of material. This shall be carried out in this first year and report should be submitted to SEIAA along with six monthly compliance report. 2. Overall pit slope shall not be more than 300 and bench slope shall not exceed 680 . 3. Gradient of haul road shall be 1:16. 4. 10 mt barrier zone should be done on both side of nalla, depression passing through the area and shall be restricted zone for mining. 5. Gravity retaining wall width 1.5 m and 1.0 mt height shall also be erected at the base of back field pit and at the base and side of dump and all along the nalla to control siltation into nallah. 6. Maintenance and cleaning of check dam shall be carried out regularly. 7. The over burder/inter burden will be dumped separately towards slope of working pit secured with gravity retaining wall. 8. Hanging of loose boulders shall be removed from mine faces. 9. The

storage of mined material should be done in the leased area only. The mined material should be covered by tarpauline. 10. The mule dung should be cleared and shall be put in separate pits and should be covered a layer of soil. Care shall be taken that there shall be no leaching from this site. 11. The mining shall be carried out by as per approved mine plan without adopting drilling and blasting operation. The use of hand held mechanically driven equipment is permitted. The use of any electrically driven machinery shall remain prohibited and only hand held tools shall be used for extraction of the mineral. 12. Soapstone mining shall be carried out during sunrise to sunset period only. It shall not involve felling of trees and clearance of vegetation. There shall be no permanent construction at the site except temporary erection of first aid room, office, store, drinking water shed, rest shelter etc. 13. The process of mining and quantity of extractable mineral and subsequently progressive mine closure shall be as per the approved mine plan. The mining operation shall be carried out from as per the approved mine plan by formation of benching pattern. The maximum height of benches shall not exceed 1.5 mt and ultimate pit slope shall be kept as per the approved mining plan. 14. The maximum permissible depth for mining of soapstone shall not exceed 6 meters or depth of ground water table whichever is less. During first five years of mining lease the depth of mining shall not exceed 3 meters. Mining beyond 6 meters will be considered after site visit by SEAC. 15. Extraction of minor mineral is permitted from 1st October of every year to 15th June of the subsequent year. It shall be ensured that no mining activity is carried out during the monsoon season. 16. Reclamation of the mine lease area shall be through back filling, stabilization and cultivation. The waste and top soil generated during mining shall be temporarily stacked in external dump which will be subsequently vacated and back filled in mined out pits. The waste generated in the area will be backfilled during rains and land made suitable for cultivation. Back filling shall be done in a retreating manner from as per the approved mine plan. Mining activity and back filling shall be done simultaneously once space is available. External dumps shall be made in one corner of the area. 17. No disturbance to natural drainage system around the mining lease area shall be done. No mixing of wastes is allowed. The dump site shall be kept away from the nearby nallahs/water bodies and maintained at a distance of at least 100 meters. The external dump shall be protected against slide/slip by adopting suitable mechanical and vegetative measures. Proponent should construct a retaining wall, along the nallah side, with suitable height to protect soil erosion. The construction of toe wall, having width and height 1 meter check dam and planting of grass species/soil binding dwarf species in dump yard shall be done. 18. The project proponent shall undertake transportation of mineral from pit head to road head manually or by mule. Further it shall strictly adhere to the norms of Transport Department in refraining from use of polluting and less fuel-efficient vehicles for transporting extracted minerals to final destination. There shall be no over loading of vehicles as against standard norms fixed by Central Government/State Government/Hon'ble Courts from time to time. 19. The project proponent shall regulate and maintain record of the quantity of soapstone extracted during a season. The monitoring shall be ensured by Mines Department/District Administration from time to time. They shall use the path as given in the project. 20. Data on ambient air quality (RPM, SPM,so2, No2 should regularly submitted to SEIAA, Regional office MOEF&CC subhash road, Dehradun and the UKPCB once in six months. 21. The transportation of the materials shall be limited to day hours only. 22. The proponent shall erect eco-friendly mobile toilets for the workforce at site and shall ensure disposal of solid waste as per the existing provisions/rules/guidelines. 23. The Geology and Mining department shall identify an agency for regular/periodical monitoring of quality of ground water of existing hand pumps and tube wells in the vicinity of the mining site. 24. The project proponent shall follow all safety measures for labour force engaged in accordance with relevant Acts/Rules. 25. The project proponent shall prepare the plan of mining in conformity with the mine lease conditions and the Rules prescribed in this regard thereby clearly delineating the 'No Work Zone' in the mine lease area i.e. at least 100 mt distance from Nallahs/Water Bodies, bridges, educational institution or structures of historical importance. 26. Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and all transfer points. It shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard. 27. The project proponent shall provide protective respiratory devices to workers working in dusty areas and they shall also be provided with adequate training and information on safety and health aspects. Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. 28. The project proponent shall ensure compliance to provisions of the all Acts, Rules, Regulations and Guidelines, for the time being in force, as applicable to the project 29. Project proponent will strictly comply with EMP/EIA. 30. Project proponent will have to submit EMP/EIA report to Mining Department (Lessee) and Pollution Control Board before getting work order/Consent to Established or Operate. 31. The project proponent shall submit half yearly compliance report of stipulated conditions of Environment Clearance in soft copy through PARIVESH PORTAL given link: <https://parivesh.nic.in>. 4- Entire Operation 1. The Environmental Clearance is being granted for mining/extraction of Soapstone in the approved Mine Lease Area. Legal status of the mining lease area shall remain unchanged and the Environmental Clearance is being granted only for the lease period. The mined lease area shall not be used for any purpose other than that specified in the proposal. 2. The maximum permissible depth for mining of Soapstone shall not

exceed 6 meter or depth of ground water table whichever is less. During first five years of mining lease the depth of mining shall not exceed 3 meters. Mining beyond 6 meters shall be granted after site visit by SEAC. However, Authority may also visit the site in operational phase, whenever it is found to be necessary. 3. The dump site shall be kept away from the nearby nallahs/water bodies and maintained at a distance of at least 100 meters. The external dump shall be protected against slide/slip by adopting suitable mechanical and vegetative measures. The construction of toe wall, check dam and planting of grass species/soil binding dwarf species in dump yard shall be done as given in mining plan. 4. The project proponent shall undertake transportation of mineral from pit head to road head manually or by mule. Further it shall strictly adhere to the norms of Transport Department in refraining from use of polluting and less fuel-efficient vehicles for transporting extracted minerals to final destination. There shall be no over loading of vehicles as against standard norms fixed by Central Government/State Government/Hon'ble Courts from time to time. There shall be no change in transport route without the approval of SEIAA, Uttarakhand. 5. The project proponent shall regulate and maintain record of the quantity of Soapstone extracted during a season. The monitoring shall be ensured by Mines Department/District Administration from time to time. 6. There shall be no labour camp in the mining lease area for the labour engaged in mining of Soapstone. The labour engaged in mining shall be provided free fuel wood/alternate source of energy to avoid any pressure on adjoining forest land. 7. The project proponent shall formulate a transparent and unbiased procedure for engagement of labourers for sustainable extraction of the minerals from the mining lease area. The project proponent shall ensure that maximum local labour be engaged and hence employment opportunity provided. The project proponent shall follow all safety measures for labour force engaged in accordance with relevant Acts/Rules. 8. The above environmental safeguards shall be implemented in letter and spirit. The project proponent shall establish Environment Monitoring Cell and also submit six monthly compliance reports to this Authority and regional office of MoEF&CC, Govt of India at Dehradun. 9. The SEIAA reserves the right to include additional safeguard measures if found necessary and also to take action including revoking of the EC granted under provision of EIA Notification 2006. 10. The Project Proponent shall obtain clearance under the Wildlife (Protection) Act, 1972 from the competent Authority as may be applicable to this project. 11. This EC is being granted subject to compliance of Hon'ble Court Orders issued from time to time. 12. The ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of Environment Protection. 13. Concealing factual data or submission of false/fabricated information/data and failure to comply with of any conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986. 14. If it is found that if conditions laid down by the Authority are violated, the Authority may suspend or cancel this Environmental Clearance. 15. Any appeal against this Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under relevant section of the National Green Tribunal Act, 2010. 5- Specific Conditions:- (To be followed by Director Industry, Geology and Mining Unit, Govt. of Uttarakhand). 1. Mining and Geology department of the State Government should recalculate the maximum production levels and inform the Authority accordingly. 2. A study shall be carried out at least in over a year through mines and geology department to avoid over exploitation of mineral, which may adversely affect the dynamics of site. A copy of said study report shall be submitted to the Regional Office of the Ministry of Environment, Forest and Climate Change at Dehradun and SEIAA, Uttarakhand. 3. The Geology and Mining unit of Industry Department shall identify an agency for regular/periodical monitoring of quality of ground water of existing hand pumps and tube wells in the vicinity of the mining site. 4. Digital processing of the entire lease area using remote sensing technique should be done by Geology and Mining department regularly and report should be submitted to the Ministry of Environment and Forests, Regional office at Dehradun and SEIAA, Uttarakhand.

1- Pre-Operation

1. The project proponent should advertise with basic details at least in two widely circulated local newspapers, within seven (7) days of the receipt of the clearance letter informing that the project has been accorded environmental clearance by the State Environment Impact Assessment Authority, Dehradun and a copy of the same be sent to the Regional Office of Ministry of Environment, Forest and Climate Change, Government of India located at 25 Subhash, Road Dehradun.

2. The legal status of the mining lease area shall remain unchanged and the Environment Clearance shall remain co-terminus with lease period. The mined lease area shall not be used for any purpose other than that specified in the proposal.

3. The mining/extraction of soapstone shall not be done without approved mine plan from designated authority. The mine plan should be revised every 5 years and no fresh mine plan shall be prepared without site inspection by designated authority. A copy of this shall be submitted to SEIAA.

4. The boundary of the mined lease area shall be demarcated on ground by erecting pillars, each inscribed with its serial number, DGPS coordinates, forward and back bearing, and distance from adjoining pillars etc. This demarcation will be ensured by the Revenue Department. A bench mark will be established to monitor depth of the mining. A safety zone of 7.5 mt (surrounding the mine site) shall be left free from mining.

5. **The mining area shall be properly fenced to avoid any inadvertent entry into the mining pit. There will be one entry gate of mine which will be manual and barricade under supervision of watch man.**

6. **The project proponent should submit route map before start of the work to this office. There shall be no change in the route after**

the submission. This shall be done within one month.

7. Socio-economic study shall be done in detail in the 10 km radius area of the mine. The questioners should be site specific and shall be repeated after three years. The indicator, sample etc for the study shall be clearly marked this shall be done in next three months and submitted to SEIAA, Uttarakhand.

8. The flora of core area is in the 500 mt radius of the mine shall be again noted and the report shall be submitted to SEIAA within three months.

9. In the plantation activity plants shall be planted on the advice of local DFO. Preference will be to shrubs and grasses.

10. Disaster management plan shall be made and submitted to SEIAA, Adequate provision of fund shall be given. This plan shall be submitted within three months.

11. In the 7.5 meter width safety zone local shrubs like berberis agave spp, mulberry will be planted at the 1.5 mt spacing. Minimum two rows will be planted around the mine.

12. The project proponent shall submit authentic list of flora & fauna along with six monthly compliance report.

13. The Project Proponent shall submit a detail of the socio-economic status of the villages falling within 10.0 Km radius of the project area.

14. Project Proponent shall undertake mining works 50 meter away from the river & construct retaining wall at a distance of 50 meter from river bank to prevent soil erosion and carry over of overburden material.

15. Project Proponent shall provide Rs 3.0 lakh for modernizing Chemistry/Biology Lab of nearby Govt. Inter College and submit documentary evidence to SEIAA along with six monthly compliance report.

16. Project Proponent shall carryout impact assessment study for aquatic fauna along with mitigation measures and submit documentary evidence to SEIAA along with six monthly compliance report.

2. General Conditions

16. The project proponent shall ensure proper collection, treatment and disposal of mule excrete. Rest room for mule shall be provided.

3- Conditions for operation phase

1. Bore core hole drilling shall be carried out upto adequate depth to ascertain the grade of material. This shall be carried out in this first year and report should be submitted to SEIAA along with six monthly compliance report.

2. Overall pit slope shall not be more than 30° and bench slope shall not exceed 68°.

3. Gradient of haul road shall be 1:16.

4. 10 mt barrier zone should be done on both side of nalla, depression passing through the area and shall be restricted zone for mining.

5. Gravity retaining wall width 1.5 m and 1.0 mt height shall also be erected at the base of back field pit and at the base and side of dump and all along the nalla to control siltation into nallah.

6. Maintenance and cleaning of check dam shall be carried out regularly.

7. The over burder/inter burden will be dumped separately towards slope of working pit secured with gravity retaining wall.

8. Hanging of loose boulders shall be removed from mine faces.

9. The storage of mined material should be done in the leased area only. The mined material should be covered by taurpauline.

10. The mule dung should be cleared and shall be put in separate pits and should be covered a layer of soil. Care shall be taken that there shall be no leaching from this site.

11. The mining shall be carried out by **as per approved mine plan** without adopting drilling and blasting operation. The use of hand held mechanically driven equipment is permitted. The use of any electrically driven machinery shall remain prohibited and only hand held tools shall be used for extraction of the mineral.

12. Soapstone mining shall be carried out during sunrise to sunset period only. It shall not involve felling of trees and clearance of vegetation. There shall be no permanent construction at the site except temporary erection of first aid room, office, store, drinking water shed, rest shelter etc.

13. The process of mining and quantity of extractable mineral and subsequently progressive mine closure shall be as per the approved mine plan. The mining operation shall be carried out from as per the approved mine plan by formation of benching pattern. The maximum height of benches shall not exceed 1.5 mt and ultimate pit slope shall be kept as per the approved mining plan.

14. The maximum permissible depth for mining of soapstone shall not exceed 6 meters or depth of ground water table whichever is less. During first five years of mining lease the depth of mining shall not exceed 3 meters. **Mining beyond 6 meters will be considered after site visit by SEAC.**

15. Extraction of minor mineral is permitted from 1st October of every year to 15th June of the subsequent year. It shall be ensured that no mining activity is carried out during the monsoon season.

16. Reclamation of the mine lease area shall be through back filling, stabilization and cultivation. The waste and top soil generated during mining shall be temporarily stacked in external dump which will be subsequently vacated and back filled in mined out pits. The waste generated in the area will be backfilled during rains and land made suitable for cultivation. Back filling shall be done in a retreating manner from as per the approved mine plan. Mining activity and back filling shall be done simultaneously once space is available. External dumps shall be made in one corner of the area.

17. No disturbance to natural drainage system around the mining lease area shall be done. No mixing of wastes is allowed. The dump site shall be kept away from the nearby nallahs/water bodies and maintained at a distance of at least 100 meters. The external dump shall be protected against slide/slip by adopting suitable mechanical and vegetative measures. Proponent should construct a retaining wall, along the nallah side, with suitable height to protect soil erosion. The construction of toe wall, having width and height 1 meter check dam and planting of grass species/soil binding dwarf species in dump yard shall be done.

18. The project proponent shall undertake transportation of mineral from pit head to read head manually or by mule. Further it shall strictly adhere to the norms of Transport Department in refraining from use of polluting and less fuel-efficient vehicles for transporting extracted

minerals to final destination. There shall be no over loading of vehicles as against standard norms fixed by Central Government/State Government/Hon'ble Courts from time to time.

19. The project proponent shall regulate and maintain record of the quantity of soapstone extracted during a season. The monitoring shall be ensured by Mines Department/District Administration from time to time. They shall use the path as given in the project.

20. Data on ambient air quality (RPM, SPM,so₂, No₂ should regularly submitted to SEIAA, Regional office MOEF&CC subhash road, Dehradun and the UKPCB once in six months.

21. The transportation of the materials shall be limited to day hours only.

22. The proponent shall erect eco-friendly mobile toilets for the workforce at site and shall ensure disposal of solid waste as per the existing provisions/rules/guidelines.

24. The project proponent shall follow all safety measures for labour force engaged in accordance with relevant Acts/Rules.

25. The project proponent shall prepare the plan of mining in conformity with the mine lease conditions and the Rules prescribed in this regard thereby clearly delineating the 'No Work Zone' in the mine lease area i.e. at least 100 mt distance from Nallahs/Water Bodies, bridges, educational institution or structures of historical importance.

26. Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and all transfer points. It shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.

27. The project proponent shall provide protective respiratory devices to workers working in dusty areas and they shall also be provided with adequate training and information on safety and health aspects. Periodical medical examination of the workers engaged in the project shall be carried out and records maintained.

28. The project proponent shall ensure compliance to provisions of the all Acts, Rules, Regulations and Guidelines, for the time being in force, as applicable to the project

29. Project proponent will strictly comply with EMP/EIA.

30. Project proponent will have to submit EMP/EIA report to Mining Department (Lessee) and Pollution Control Board before getting work order/Consent to Established or Operate.

31. The project proponent shall submit half yearly compliance report of stipulated conditions of Environment Clearance in soft copy through PARIVESH PORTAL given link: <https://parivesh.nic.in>.

4- Entire Operation

3. The dump site shall be kept away from the nearby nallahs/water bodies and maintained at a distance of at least 100 meters. The external dump shall be protected against slide/slip by adopting suitable mechanical and vegetative measures. The construction of toe wall, check dam and planting of grass species/soil binding dwarf species in dump yard shall be done as given in mining plan.

4. The project proponent shall undertake transportation of mineral from pit head to road head manually or by mule. Further it shall strictly adhere to the norms of Transport Department in refraining from use of polluting and less fuel-efficient vehicles for transporting extracted minerals to final destination. There shall be no over loading of vehicles as against standard norms fixed by Central Government/State Government/Hon'ble Courts from time to time. There shall be no change in transport route without the approval of SEIAA, Uttarakhand.

5. The project proponent shall regulate and maintain record of the quantity of Soapstone extracted during a season. The monitoring shall be ensured by Mines Department/District Administration from time to time.

6. There shall be no labour camp in the mining lease area for the labour engaged in mining of Soapstone. The labour engaged in mining shall be provided free fuel wood/alternate source of energy to avoid any pressure on adjoining forest land.

7. The project proponent shall formulate a transparent and unbiased procedure for engagement of labourers for sustainable extraction of the minerals from the mining lease area. The project proponent shall ensure that maximum local labour be engaged and hence employment opportunity provided. The project proponent shall follow all safety measures for labour force engaged in accordance with relevant Acts/Rules.

12. The ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of Environment Protection.

13. Concealing factual data or submission of false/fabricated information/data and failure to comply with of any conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.

14. If it is found that if conditions laid down by the Authority are violated, the Authority may suspend or cancel this Environmental Clearance.

5- Specific Conditions:- (To be followed by Director Industry, Geology and Mining Unit, Govt. of Uttarakhand).

1. Mining and Geology department of the State Government should recalculate the maximum production levels and inform the Authority accordingly.

Annexure 2

Details of Products & By-products

Name of the product /By-product	Product / By-product	Quantity	Unit	Mode of Transport / Transmission	Remarks (eg. CAS number)
SOAPSTONE	SOAPSTONE	15766	Tons per Annum (TPA)	Road	N/A

Name of the product /By-product	Product / By-product	Quantity	Unit	Mode of Transport / Transmission	Remarks (eg. CAS number)
DOLOMITE	DOLOMITE	4017	Tons per Annum (TPA)	Road	N/A



राज्य स्तर पर्यावरण समाघात निर्धारण प्राधिकरण, उत्तराखण्ड, "गौरादेवी पर्यावरण भवन, तृतीय तल, 46-बी, आई.टी. पार्क, सहस्त्रधारा रोड, देहरादून"
(पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार, नई दिल्ली द्वारा गठित)

दूरभाष: 0135-2976159

ईमेल: seiaa.seac.uk@gmail.com



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY UTTARAKHAND

State Level Environment Impact Assessment Authority, "Gauradevi Paryavaran Bhawan, Third Floor, 46-B I.T. Park, Sahasradhara Road, Dehradun"

(Constituted by Ministry of Environment, Forests and Climate Change Government of India.)

Phone No-0135-2976159

Email- seiaa.seac.uk@gmail.com

E.C.No- 178 -01(87)/2024

Dated- 14 -02-2024

To,

Smt. Leela Devi (Owner), W/o Late Shri Balwant Singh,
R/o- Village-Lingri, Tehsil- Tharali, District- Chamoli.

Sub: Environmental Clearance under EIA notification dated 14.09.2006 for Extraction of Soapstone at Village- Lingri, Tehsil- Tharali, District- Chamoli. (4.133 Ha).

Kindly take reference to your online proposal No SIA/UK/MIN/458734/2024 submitted to SEIAA Uttarakhand regarding aforementioned subject. The details about the project site and proposal for EC as per the documents submitted by the project proponent is as under:-

S.No	Parameters	Description																																																															
1.	Name of the Project Proponent	Smt. Leela Devi W/o Late ShriBalwant Singh																																																															
2.	Registered Address	R/O- Village-Lingri, Tehsil-Tharali, District- Chamoli(U.K.)																																																															
3.	Full correspondence address of proponent and mobile no.	R/O- Village-Lingri, Tehsil-Tharali, District- Chamoli (U.K.) Mobile No.-8006688999																																																															
4.	Name of Project	Lingri Soapstone Mine																																																															
5.	Project Location (Plot.Khasra/Gata No.)	Village- Lingri, Tehsil – Tharali, District- Chamoli, STATE- Utrkhand																																																															
6.	Name of Village	Lingri,																																																															
7.	Tehsil	Tharali																																																															
8.	District	Chamoli,																																																															
9.	State	Uttarakhand																																																															
10.	Name of Minor Mineral	Soapstone																																																															
11.	Sanctioned Lease Area (in Ha.)	4.133 ha																																																															
12.	Max. & Min mRL within lease area	Max- 1400.10mRL & Min-1222.00mRL																																																															
13.	Pillar Coordinates (Verified by DMO)	<table border="1"> <thead> <tr> <th colspan="3">Block I</th> </tr> <tr> <th>S.No</th> <th>Latitude</th> <th>Longitude</th> </tr> </thead> <tbody> <tr><td>1.</td><td>30° 1'44.69"N</td><td>79°38'56.98"E</td></tr> <tr><td>2.</td><td>30° 1'44.71"N</td><td>79°38'56.60"E</td></tr> <tr><td>3.</td><td>30° 1'45.05"N</td><td>79°38'56.54"E</td></tr> <tr><td>4.</td><td>30° 1'45.72"N</td><td>79°38'55.46"E</td></tr> <tr><td>5.</td><td>30° 1'45.96"N</td><td>79°38'54.40"E</td></tr> <tr><td>6.</td><td>30° 1'46.25"N</td><td>79°38'54.29"E</td></tr> <tr><td>7.</td><td>30° 1'46.36"N</td><td>79°38'54.94"E</td></tr> <tr><td>8.</td><td>30° 1'46.03"N</td><td>79°38'55.92"E</td></tr> <tr><td>9.</td><td>30° 1'46.32"N</td><td>79°38'56.00"E</td></tr> <tr><td>10.</td><td>30° 1'46.88"N</td><td>79°38'55.03"E</td></tr> <tr><td>11.</td><td>30° 1'47.05"N</td><td>79°38'54.11"E</td></tr> <tr><td>12.</td><td>30° 1'47.34"N</td><td>79°38'54.15"E</td></tr> <tr><td>13.</td><td>30° 1'47.41"N</td><td>79°38'56.11"E</td></tr> <tr><td>14.</td><td>30° 1'47.65"N</td><td>79°38'54.89"E</td></tr> <tr><td>15.</td><td>30° 1'47.45"N</td><td>79°38'54.76"E</td></tr> <tr><td>16.</td><td>30° 1'47.43"N</td><td>79°38'54.32"E</td></tr> <tr><td>17.</td><td>30° 1'47.71"N</td><td>79°38'54.28"E</td></tr> <tr><td>18.</td><td>30° 1'47.77"N</td><td>79°38'54.73"E</td></tr> <tr><td>19.</td><td>30° 1'48.14"N</td><td>79°38'54.90"E</td></tr> </tbody> </table>	Block I			S.No	Latitude	Longitude	1.	30° 1'44.69"N	79°38'56.98"E	2.	30° 1'44.71"N	79°38'56.60"E	3.	30° 1'45.05"N	79°38'56.54"E	4.	30° 1'45.72"N	79°38'55.46"E	5.	30° 1'45.96"N	79°38'54.40"E	6.	30° 1'46.25"N	79°38'54.29"E	7.	30° 1'46.36"N	79°38'54.94"E	8.	30° 1'46.03"N	79°38'55.92"E	9.	30° 1'46.32"N	79°38'56.00"E	10.	30° 1'46.88"N	79°38'55.03"E	11.	30° 1'47.05"N	79°38'54.11"E	12.	30° 1'47.34"N	79°38'54.15"E	13.	30° 1'47.41"N	79°38'56.11"E	14.	30° 1'47.65"N	79°38'54.89"E	15.	30° 1'47.45"N	79°38'54.76"E	16.	30° 1'47.43"N	79°38'54.32"E	17.	30° 1'47.71"N	79°38'54.28"E	18.	30° 1'47.77"N	79°38'54.73"E	19.	30° 1'48.14"N	79°38'54.90"E
Block I																																																																	
S.No	Latitude	Longitude																																																															
1.	30° 1'44.69"N	79°38'56.98"E																																																															
2.	30° 1'44.71"N	79°38'56.60"E																																																															
3.	30° 1'45.05"N	79°38'56.54"E																																																															
4.	30° 1'45.72"N	79°38'55.46"E																																																															
5.	30° 1'45.96"N	79°38'54.40"E																																																															
6.	30° 1'46.25"N	79°38'54.29"E																																																															
7.	30° 1'46.36"N	79°38'54.94"E																																																															
8.	30° 1'46.03"N	79°38'55.92"E																																																															
9.	30° 1'46.32"N	79°38'56.00"E																																																															
10.	30° 1'46.88"N	79°38'55.03"E																																																															
11.	30° 1'47.05"N	79°38'54.11"E																																																															
12.	30° 1'47.34"N	79°38'54.15"E																																																															
13.	30° 1'47.41"N	79°38'56.11"E																																																															
14.	30° 1'47.65"N	79°38'54.89"E																																																															
15.	30° 1'47.45"N	79°38'54.76"E																																																															
16.	30° 1'47.43"N	79°38'54.32"E																																																															
17.	30° 1'47.71"N	79°38'54.28"E																																																															
18.	30° 1'47.77"N	79°38'54.73"E																																																															
19.	30° 1'48.14"N	79°38'54.90"E																																																															

20.	30° 1'47.78"N	79°38'56.47"E
21.	30° 1'48.85"N	79°38'54.80"E
22.	30° 1'49.06"N	79°38'54.83"E
23.	30° 1'48.39"N	79°38'56.87"E
24.	30° 1'48.66"N	79°38'56.96"E
25.	30° 1'49.18"N	79°38'55.02"E
26.	30° 1'49.07"N	79°38'53.65"E
27.	30° 1'49.57"N	79°38'53.57"E
28.	30° 1'49.82"N	79°38'54.85"E
29.	30° 1'49.14"N	79°38'56.57"E
30.	30° 1'49.10"N	79°38'59.15"E
31.	30° 1'48.19"N	79°38'59.84"E
32.	30° 1'47.66"N	79°38'59.56"E
33.	30° 1'48.71"N	79°38'57.33"E
34.	30° 1'48.07"N	79°38'57.30"E
35.	30° 1'47.67"N	79°38'58.17"E
36.	30° 1'47.35"N	79°38'57.87"E
37.	30° 1'47.54"N	79°38'57.32"E
38.	30° 1'47.22"N	79°38'57.65"E
39.	30° 1'47.08"N	79°38'57.49"E
40.	30° 1'47.15"N	79°38'57.14"E
41.	30° 1'46.30"N	79°38'58.55"E
42.	30° 1'46.11"N	79°38'58.37"E
43.	30° 1'46.51"N	79°38'57.03"E
44.	30° 1'46.21"N	79°38'56.78"E
45.	30° 1'46.22"N	79°38'56.39"E
46.	30° 1'45.95"N	79°38'56.21"E
47.	30° 1'45.08"N	79°38'57.01"E

Block II

S.No	Latitude	Longitude
1.	30° 1'46.58"N	79°38'59.78"E
2.	30° 1'47.22"N	79°39'0.53"E
3.	30° 1'47.65"N	79°39'1.03"E
4.	30° 1'50.00"N	79°39'0.55"E
5.	30° 1'48.17"N	79°39'3.65"E
6.	30° 1'48.06"N	79°39'3.54"E
7.	30° 1'49.26"N	79°39'1.30"E
8.	30° 1'48.72"N	79°39'0.78"E
9.	30° 1'47.85"N	79°39'2.78"E
10.	30° 1'46.59"N	79°39'3.46"E
11.	30° 1'44.54"N	79°39'5.27"E
12.	30° 1'44.48"N	79°39'4.36"E
13.	30° 1'46.62"N	79°39'2.65"E
14.	30° 1'47.20"N	79°39'2.17"E
15.	30° 1'47.63"N	79°39'1.26"E
16.	30° 1'46.67"N	79°39'0.17"E
17.	30° 1'46.22"N	79°39'1.23"E
18.	30° 1'46.36"N	79°39'1.46"E
19.	30° 1'44.61"N	79°39'2.07"E
20.	30° 1'44.73"N	79°39'2.71"E
21.	30° 1'44.34"N	79°39'2.98"E
22.	30° 1'44.06"N	79°39'2.84"E
23.	30° 1'43.76"N	79°39'3.28"E
24.	30° 1'43.14"N	79°39'3.41"E
25.	30° 1'42.53"N	79°39'3.01"E
26.	30° 1'42.39"N	79°39'1.07"E
27.	30° 1'41.54"N	79°39'1.21"E
28.	30° 1'41.37"N	79°39'0.89"E
29.	30° 1'40.90"N	79°39'1.51"E
30.	30° 1'40.58"N	79°39'0.89"E
31.	30° 1'42.64"N	79°38'59.89"E
32.	30° 1'42.66"N	79°39'0.27"E

		33.	30° 1'43.37"N	79°39'0.65"E
		34.	30° 1'43.20"N	79°39'1.21"E
		35.	30° 1'42.65"N	79°39'1.07"E
		36.	30° 1'43.20"N	79°39'1.61"E
		37.	30° 1'44.00"N	79°39'1.54"E
		38.	30° 1'44.21"N	79°39'1.82"E
		39.	30° 1'44.32"N	79°39'1.37"E
		40.	30° 1'45.85"N	79°39'1.07"E
		Block III		
		S.No	Latitude	Longitude
		48.	30° 1'32.14"N	79°39'14.50"E
		49.	30° 1'33.12"N	79°39'15.17"E
		50.	30° 1'34.94"N	79°39'13.26"E
		51.	30° 1'35.17"N	79°39'11.80"E
		52.	30° 1'33.54"N	79°39'10.43"E
		53.	30° 1'33.33"N	79°39'10.25"E
		54.	30° 1'33.08"N	79°39'10.31"E
		55.	30° 1'31.93"N	79°39'9.77"E
		56.	30° 1'32.31"N	79°39'9.33"E
		57.	30° 1'32.16"N	79°39'9.11"E
		58.	30° 1'33.39"N	79°39'8.06"E
		59.	30° 1'34.05"N	79°39'6.76"E
		60.	30° 1'33.75"N	79°39'6.40"E
		61.	30° 1'32.15"N	79°39'8.54"E
		62.	30° 1'31.61"N	79°39'8.07"E
		63.	30° 1'30.45"N	79°39'9.63"E
		64.	30° 1'29.59"N	79°39'9.57"E
		65.	30° 1'28.61"N	79°39'11.51"E
		66.	30° 1'29.81"N	79°39'13.46"E
		67.	30° 1'30.67"N	79°39'13.48"E
		68.	30° 1'30.79"N	79°39'14.20"E
		69.	30° 1'31.59"N	79°39'14.30"E
		70.	30° 1'31.39"N	79°39'14.80"E
14.	Letter of Intent from State Government	2226/VII-2-08/62-kha/2001 dated 9 th June 2008		
15.	Mine Plan approval details	4986/Mu.Kha/Bhu. Khani. Ni/108/Chamoli scheme of mining/2008—09 Dated 20.12.2023		
16.	Validity of Mine Plan	5 years (period of mine plan will effect from date of registration of lease deed)		
17.	Total geological reserves	Soapstone- 305077tonnes, Dolomite- 77736 tonnes		
18.	Total Proposed Production (In 5 Years)	Year	Total Quantities of soapstone (tonnes)	Total Quantities of Dolomite (tonnes)
		2023-24	11532	2939
		2024-25	13058	3327
		2025-26	13928	3571
		2026-27	14976	3816
		2027-28	15766	4017
		Total	69260	17670
19.	Sanctioned Period of Mine lease	20 Years		
20.	Method of Mining	Open Cast Semi Mechanized Method		
21.	No. of working days	240		
22.	Working hours/day	8 Hrs		
23.	No. of workers	40 Nos.		
24.	Type of Land	State Govt. Land, Agriculture land & public use land		
25.	Ultimate Depth of Mining	20 m		
26.	Water Requirement	13.2 KLD		
27.	Any litigation pending against the project or land in any court	NA		
28.	Ecological Sensitive	Submitted		

	Map/zone	
29.	Details of 500 m Cluster certificate & Map Verified by Mining Officer	Submitted
30.	Proposed CER cost	3.7890 Lakh
31.	Proposed EMP cost	15.90 Lakh
32.	No. of Trees to be Planted.	4000 plants (800 plants per year)
33.	Detail of CTE/CTO issued by UPPCB	Will be applied after Grant of EC

The SEAC during its meeting held on 1st February, 2024 had undertaken appraisal of the above project. It has been found that the proposal is classified under Category B2 of EIA Notification 2006. The proponent has submitted PFR, EMP and other relevant documents as desired. After due examination of the relevant documents/certificates submitted by the project proponent and additional clarification furnished in response to its observations SEAC has recommended the grant of Environmental Clearance for the above project, subject to compliance of the EMP and other stipulated conditions. SEIAA during its meeting dated 9th February, 2024 considered the above proposal based on the recommendation of SEAC. After due examination and deliberation, the **SEIAA Uttarakhand hereby accords Environmental Clearance** for the above project under category B-2 of EIA notification 2006 (as amended from time to time) subject to the strict compliance with the General, Specific and other conditions mentioned below:-

1- Pre –Operation

1. The project proponent should advertise with basic details at least in two widely circulated local newspapers, within seven (7) days of the receipt of the clearance letter informing that the project has been accorded environmental clearance by the State Environment Impact Assessment Authority, Dehradun and a copy of the same be sent to the Regional Office of Ministry of Environment, Forest and Climate Change, Government of India located at 25 Subhash, Road Dehradun.
2. The legal status of the mining lease area shall remain unchanged and the Environment Clearance shall remain co-terminus with lease period. The mined lease area shall not be used for any purpose other than that specified in the proposal.
3. The mining/extraction of soapstone shall not be done without approved mine plan from designated authority. The mine plan should be revised every 5 years and no fresh mine plan shall be prepared without site inspection by designated authority. A copy of this shall be submitted to SEIAA.
4. The boundary of the mined lease area shall be demarcated on ground by erecting pillars, each inscribed with its serial number, DGPS coordinates, forward and back bearing, and distance from adjoining pillars etc. This demarcation will be ensured by the Revenue Department. A bench mark will be established to monitor depth of the mining. A safety zone of 7.5 mt (surrounding the mine site) shall be left free from mining.
5. The mining area shall be properly fenced to avoid any inadvertent entry into the mining pit. There will be one entry gate of mine which will be manual and barricade under supervision of watch man.
6. The project proponent should submit route map before start of the work to this office. There shall be no change in the route after the submission. This shall be done within one month.
7. Socio-economic study shall be done in detail in the 10 km radius area of the mine. The questioners should be site specific and shall be repeated after three years. The indicator, sample etc for the study shall be clearly marked this shall be done in next three months and submitted to SEIAA, Uttarakhand.
8. The flora of core area is in the 500 mt radius of the mine shall be again noted and the report shall be submitted to SEIAA within three months.
9. In the plantation activity plants shall be planted on the advice of local DFO. Preference will be to shrubs and grasses.
10. Disaster management plan shall be made and submitted to SEIAA, Adequate provision of fund shall be given. This plan shall be submitted within three months.
11. In the 7.5 meter width safety zone local shrubs like berberis agave spp, mulberry will be planted at the 1.5 mt spacing. Minimum two rows will be planted around the mine.
12. The project proponent shall submit authentic list of flora & fauna along with six monthly compliance report.
13. The Project Proponent shall submit a detail of the socio-economic status of the villages falling within 10.0 Km radius of the project area.
14. Project Proponent shall undertake mining works 50 meter away from the river & construct retaining wall at a distance of 50 meter from river bank to prevent soil erosion and carry over of overburden material.
15. Project Proponent shall provide Rs 3.0 lakh for modernizing Chemistry/Biology Lab of nearby Govt. Inter College and submit documentary evidence to SEIAA along with six monthly compliance report.
16. Project Proponent shall carryout impact assessment study for aquatic fauna along with mitigation measures and submit documentary evidence to SEIAA along with six monthly compliance report.

2. General Conditions

1. The mining/extraction of mineral and progressive mine closure should be done as per the approved mine plan. The mine plan should have validity till the mining period.

2. The Proponent will ensure that mine site should have well demarcated safety zone i.e. mining operation will not be carried out in the vicinity of 100 m from nearby bridges, educational institution or structures of historical importance.
3. Minimum 8000 plants in 8.0 ha shall be planted in first two year in nearby Van Panchayat and shall be maintained for next three years.
4. The project area shall be strictly used for the activities permitted. **No cutting, pollarding of existing tree is allowed.** No work shall be carried out after sunset
5. The overall manpower will be restricted to bare minimum. Though mostly local labour will be deployed, but for the essential manpower staying at site, no fuel wood based support will be provided for cooking purpose.
6. Sufficient numbers of dustbins will be provided to labourers for collection of their daily use garbage, Bio-degradable & solid garbage will be collected in separated bins & proper disposal of these garbage will be ascertained.
7. At no stage mining shall be carried out after exhausting extraction of the estimated mineable quantity as stated above.
8. The Proponent should provide Eco-friendly toilets for the workforce. The workers shall be directed to use the sanitation facilities provided at project site and instructed not to litter the project site. Sufficient numbers of Bio-Toilets will be provide to workers at safe distance from the roli which flowing in the area.
9. Wild Animals being sensitive to noise, no project activities shall be carried out at night (sunset to sunrise) time.
10. Photography of the proposed mining site (preferably using Drone) should be done and submitted to SEIAA along with half-yearly compliance report.
11. The project proponent shall submit half yearly compliance report of stipulated conditions of Environment Clearance in soft copy through PARIVESH PORTAL given link: <https://parivesh.nic.in>. The compliance report shall also be e mailed to the Regional Office in Dehradun in moef.ddn@gov.in
12. The project proponent shall submit half yearly reports pertaining to ambient air quality, ground water quality and noise. These reports should be monitored and generated by a NABL approved laboratory having scope of it.
13. All the vehicles being used for transportation from the mine site should have a valid pollution under control certificate.
14. The Proponent shall ensure installation of water sprinklers within the premises to prevent dust hazards.
15. Adequate drinking water and sanitation facility shall be provided on site for the workforce. Provision shall be made for supply of domestic fuel to the workforce so that they do not remain dependent on adjoining forest areas for fuel wood.
16. The project proponent shall ensure proper collection, treatment and disposal of mule excrete. Rest room for mule shall be provided.
17. The project proponent shall undertake suitable measures to avoid spillage of over burden and inter burden. During monsoon stocked over burden shall be covered so that it will not spill into nearby water bodies.
18. The project Proponent shall ensure the reclamation of mining area as per mine closure plan at his own cost.
19. The project proponent shall undertake all the activities agreed during public consultation.

3- Conditions for operation phase

1. Bore core hole drilling shall be carried out upto adequate depth to ascertain the grade of material. This shall be carried out in this first year and report should be submitted to SEIAA along with six monthly compliance report.
2. **Overall pit slope shall not be more than 30° and bench slope shall not exceed 68°.**
3. **Gradient of haul road shall be 1:16.**
4. **10 mt barrier zone should be done on both side of nalla, depression passing through the area and shall be restricted zone for mining.**
5. **Gravity retaining wall width 1.5 m and 1.0 mt height shall also be erected at the base of back field pit and at the base and side of dump and all along the nalla to control siltation into nallah.**
6. **Maintenance and cleaning of check dam shall be carried out regularly.'**
7. **The over burder/inter burden will be dumped separately towards slope of working pit secured with gravity retaining wall.**
8. **Hanging of loose boulders shall be removed from mine faces.**
9. The storage of mined material should be done in the leased area only. The mined material should be covered by taurpauline.
10. The mule dung should be cleared and shall be put in separate pits and should be covered a layer of soil. Care shall be taken that there shall be no leaching from this site.
11. The mining shall be carried out by **as per approved mine plan** without adopting drilling and blasting operation. The use of hand held mechanically driven equipment is permitted. The use of any electrically driven machinery shall remain prohibited and only hand held tools shall be used for extraction of the mineral.
12. Soapstone mining shall be carried out during sunrise to sunset period only. It shall not involve felling of trees and clearance of vegetation. There shall be no permanent construction at the site except temporary erection of first aid room, office, store, drinking water shed, rest shelter etc.
13. The process of mining and quantity of extractable mineral and subsequently progressive mine closure shall be as per the approved mine plan. The mining operation shall be carried out from as per the approved mine plan by formation of benching pattern. The maximum height of benches shall not exceed 1.5 mt and ultimate pit slope shall be kept as per the approved mining plan.

14. The maximum permissible depth for mining of soapstone shall not exceed 6 meters or depth of ground water table whichever is less. During first five years of mining lease the depth of mining shall not exceed 3 meters. **Mining beyond 6 meters will be considered after site visit by SEAC.**
15. Extraction of minor mineral is permitted from 1st October of every year to 15th June of the subsequent year. It shall be ensured that no mining activity is carried out during the monsoon season.
16. Reclamation of the mine lease area shall be through back filling, stabilization and cultivation. The waste and top soil generated during mining shall be temporarily stacked in external dump which will be subsequently vacated and back filled in mined out pits. The waste generated in the area will be backfilled during rains and land made suitable for cultivation. Back filling shall be done in a retreating manner from as per the approved mine plan. Mining activity and back filling shall be done simultaneously once space is available. External dumps shall be made in one corner of the area.
17. No disturbance to natural drainage system around the mining lease area shall be done. No mixing of wastes is allowed. The dump site shall be kept away from the nearby nallahs/water bodies and maintained at a distance of at least 100 meters. The external dump shall be protected against slide/slip by adopting suitable mechanical and vegetative measures. Proponent should construct a retaining wall, along the nallah side, with suitable height to protect soil erosion. The construction of toe wall, having width and height 1 meter check dam and planting of grass species/soil binding dwarf species in dump yard shall be done.
18. The project proponent shall undertake transportation of mineral from pit head to road head manually or by mule. Further it shall strictly adhere to the norms of Transport Department in refraining from use of polluting and less fuel-efficient vehicles for transporting extracted minerals to final destination. There shall be no over loading of vehicles as against standard norms fixed by Central Government/State Government/Hon'ble Courts from time to time.
19. The project proponent shall regulate and maintain record of the quantity of soapstone extracted during a season. The monitoring shall be ensured by Mines Department/District Administration from time to time. They shall use the path as given in the project.
20. Data on ambient air quality (RPM, SPM, so₂, No₂ should regularly submitted to SEIAA, Regional office MOEF&CC subhash road, Dehradun and the UKPCB once in six months.
21. The transportation of the materials shall be limited to day hours only.
22. The proponent shall erect eco-friendly mobile toilets for the workforce at site and shall ensure disposal of solid waste as per the existing provisions/rules/guidelines.
23. The Geology and Mining department shall identify an agency for regular/periodical monitoring of quality of ground water of existing hand pumps and tube wells in the vicinity of the mining site.
24. The project proponent shall follow all safety measures for labour force engaged in accordance with relevant Acts/Rules.
25. The project proponent shall prepare the plan of mining in conformity with the mine lease conditions and the Rules prescribed in this regard thereby clearly delineating the 'No Work Zone' in the mine lease area i.e. at least 100 mt distance from Nallahs/Water Bodies, bridges, educational institution or structures of historical importance.
26. Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and all transfer points. It shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
27. The project proponent shall provide protective respiratory devices to workers working in dusty areas and they shall also be provided with adequate training and information on safety and health aspects. Periodical medical examination of the workers engaged in the project shall be carried out and records maintained.
28. The project proponent shall ensure compliance to provisions of the all Acts, Rules, Regulations and Guidelines, for the time being in force, as applicable to the project
29. Project proponent will strictly comply with EMP/EIA.
30. Project proponent will have to submit EMP/EIA report to Mining Department (Lessee) and Pollution Control Board before getting work order/Consent to Established or Operate.
31. The project proponent shall submit half yearly compliance report of stipulated conditions of Environment Clearance in soft copy through PARIVESH PORTAL given link: <https://parivesh.nic.in>.

4- **Entire Operation**

1. The Environmental Clearance is being granted for mining/extraction of Soapstone in the approved Mine Lease Area. Legal status of the mining lease area shall remain unchanged and the Environmental Clearance is being granted only for the lease period. The mined lease area shall not be used for any purpose other than that specified in the proposal.
2. The maximum permissible depth for mining of Soapstone shall not exceed 6 meter or depth of ground water table whichever is less. During first five years of mining lease the depth of mining shall not exceed 3 meters. Mining beyond 6 meters shall be granted after site visit by SEAC. However, Authority may also visit the site in operational phase, whenever it is found to be necessary.
3. The dump site shall be kept away from the nearby nallahs/water bodies and maintained at a distance of at least 100 meters. The external dump shall be protected against slide/slip by adopting suitable mechanical and vegetative measures. The construction of toe wall, check dam and planting of grass species/soil binding dwarf species in dump yard shall be done as given in mining plan.
4. The project proponent shall undertake transportation of mineral from pit head to road head manually or by mule. Further it shall strictly adhere to the norms of Transport Department in refraining from use of polluting and less fuel-efficient vehicles for transporting extracted minerals to final destination. There shall be no over loading of vehicles as against standard norms fixed by Central Government/State Government/Hon'ble Courts from time to time. There shall be no change in transport route without the approval of SEIAA, Uttarakhand.

5. The project proponent shall regulate and maintain record of the quantity of Soapstone extracted during a season. The monitoring shall be ensured by Mines Department/District Administration from time to time.
6. There shall be no labour camp in the mining lease area for the labour engaged in mining of Soapstone. The labour engaged in mining shall be provided free fuel wood/alternate source of energy to avoid any pressure on adjoining forest land.
7. The project proponent shall formulate a transparent and unbiased procedure for engagement of labourers for sustainable extraction of the minerals from the mining lease area. The project proponent shall ensure that maximum local labour be engaged and hence employment opportunity provided. The project proponent shall follow all safety measures for labour force engaged in accordance with relevant Acts/Rules.
8. The above environmental safeguards shall be implemented in letter and spirit. The project proponent shall establish Environment Monitoring Cell and also submit six monthly compliance reports to this Authority and regional office of MoEF&CC, Govt of India at Dehradun.
9. The SEIAA reserves the right to include additional safeguard measures if found necessary and also to take action including revoking of the EC granted under provision of EIA Notification 2006.
10. The Project Proponent shall obtain clearance under the Wildlife (Protection) Act, 1972 from the competent Authority as may be applicable to this project.
11. This EC is being granted subject to compliance of Hon'ble Court Orders issued from time to time.
12. The ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of Environment Protection.
13. Concealing factual data or submission of false/fabricated information/data and failure to comply with of any conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.
14. If it is found that if conditions laid down by the Authority are violated, the Authority may suspend or cancel this Environmental Clearance.
15. Any appeal against this Environment Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under relevant section of the National Green Tribunal Act, 2010.

5- Specific Conditions:- (To be followed by Director Industry, Geology and Mining Unit, Govt. of Uttarakhand).

1. Mining and Geology department of the State Government should recalculate the maximum production levels and inform the Authority accordingly.
2. A study shall be carried out at least in over a year through mines and geology department to avoid over exploitation of mineral, which may adversely affect the dynamics of site. A copy of said study report shall be submitted to the Regional Office of the Ministry of Environment, Forest and Climate Change at Dehradun and SEIAA, Uttarakhand.
3. The Geology and Mining unit of Industry Department shall identify an agency for regular/periodical monitoring of quality of ground water of existing hand pumps and tube wells in the vicinity of the mining site.
4. Digital processing of the entire lease area using remote sensing technique should be done by Geology and Mining department regularly and report should be submitted to the Ministry of Environment and Forests, Regional office at Dehradun and SEIAA, Uttarakhand.

Your's Faithfully

(Dr. S.P. Subudhi)
Member Secretary,
SEIAA, Uttarakhand

No - 178 01(87)/2023 dated- as above

Copy for information and necessary action to-

1. APCCF, Regional office (Central) MoEFCC Govt of India, 25 Subhash Road, Dehradun.
2. Principal Chief Secretary, Forests & Environment, Government of Uttarakhand, Dehradun.
3. Director Industries, Geology & Mining Unit Govt of Uttarakhand Dehradun
4. District Magistrate, Chamoli.
5. Member Secretary, UKPCB, IT Park Dehradun.
6. Divisional Forest Officer, Badrinath.
7. Guard File for uploading in Parivesh Website.

(Dr. S.P. Subudhi)
Member Secretary,
SEIAA, Uttarakhand