



सत्यमेव जयते

File No.: HPSEIAA/2022/1029
Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), HIMACHAL PRADESH)



Dated 19/10/2024



To,

MADAN LAL
S/o Ram Chand, P.O. Ghandalwin, Tehsil Ghumarwin, , HAMIRPUR, HIMACHAL PRADESH,
174027
ssmadanlalsharma@gmail.com

Subject: Grant of prior Environmental Clearance (EC) to the proposed Mining Project under the provisions of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application submitted to SEIAA vide proposal number SIA/HP/MIN/456822/2024 dated 17/08/2024 for grant of prior Environmental Clearance (EC) to the project under the provision of the EIA Notification 2006-and as amended thereof.

2. The particulars of the proposal are as below :

(i) EC Identification No.	EC24B0107HP5114917N
(ii) File No.	HPSEIAA/2022/1029
(iii) Clearance Type	Fresh EC
(iv) Category	B1
(v) Project/Activity Included Schedule No.	1(a) Mining of minerals
(vii) Name of Project	Extraction of Stone, Sand and Bajri falling in Mauza Datwal, Mohal Jangli Tehsil Bijhar, District Hamirpur, Himachal Pradesh by Sh. Madan Lal, S/o Sh. Ram Chand
(ix) Location of Project (District, State)	HAMIRPUR, HIMACHAL PRADESH
(x) Issuing Authority	SEIAA
(xii) Applicability of General Conditions	No

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-2(Part A, B and C)/ EIA & EMP Reports were submitted to the SEIAA for an appraisal by the SEIAA under the provision of EIA notification 2006 and its subsequent amendments.

4. The above-mentioned proposal has been considered by SEIAA in the meeting held on 30/09/2024. The minutes of

the meeting and all the project documents are available on PARIVESH portal which can be accessed from the PARIVESH portal by scanning the QR Code above. Brief description of the project is as under: The Project will be provide direct and indirect employment to the local villagers.

5. Details of the minerals to be mined along with production capacity and the brief on the salient features of the project as submitted by the project proponent in Form 1 (Part A and B) in the reports and as presented during SEIAA are annexed to this EC as Annexure (1).

6. Brief outline of the project:-

- | | | |
|----|--|--|
| a) | Proposal No. | SIA/HP/MIN/413181/2023, HP SEIAA/2022-1029, TOR's
SIA/HP/MIN/456822/2024, HP SEIAA/2024-1029-II.
(EC) Parivesh 2.0 |
| b) | Project type | Extraction of Sand, Stone & Bajri. |
| c) | Project Location | Khasra number 405 falling in Mauza & Mohal Datwal & Jangli, Tehsil
Bijhar, Distt. Hamirpur, HP. |
| d) | Jamabandi | Jamabandi for the year 2020-2021 |
| e) | Land Status | Government Land. |
| f) | Capacity | 61,599 TPA. |
| g) | Mining Area | 3-37-99 Hectare , Government land, river bed. |
| h) | Leases with in 500 meter from the periphery of the area applied. | One mining lease exist within 500 meters: |
| i) | Letter of Intent | Extension of Letter of Intent issued on dated 26.12.2023
(Valid for one year i.e. up to 04.09.2024) |
| j) | EMP Cost | Capital cost: Rs. 11.00 Lakhs and Recurring cost: Rs. 1.44 Lakhs
annually. |
| k) | CER cost | Rs. 16.00 Lakhs. |

7. The SEIAA, in its meeting held on 30/09/2024, based on information submitted viz: Form 1 (Part A, B and C), EIA/EMP report etc & clarifications provided by the project proponent and after detailed deliberations on all technical aspects and public hearing issues and compliance thereto furnished by the Project Proponent, recommended the proposal for grant of Environment Clearance under the provision of EIA Notification, 2006 and as amended thereof subject to stipulation of Specific and Standard EC conditions as detailed in the point below.

8. The SEIAA has examined the proposal in accordance with the provisions contained in the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and based on the recommendations of the SEIAA hereby accords Environment Clearance for the instant proposal to M/s. MADAN LAL under the provisions of EIA Notification, 2006 and as amended thereof subject to compliance of the Specific and Standard EC conditions as given in Annexure (2)

9. The Ministry reserves the right to stipulate additional conditions, if found necessary.

10. The Environmental Clearance to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.

11. The PP is under obligation to implement commitments made in the Environment Management Plan, which forms part of this EC.

12. Validity of EC is upto 17/08/2024 from which the prior environmental clearance is granted by the regulatory authority.

13. General Instructions:

1. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of SEIAA website where it is displayed.

2. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn must display the same for 30 days from the date of receipt.
 3. The project proponent shall have a well laid down environmental policy duly approved by the Board of Directors (in case of Company) or competent authority, duly prescribing standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions.
 4. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the project proponent (during construction phase) and authorized entity mandated with compliance of conditions (during operational phase) shall be prepared. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Six monthly progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.
 5. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
 6. The Regional Office of this SEIAA shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
 7. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
14. This issue with an approval of the Competent Authority.

Copy To

1. The Secretary (Environment), Ministry of Environment, Forests & Climate Change (MoEF&CC), GoI, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi - 110003 .
2. The Chairman, Central Pollution Control Board, Him Parivesh Bhawan, CBD-cum-office Complex, East Arjun Nagar, New Delhi-110032.
3. The Chairman, Himachal Pradesh State Pollution Control Board, Shimla-171009.
4. The Director (Environment, Science & Technology) to the GoHP, Shimla-171001.
5. The Adviser (IA), MoEF&CC, GoI, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi - 110003.
6. The Integrated Regional Office, MoEF&CC, CGO Complex, Shivalik Khand, Longwood, Shimla, HP-171001.
7. The Monitoring Cell, MoEF&CC, GoI, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi - 110003
8. Record File.

Annexure 1

Specific EC Conditions for (Mining Of Minerals)

1. Cer

S. No	EC Conditions
1.1	The capital cost (@ Rs. 4.00 lacs per ≤ ha.) under CER, shall be deposited in the form of Demand Draft/ transfer of funds in the bank account number mentioned in EC letter to the office of Director (DEST&CC), GOHP. The Director (DEST&CC) may device a plan for this purpose as per CER guidelines.

S. No	EC Conditions																																																
1.2	The project proponent shall provide one plastic waste shredder machine to DEST& CC, Shimla within one month from the date of issuance of EC letter, for further distribution under CER. The machines will be purchased from authorised/ approved sources and CMC/AMC will be assured with supplier for at least three years from date of installation. The Project proponent shall be responsible for functioning of the machines. The size of the shredded plastic shall be less than 2.36 mm. Technical specifications of the plastic waste shredder are as under: Plastic Waste Shredder specifications (250Kg/Hr.) <table> <tr> <th>PARAMETER</th><th>SPECIFICATION</th></tr> <tr> <td>Mechanism type</td><td>Double shaft with rotating blades</td></tr> <tr> <td>Application</td><td>Shredding of RDF waste (Plastic bags, polythene, rags, leather, rubber etc. found in the Municipal Waste)</td></tr> <tr> <td>Shredder capacity</td><td>250-300Kg/hr</td></tr> <tr> <td>Machine Size</td><td>Height-4.5 ft, Length-Any & Width-Any.</td></tr> <tr> <td>Blade MOC</td><td>WP45/ENOS(Harden)</td></tr> <tr> <td>Minimum height of hook above shaft & disc</td><td>70-80mm</td></tr> <tr> <td>Output shredded material size</td><td><2.36 mm</td></tr> <tr> <td>Working chamber</td><td>300mmX380mm</td></tr> <tr> <td>Motor HP</td><td>7.5HP</td></tr> <tr> <td>Total motor</td><td>1 Nos.</td></tr> <tr> <td>RPM of shafts</td><td>30-40</td></tr> <tr> <td>Motor make</td><td>Havells/Crompton</td></tr> <tr> <td>Motor rating</td><td>IE2</td></tr> <tr> <td>Total gearbox</td><td>1Nos.</td></tr> <tr> <td>Hopper size</td><td>500mmX 350mm</td></tr> <tr> <td>Structure & cover & Hopper MOC</td><td>MS with paint</td></tr> <tr> <td>Extra features</td><td>Cladding total body</td></tr> <tr> <td>Supply</td><td>3 Phase 440V-50Hz.</td></tr> <tr> <td>Panel</td><td></td></tr> <tr> <td>Panel function</td><td>Overload Protection, Short Circuit protection, Tower light, Limits switch for safety (when machine front cover open machine to stop working)</td></tr> <tr> <td>Warranty</td><td></td></tr> <tr> <td>Duration</td><td>12 months or more</td></tr> <tr> <td>Scope under warranty</td><td>All the spares & repair work including labor</td></tr> </table>	PARAMETER	SPECIFICATION	Mechanism type	Double shaft with rotating blades	Application	Shredding of RDF waste (Plastic bags, polythene, rags, leather, rubber etc. found in the Municipal Waste)	Shredder capacity	250-300Kg/hr	Machine Size	Height-4.5 ft, Length-Any & Width-Any.	Blade MOC	WP45/ENOS(Harden)	Minimum height of hook above shaft & disc	70-80mm	Output shredded material size	<2.36 mm	Working chamber	300mmX380mm	Motor HP	7.5HP	Total motor	1 Nos.	RPM of shafts	30-40	Motor make	Havells/Crompton	Motor rating	IE2	Total gearbox	1Nos.	Hopper size	500mmX 350mm	Structure & cover & Hopper MOC	MS with paint	Extra features	Cladding total body	Supply	3 Phase 440V-50Hz.	Panel		Panel function	Overload Protection, Short Circuit protection, Tower light, Limits switch for safety (when machine front cover open machine to stop working)	Warranty		Duration	12 months or more	Scope under warranty	All the spares & repair work including labor
PARAMETER	SPECIFICATION																																																
Mechanism type	Double shaft with rotating blades																																																
Application	Shredding of RDF waste (Plastic bags, polythene, rags, leather, rubber etc. found in the Municipal Waste)																																																
Shredder capacity	250-300Kg/hr																																																
Machine Size	Height-4.5 ft, Length-Any & Width-Any.																																																
Blade MOC	WP45/ENOS(Harden)																																																
Minimum height of hook above shaft & disc	70-80mm																																																
Output shredded material size	<2.36 mm																																																
Working chamber	300mmX380mm																																																
Motor HP	7.5HP																																																
Total motor	1 Nos.																																																
RPM of shafts	30-40																																																
Motor make	Havells/Crompton																																																
Motor rating	IE2																																																
Total gearbox	1Nos.																																																
Hopper size	500mmX 350mm																																																
Structure & cover & Hopper MOC	MS with paint																																																
Extra features	Cladding total body																																																
Supply	3 Phase 440V-50Hz.																																																
Panel																																																	
Panel function	Overload Protection, Short Circuit protection, Tower light, Limits switch for safety (when machine front cover open machine to stop working)																																																
Warranty																																																	
Duration	12 months or more																																																
Scope under warranty	All the spares & repair work including labor																																																

2. Six Monthly Compliance Report

S. No	EC Conditions
2.1	The project proponent shall sensitize and create awareness among people working within the project area as well as its surrounding area on the ban of SUP in order to ensure the compliance of Notification published by MoEF& CC on 12/08/2021. A report, along with photographs, on the measures taken shall also be included in the six monthly compliance report being submitted by the project proponents

1. Statutory Compliance

S. No	EC Conditions
1.1	The Environmental clearance shall be subject to orders of Hon'ble Supreme Court of India, Hon'ble High Courts, NGT and any other Court of Law, from time to time, and as applicable to the project
1.2	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
1.3	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
1.4	The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report (in case of the presence of schedule-I species in the study area).
1.5	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
1.6	The project proponent shall obtain the necessary permission from the Central Ground Water Authority
1.7	Solid/hazardous waste generated in the mines needs to addressed in accordance to the Solid Waste Management Rules, 2016/Hazardous & Other Waste Management Rules, 2016.
1.8	Permission of power supply to be taken from the concerned authority for meeting power demand of the project site.
1.9	The maximum production or peak production at any given time shall not exceed the limit as prescribed in the EC.
1.10	EC will be valid for a period of five years or upto the validity of Mining Plan whichever is earlier.

2. Air Quality Monitoring And Mitigation Measure

S. No	EC Conditions
2.1	Adequate ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for monitoring of pollutants, namely particulates, SO ₂ and NO _x . Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive receptors in consultation with the State Pollution Control Board. Online ambient air quality monitoring station/stations may also be installed in addition to the regular air monitoring stations as per the requirement and/or in consultation with the SPCB
2.2	Major approach roads shall be black topped and properly maintained.

S. No	EC Conditions
2.3	Vehicular emissions shall be kept under control and regularly monitored. All the vehicles engaged in mining and allied activities shall operate only after obtaining 'PUC' certificate from the authorized pollution testing centres.
2.4	Adequate number of Fog canon (mist sprayer) shall be installed to reduce the impact of air pollution at dust generating sources with time bound action plan.
2.5	PP should Install Wind breaker/shield arrangement along the railway siding for reducing the dust propagation in upwind direction.
2.6	Post environmental closure third party monitoring by reputed institution in air quality, water, land & soil etc shall be carried out and analysed with EMP measures at regular interval. A suitable recommendation in this regard, shall be furnished to IRO, MoEF&CC for compliance. The data used for analysis shall be obtained from continuous AQMS, site specific water regime. Also third party shall analyse the implementation of river diversion, meeting to the requirement of project report.

3. Water Quality Monitoring And Mitigation Measures

S. No	EC Conditions
3.1	The monitoring data shall be uploaded on the company's website and displayed at the project site at a suitable location. The circular No.J-20012/1/2006-IA.11 (M) dated 27th May, 2009 issued by Ministry of Environment, Forest and Climate Change shall also be referred in this regard for its compliance.
3.2	Regular monitoring of ground water level and quality shall be carried out in and around the mine lease area by establishing a network of existing wells and constructing new piezometers during the mining operations. The monitoring of ground water levels shall be carried out four times a year i.e. pre-monsoon, monsoon, post-monsoon and winter. The ground water quality shall be monitored once a year, and the data thus collected shall be sent regularly to MOEFCC/RO.
3.3	Monitoring of water quality upstream and downstream of river including ponds, lakes, tanks shall be carried out once in six months and record of monitoring data shall be maintained and submitted to the Ministry of Environment, Forest and Climate Change/Regional Office.
3.4	Ground water, excluding mine water, shall not be used for mining operations. Rainwater harvesting shall be implemented for conservation and augmentation of ground water resources.
3.5	The project proponent shall not alter major water channels around the site. Appropriate embankment shall be provided along the side of the river/nallah flowing near or adjacent to the mine. The embankment constructed along the river/nallah boundary shall be of suitable dimensions and critical patches shall be strengthened by stone pitching on the river front side, stabilized with plantation so as to withstand the peak water pressure preventing any chance of mine inundation.
3.6	Garland drains (of suitable size, gradient and length) around the critical areas i.e. mine shaft and low lying areas, shall be designed keeping at least 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine sites. The sump capacity shall also provide adequate retention period to allow proper settling of silt material of the surface

S. No	EC Conditions
	runoff
3.7	The water pumped out from the mine, after siltation, shall be utilized for industrial purpose viz. watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly
3.8	Adequate groundwater recharge measures shall be taken up for augmentation of ground water. The project authorities shall meet water requirement of nearby village(s) in case the village wells go dry due to dewatering of mine.
3.9	The surface drainage plan including surface water conservation plan for the area of influence affected by the said mining operations shall be prepared, considering the presence of any river/rivulet/pond/lake etc., with impact of mining activities on it, and implemented by the project proponent. The surface drainage plan and/or any diversion of natural water courses shall be as per the provisions of the approved Mining Plan/ EIA-EMP submitted to this Ministry and the same should be done with due approval of the concerned State/GoI Authority. The construction of embankment to prevent any danger against inrush of surface water into the mine should be as per the approved mining plan and as per the permission of DGMS.
3.10	Domestic water shall be providing to the residents/villages which are coming under the zone of influence of the project due to ground water extraction by installing a RO plant with proper supply line and Taps within 2 years
3.11	No obsolete technologies for sewage treatment shall be implemented. Construction of Sewage Treatment Plant with latest technology should be completed within 2 years and treated water shall be reused for plantation. CTE and CTO of STP shall be obtained as per the norms.

4. Noise And Vibration Monitoring And Prevention

S. No	EC Conditions
4.1	Adequate measures shall be taken for control of noise levels as per Noise Pollution Rules, 2016 in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with personal protective equipments (PPE) like ear plugs/muffs in conformity with the prescribed norms and guidelines in this regard. Adequate awareness programme for users to be conducted. Progress in usage of such accessories to be monitored.
4.2	The noise level survey shall be carried out as per the prescribed guidelines to assess noise exposure of the workmen at vulnerable points in the mine premises, and report in this regard shall be submitted to the Ministry/RO on six-monthly basis.

5. Mining Plan

S. No	EC Conditions
5.1	Mining shall be carried out under strict adherence to provisions of the Mines Act 1952 and subordinate legislations made there-under as applicable.
5.2	No change in mining method i.e. UG to OC, calendar programme and scope of work shall be made

S. No	EC Conditions
	without obtaining prior approval of the Ministry of Environment, Forests and Climate Change (MoEFCC).
5.3	Underground work place environmental conditions shall be rendered ergonomic and air breathable with adequate illumination in conformance with DGMS standards.
5.4	No mining shall be carried out in forest land without obtaining Forestry Clearance as per Forest (Conservation) Act, 1980 and also adhering to The Scheduled Tribes and Other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 read with provisions of Indian Forest Act, 1927.
5.5	Efforts should be made to reduce energy and fuel consumption by conservation, efficiency improvements and use of renewable energy.
5.6	Transportation by Railway Siding shall be developed to avoid transportation by Road

6. Land Recalculation

S. No	EC Conditions
6.1	Digital Survey of entire lease hold area/core zone using Satellite Remote Sensing survey shall be carried out at least once in three years for monitoring land use pattern and report in 1:50,000 scale or as notified by Ministry of Environment, Forest and Climate Change(MOEFCC) from time to time shall be submitted to MOEFCC/Regional Office (RO).
6.2	Regular monitoring of subsidence movement on the surface over and around the working areas and its impact on natural drainage pattern, water bodies, vegetation, structure, roads and surroundings shall be continued till movement ceases completely. In case of observation of any high rate of subsidence beyond the limit prescribed, appropriate effective mitigation measures shall be taken to avoid loss of life and materials. Cracks should be effectively plugged in with ballast and clay soil/suitable material.
6.3	Fly ash shall be used for external dump of overburden, backfilling or stowing of mine as per provisions contained in clause (i) and (ii) of subparagraph (8) of fly ash notification issued vide SO 2804 (E) dated 3rd November, 2009 as amended from time to time. Efforts shall be made to utilize gypsum generated from Flue Gas Desulfurization (FGD), if any, along with fly ash for external dump of overburden, backfilling of mines. Compliance report shall be submitted to Regional Office of MoEF&CC, CPCB and SPCB.
6.4	A separate team for subsidence monitoring and surface mitigation measures shall be constituted and continuous monitoring & implementation of mitigation measures be carried out.
6.5	Thorough inspection of the mine lease area for any cracks developed at the surface due to mining activities below ground shall be carried out to prevent inrush of water in the mine.
6.6	Native tree species shall be selected and planted over areas affected by subsidence.
6.7	The project proponent shall make necessary alternative arrangements, if grazing land is involved in core zone, in consultation with the State government to provide alternate areas for livestock grazing, if any. In this context, the project proponent shall implement the directions of Hon'ble Supreme

S. No	EC Conditions
	Court with regard to acquiring grazing land.

7. Public Hearing And Human Health Issues

S. No	EC Conditions
7.1	Adequate illumination shall be ensured in all mine locations (as per DGMS standards) and monitored.
7.2	The project proponent shall undertake occupational health survey for initial and periodical medical examination of the personnel engaged in the project and maintain records accordingly as per the provisions of the Mines Rules, 1955 and DGMS circulars. Besides regular periodic health check-up, 20% of the personnel identified from workforce engaged in active mining operations shall be subjected to health check-up for occupational diseases and hearing impairment, if any, as amended time to time.
7.3	Personnel (including outsourced employees) working in core zone shall wear protective respiratory devices and shall also be provided with adequate training and information on safety and health aspects.
7.4	Skill training as per safety norms specified by DGMS shall be provided to all workmen including the outsourcing employees to ensure high safety standards in mines.
7.5	Effective arrangement shall be made to provide and maintain at suitable points conveniently situated, a sufficient supply of drinking water for all the persons employed.
7.6	Implementation of the time bound action plan on the issues raised during the public hearing shall be ensured. The project proponent shall undertake all the tasks/measures as per the time bound action plan submitted with budgetary provisions during the public hearing. Land oustees shall be compensated as per the norms laid down in the R&R policy of the company/State Government/Central Government, as applicable.
7.7	The project proponent shall follow the mitigation measures provided in this Ministry's OM No.Z-11013/5712014-IA.II (M) dated 29th October, 2014, titled 'Impact of mining activities on habitations-issues related to the mining projects wherein habitations and villages are the part of mine lease areas or habitations and villages are surrounded by the mine lease area'.
7.8	PP to conduct need based assessment survey of the area to for in order to decide the activities to be carried under the CSR and to provide detail of the activity carried out with adequate budgetary provision and time bound action plan.
7.9	PP should conduct epidemiology study to (analysis of the distribution, patterns and determinants of health and disease conditions in defined populations).
7.10	Permanent Health care facilities of Hospital should be established within 5 km of project boundary for the local people.
7.11	PP must ensure an emergency action plan during pandemic in order to provide assistance to the nearby villages located within the 10 km radius buffer zone (If required)

S. No	EC Conditions
7.12	PP is asked to also identify the rural areas for installation of solar light with its maintenance within the study area of 10 km radius buffer zone with time bound action plan
7.13	PP to take measure for installation of Renewable Energy sources in nearby area falling within 10 km radius

8. Corporate Environment Responsibility

S. No	EC Conditions
8.1	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental/forest/wildlife norms/conditions and/or shareholders/stake holders.
8.2	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
8.3	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
8.4	Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
8.5	PP should establish in house (at project site) environment laboratory for measurement of environment parameter with respect to air quality and water (surface and ground. A dedicated team to oversee environment management shall be setup which should comprise of Environment Engineers, Laboratory chemist and staff for monitoring of air, water quality parameters on routine basis. Any non- compliance or infringement should be reported to the concerned authority

9. Miscellaneous

S. No	EC Conditions
9.1	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
9.2	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.

S. No	EC Conditions
9.3	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
9.4	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
9.5	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
9.6	The project authorities shall inform to the Regional Office of the MOEFCC regarding commencement of mining operations.
9.7	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
9.8	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
9.9	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
9.10	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
9.11	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
9.12	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
9.13	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
9.14	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
9.15	The proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also that during presentation to the EAC. All the commitments made on the issues raised during public hearing shall also be implemented in letter and spirit.

S. No	EC Conditions																																												
9.16	Compensation of the land acquired for the project shall be settled as per the R&R Policy. Adequate facility of drinking water, plantation and other social amenities should be provided to established R&R villages.																																												
9.17	Persons of nearby villages shall be given training on livelihood and skill development to make them employable with its proper records.																																												
9.18	The illumination and sound at night at project sites disturb the villages in respect of both human and animal population. Consequent sleeping disorders and stress may affect the health in the villages located close to mining operations. Habitations have a right for darkness and minimal noise levels at night. PPs must ensure that the biological clock of the villages is not disturbed; by orienting the floodlights/ masks away from the villagers and keeping the noise levels well within the prescribed limits for day light/night hours																																												
9.19	1. The capital cost (@ Rs. 4.00 lacs per ≤ ha.) under CER, shall be deposited in the form of Demand Draft/ transfer of funds in the bank account number mentioned in EC letter to the office of Director (DEST&CC), GOHP. The Director (DEST&CC) may device a plan for this purpose as per CER guidelines. 2. The project proponent shall provide one plastic waste shredder machine to DEST& CC, Shimla within one month from the date of issuance of EC letter, for further distribution under CER. The machines will be purchased from authorised/ approved sources and CMC/AMC will be assured with supplier for at least three years from date of installation. The Project proponent shall be responsible for functioning of the machines. The size of the shredded plastic shall be less than 2.36 mm. Technical specifications of the plastic waste shredder are as under: <table border="1"> <thead> <tr> <th colspan="2">Plastic Waste Shredder specifications (250Kg/Hr.)</th></tr> <tr> <th>PARAMETER</th><th>SPECIFICATION</th></tr> </thead> <tbody> <tr> <td>Mechanism type</td><td>Double shaft with rotating blades</td></tr> <tr> <td>Application</td><td>Shredding of RDF waste (Plastic bags, polythene, rags, leather, rubber etc. found in the Municipal Waste)</td></tr> <tr> <td>Shredder capacity</td><td>250-300 Kg/hr</td></tr> <tr> <td>Machine Size</td><td>Height- 4.5 ft, Length- Any & Width- Any.</td></tr> <tr> <td>Blade MOC</td><td>WP 45/ENOS (Harden)</td></tr> <tr> <td>Minimum height of hook above shaft & disc</td><td>70-SOmm</td></tr> <tr> <td>Output shredded material size</td><td><2.36 mm</td></tr> <tr> <td>Working chamber</td><td>300mm X 380 mm</td></tr> <tr> <td>Motor HP</td><td>7.5HP</td></tr> <tr> <td>Total motor</td><td>1 Nos.</td></tr> <tr> <td>RPM of shafts</td><td>30-40</td></tr> <tr> <td>Motor make</td><td>Havells/ Crompton</td></tr> <tr> <td>Motor rating</td><td>IE2</td></tr> <tr> <td>Total gearbox</td><td>1Nos.</td></tr> <tr> <td>Hopper size</td><td>500mm X 350mm</td></tr> <tr> <td>Structure & cover & Hopper MOC</td><td>MS with paint</td></tr> <tr> <td>Extra features</td><td>Cladding total body</td></tr> <tr> <td>Supply</td><td>3 Phase 440V- 50Hz.</td></tr> <tr> <td>Panel</td><td></td></tr> <tr> <td>Panel function</td><td>Overload Protection, Short Circuit protection, Tower light, Limit switch for safety (when machine front cover open</td></tr> </tbody> </table>	Plastic Waste Shredder specifications (250Kg/Hr.)		PARAMETER	SPECIFICATION	Mechanism type	Double shaft with rotating blades	Application	Shredding of RDF waste (Plastic bags, polythene, rags, leather, rubber etc. found in the Municipal Waste)	Shredder capacity	250-300 Kg/hr	Machine Size	Height- 4.5 ft, Length- Any & Width- Any.	Blade MOC	WP 45/ENOS (Harden)	Minimum height of hook above shaft & disc	70-SOmm	Output shredded material size	<2.36 mm	Working chamber	300mm X 380 mm	Motor HP	7.5HP	Total motor	1 Nos.	RPM of shafts	30-40	Motor make	Havells/ Crompton	Motor rating	IE2	Total gearbox	1Nos.	Hopper size	500mm X 350mm	Structure & cover & Hopper MOC	MS with paint	Extra features	Cladding total body	Supply	3 Phase 440V- 50Hz.	Panel		Panel function	Overload Protection, Short Circuit protection, Tower light, Limit switch for safety (when machine front cover open
Plastic Waste Shredder specifications (250Kg/Hr.)																																													
PARAMETER	SPECIFICATION																																												
Mechanism type	Double shaft with rotating blades																																												
Application	Shredding of RDF waste (Plastic bags, polythene, rags, leather, rubber etc. found in the Municipal Waste)																																												
Shredder capacity	250-300 Kg/hr																																												
Machine Size	Height- 4.5 ft, Length- Any & Width- Any.																																												
Blade MOC	WP 45/ENOS (Harden)																																												
Minimum height of hook above shaft & disc	70-SOmm																																												
Output shredded material size	<2.36 mm																																												
Working chamber	300mm X 380 mm																																												
Motor HP	7.5HP																																												
Total motor	1 Nos.																																												
RPM of shafts	30-40																																												
Motor make	Havells/ Crompton																																												
Motor rating	IE2																																												
Total gearbox	1Nos.																																												
Hopper size	500mm X 350mm																																												
Structure & cover & Hopper MOC	MS with paint																																												
Extra features	Cladding total body																																												
Supply	3 Phase 440V- 50Hz.																																												
Panel																																													
Panel function	Overload Protection, Short Circuit protection, Tower light, Limit switch for safety (when machine front cover open																																												

S. No	EC Conditions								
	<table> <tr> <td></td><td>machine to stop working)</td></tr> <tr> <td>Warranty</td><td></td></tr> <tr> <td>Duration</td><td>12 months or more</td></tr> <tr> <td>Scope under warranty</td><td>All the spares & repair work including labor</td></tr> </table> 4. The mining shall be carried out manually only; no mechanical device shall be used for mining. 5. The mining shall be carried out strictly as per the approved mining plan. 6. The project proponent shall ensure that Forest Clearance, if applicable, shall be obtained before start of the mining activities.		machine to stop working)	Warranty		Duration	12 months or more	Scope under warranty	All the spares & repair work including labor
	machine to stop working)								
Warranty									
Duration	12 months or more								
Scope under warranty	All the spares & repair work including labor								

Additional EC Conditions

N/A

Annexure 2

Details of the Project

S. No.	Particulars	Details	
a.	Details of the Project	Extraction of Stone, Sand and Bajri falling in Mauza Datwal, Mohal Jangli Tehsil Bijhar, District Hamirpur, Himachal Pradesh by Sh. Madan Lal, S/o Sh. Ram Chand	
b.	Latitude and Longitude of the project site	31.48248292167566,76.6068863814185 31.48595487980608,76.60948536767852	
c.	Land Requirement (in Ha) of the project or activity	Nature of Land involved	Area in Ha
		Non-Forest Land (A)	0
		Forest Land (B)	3.3799
		Total Land (A+B)	3.3799
d.	Date of Public Consultation	Public consultation for the project was held on	
e.	Rehabilitation and Resettlement (R&R) involvement	NO	
f.	Project Cost (in lacs)	0.3	
g.	EMP Cost (in lacs)	11.4	

S. No.	Particulars	Details
h.	Employment Details	

Details of Minerals Products & By-products

Name of the Mineral to be mined	Classification of mineral [Major/Minor]	Production capacity in MTPA	Remarks
NA	NA	NA	NA

