



सत्यमेव जयते

File No.: F. No. HPSEIAA/2015-400-2336  
Government of India  
Ministry of Environment, Forest and Climate Change  
(Issued by the State Environment Impact Assessment Authority(SEIAA),  
HIMACHAL PRADESH)

\*\*\*



Dated 18/10/2024



To,

Vijay Kumar  
MS VIJAY STONE CRUSHER  
Mauza Lambagaon, Mohal Tikkri Ghumarnu, Tehsil Jaisinghpur, District Kangra, Himachal Pradesh  
vijaystonecrushereia@gmail.com

**Subject:** Extension in validity of prior Environmental Clearance (EC) dated granted to the project under the provision of the EIA Notification 2006 and as amended thereof regarding.

**Sir/Madam,**

This is in reference to your application submitted to Ministry vide proposal number SIA/HP/MIN/467393/2024 dated 14/08/2024 for an extension in validity of prior Environmental Clearance (EC) granted to the project under the provision of the EIA Notification 2006-and as amended thereof.

2. The particulars of the proposal are as below :

(i) Validity Extension Identification No.	EC24B0107HP5997616N
(ii) File No.	F. No. HPSEIAA/2015-400-2336
(iii) Clearance Type	Application for Validity Extension of EC- Form-6
(iv) Category	B1
(v) Schedule No./ Project Activity	1(a) Mining of minerals
(vii) Name of Project	Mining of Sand, Stone & Bajri Project from Haroti Khad situated in Mauza Lambagaon, Mohal Tikkri Ghumarnu Proposed by, Sh. Vijay Kumar.
(viii) Location of Project (District, State)	KANGRA, HIMACHAL PRADESH
(ix) Issuing Authority	SEIAA
(x) EC date	
(xi) Status of implementation of the project	CTE was taken and project is under construction/development
(xiii) Whether any amendment to the earlier EC has been sought?	No

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-6 were submitted to the SEIAA under the provision of Para 9.0 of the EIA notification 2006 and its subsequent amendments. Details in Form 6 can be accessed from the PARIVESH portal by scanning the QR Code above.
4. The brief about the reasons for an extension of validity of EC, as submitted by the Project Proponent in Form-6 and presented during SEIAA is annexed to this letter as Annexure (1).
5. The above-mentioned proposal has been considered by SEIAA in the meeting held on 30/09/2024. The minutes of the meeting and all the project documents are available on PARIVESH portal which can be accessed by scanning the QR Code above.
6. The SEIAA, in its meeting held on 30/09/2024 based on information & clarifications provided by the project proponent and after detailed deliberations recommended the proposal for extension in validity in Environment Clearance under the provision of EIA Notification, 2006 and as amended thereof.
7. The SEIAA has examined the proposal in accordance with the provisions contained in the Para 9 of Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and based on the recommendations of the State Environment Impact Assessment Authority (SEIAA) Appraisal Committee hereby accords Extension in Validity of Environment Clearance for the instant proposal of M/s. Vijay Kumar under the provisions of EIA Notification, 2006 and as amended thereof subject to compliance of EC conditions, general instructions issued vide EC letter dated and EC identification number SIA/HP/MIN/467393/2024
8. This issues with the approval of the Competent Authority

#### **Copy To**

1. The Secretary (Environment), Ministry of Environment, Forests & Climate Change (MoEF&CC), GoI, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi - 110003 .
2. The Chairman, Central Pollution Control Board, Him Parivesh Bhawan, CBD-cum-office Complex, East Arjun Nagar, New Delhi-110032.
3. The Chairman, Himachal Pradesh State Pollution Control Board, Shimla-171009.
4. The Director (Environment, Science & Technology) to the GoHP, Shimla-171001.
5. The Adviser (IA), MoEF&CC, GoI, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi - 110003.
6. The Integrated Regional Office, MoEF&CC, CGO Complex, Shivalik Khand, Longwood, Shimla, HP-171001.
7. The Monitoring Cell, MoEF&CC, GoI, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi - 110003
8. Record File.

**Annexure 1**

#### **Standard EC Conditions for (Mining of minerals)**

##### **1. Miscellaneous**

S. No	EC Conditions
1.1	<p><b>1. The capital cost (@ Rs. 4.00 lacs per ≤ ha.) under CER, shall be deposited in HDFC Saving Bank Account No. 50100626488752, IFSC: HDFC0006405, office of Member Secretary (SEIAA), EC Monitoring Cell, DEST&amp;CC, GOHP. The Director (DEST&amp;CC) will devise a plan for this purpose in consultation with project proponent.</b></p> <p><b>2. The project proponent shall provide one plastic waste shredder machine to DEST&amp; CC, Shimla within one month from the date of issuance of EC letter, for further distribution under CER. The machines will be purchased from authorised/ approved sources and CMC/AMC will be assured with supplier for at least three years from date of installation. The Project</b></p>

S. No	EC Conditions																																																		
	<p>proponent shall be responsible for functioning of the machines. The size of the shredded plastic shall be less than 2.36 mm. Technical specifications of the plastic waste shredder are as under:</p> <table border="1" data-bbox="336 311 1468 1447"> <thead> <tr> <th colspan="2" data-bbox="336 311 1468 349">Plastic Waste Shredder specifications (250Kg/Hr.)</th> </tr> <tr> <th data-bbox="336 349 746 387">PARAMETER</th> <th data-bbox="746 349 1468 387">SPECIFICATION</th> </tr> </thead> <tbody> <tr> <td data-bbox="336 387 746 425">Mechanism type</td> <td data-bbox="746 387 1468 425">Double shaft with rotating blades</td> </tr> <tr> <td data-bbox="336 425 746 501">Application</td> <td data-bbox="746 425 1468 501">Shredding of RDF waste (Plastic bags, polythene, rags, leather, rubber etc. found in the Municipal Waste)</td> </tr> <tr> <td data-bbox="336 501 746 539">Shredder capacity</td> <td data-bbox="746 501 1468 539">250-300 Kg/hr</td> </tr> <tr> <td data-bbox="336 539 746 577">Machine Size</td> <td data-bbox="746 539 1468 577">Height- 4.5 ft, Length- Any &amp; Width- Any.</td> </tr> <tr> <td data-bbox="336 577 746 616">Blade MOC</td> <td data-bbox="746 577 1468 616">WP 45/ENOS (Harden)</td> </tr> <tr> <td data-bbox="336 616 746 692">Minimum height of hook above shaft &amp; disc</td> <td data-bbox="746 616 1468 692">70-SOmm</td> </tr> <tr> <td data-bbox="336 692 746 730">Output shredded material size</td> <td data-bbox="746 692 1468 730">&lt;2.36 mm</td> </tr> <tr> <td data-bbox="336 730 746 768">Working chamber</td> <td data-bbox="746 730 1468 768">300mm X 380 mm</td> </tr> <tr> <td data-bbox="336 768 746 806">Motor HP</td> <td data-bbox="746 768 1468 806">7.5HP</td> </tr> <tr> <td data-bbox="336 806 746 844">Total motor</td> <td data-bbox="746 806 1468 844">1 Nos.</td> </tr> <tr> <td data-bbox="336 844 746 882">RPM of shafts</td> <td data-bbox="746 844 1468 882">30-40</td> </tr> <tr> <td data-bbox="336 882 746 920">Motor make</td> <td data-bbox="746 882 1468 920">Havells/ Crompton</td> </tr> <tr> <td data-bbox="336 920 746 958">Motor rating</td> <td data-bbox="746 920 1468 958">IE2</td> </tr> <tr> <td data-bbox="336 958 746 996">Total gearbox</td> <td data-bbox="746 958 1468 996">1Nos.</td> </tr> <tr> <td data-bbox="336 996 746 1034">Hopper size</td> <td data-bbox="746 996 1468 1034">500mm X 350mm</td> </tr> <tr> <td data-bbox="336 1034 746 1111">Structure &amp; cover &amp; Hopper MOC</td> <td data-bbox="746 1034 1468 1111">MS with paint</td> </tr> <tr> <td data-bbox="336 1111 746 1149">Extra features</td> <td data-bbox="746 1111 1468 1149">Cladding total body</td> </tr> <tr> <td data-bbox="336 1149 746 1187">Supply</td> <td data-bbox="746 1149 1468 1187">3 Phase 440V- 50Hz.</td> </tr> <tr> <td data-bbox="336 1187 746 1225">Panel</td> <td data-bbox="746 1187 1468 1225"></td> </tr> <tr> <td data-bbox="336 1225 746 1330">Panel function</td> <td data-bbox="746 1225 1468 1330">Overload Protection, Short Circuit protection, Tower light, Limit switch for safety (when machine front cover open machine to stop working)</td> </tr> <tr> <td data-bbox="336 1330 746 1368">Warranty</td> <td data-bbox="746 1330 1468 1368"></td> </tr> <tr> <td data-bbox="336 1368 746 1406">Duration</td> <td data-bbox="746 1368 1468 1406">12 months or more</td> </tr> <tr> <td data-bbox="336 1406 746 1447">Scope under warranty</td> <td data-bbox="746 1406 1468 1447">All the spares &amp; repair work including labor</td> </tr> </tbody> </table> <p>3. The project proponent shall sensitize and create awareness among people working within the project area as well as its surrounding area on the ban of SUP in order to ensure the compliance of Notification published by MoEF&amp; CC on 12/08/2021. A report, along with photographs, on the measures taken shall also be included in the six monthly compliance report being submitted by the project proponents.</p> <p>4. The project proponent, before start of mining operations, shall install CCTV cameras on the mining site covering all angles of mining site including entry &amp; exit points. These cameras shall be theft and tamper proof. Where electricity/power is not available solar energy based cameras shall be installed with adequate battery backups. Date-wise video records w.r.t. CCTV camera shall be hosted &amp; stored online and online portal link shall be shared with the office of Director-cum-Member Secretary, HPSEIAA through official e-mail: <a href="mailto:dbt-hp@nic.in">dbt-hp@nic.in</a> &amp; <a href="mailto:ms.hpseiaa@gmail.com">ms.hpseiaa@gmail.com</a>.</p> <p>5. Other terms and conditions of Environmental Clearance letter shall remain same as imposed in earlier issued EC letter referred above.</p> <p>6. The mining shall be carried out manually only; no mechanical device shall be used for mining.</p>	Plastic Waste Shredder specifications (250Kg/Hr.)		PARAMETER	SPECIFICATION	Mechanism type	Double shaft with rotating blades	Application	Shredding of RDF waste (Plastic bags, polythene, rags, leather, rubber etc. found in the Municipal Waste)	Shredder capacity	250-300 Kg/hr	Machine Size	Height- 4.5 ft, Length- Any & Width- Any.	Blade MOC	WP 45/ENOS (Harden)	Minimum height of hook above shaft & disc	70-SOmm	Output shredded material size	<2.36 mm	Working chamber	300mm X 380 mm	Motor HP	7.5HP	Total motor	1 Nos.	RPM of shafts	30-40	Motor make	Havells/ Crompton	Motor rating	IE2	Total gearbox	1Nos.	Hopper size	500mm X 350mm	Structure & cover & Hopper MOC	MS with paint	Extra features	Cladding total body	Supply	3 Phase 440V- 50Hz.	Panel		Panel function	Overload Protection, Short Circuit protection, Tower light, Limit switch for safety (when machine front cover open machine to stop working)	Warranty		Duration	12 months or more	Scope under warranty	All the spares & repair work including labor
Plastic Waste Shredder specifications (250Kg/Hr.)																																																			
PARAMETER	SPECIFICATION																																																		
Mechanism type	Double shaft with rotating blades																																																		
Application	Shredding of RDF waste (Plastic bags, polythene, rags, leather, rubber etc. found in the Municipal Waste)																																																		
Shredder capacity	250-300 Kg/hr																																																		
Machine Size	Height- 4.5 ft, Length- Any & Width- Any.																																																		
Blade MOC	WP 45/ENOS (Harden)																																																		
Minimum height of hook above shaft & disc	70-SOmm																																																		
Output shredded material size	<2.36 mm																																																		
Working chamber	300mm X 380 mm																																																		
Motor HP	7.5HP																																																		
Total motor	1 Nos.																																																		
RPM of shafts	30-40																																																		
Motor make	Havells/ Crompton																																																		
Motor rating	IE2																																																		
Total gearbox	1Nos.																																																		
Hopper size	500mm X 350mm																																																		
Structure & cover & Hopper MOC	MS with paint																																																		
Extra features	Cladding total body																																																		
Supply	3 Phase 440V- 50Hz.																																																		
Panel																																																			
Panel function	Overload Protection, Short Circuit protection, Tower light, Limit switch for safety (when machine front cover open machine to stop working)																																																		
Warranty																																																			
Duration	12 months or more																																																		
Scope under warranty	All the spares & repair work including labor																																																		

S. No	EC Conditions
	<p>7. The mining shall be carried out strictly as per the approved mining plan.</p> <p>8. The implementation of terms and conditions shall be sole responsibility of project proponent during the extended period of EC and after the project is commissioned or made functional.</p> <p>9. The project proponent shall submit video clips of previously mined area of the restoration works carried out, if any, with photographs of activities undertaken with expenditure details under CER/EMP within 15 days from the issuance of EC letter.</p> <p>10. The project proponent shall re-submit revised EMP &amp; CSR Plan with budgetary provisions (capital &amp; recurring cost) for extended period of EC within 15 days from the issuance of the EC letter.</p> <p>11. The Terms &amp; Conditions of EC shall be rechecked before issuance of the letter of Extension of Validity of EC.</p>
1.2	EC will be valid for a period of five years or upto the validity of Mining Plan whichever is earlier.

**Additional EC Conditions**

N/A

