



सत्यमेव जयते

File No: SEAC/HR/2024/051

Government of India

Ministry of Environment, Forest and Climate Change

(Issued by the State Environment Impact Assessment Authority (SEIAA),
HARYANA)



Date 26/07/2024



To,

SHUBHAM GARG

H. No.-66, Bhera Enclave, Paschim Vihar, Sunder Vihar, West Delhi, Delhi-110087, HSIIDC INDUSTRIAL ESTATE PANIPAT, VILLAGE RAZAPUR, TEHSIL AND DISTT PANIPAT, PANIPAT, HARYANA, 132140
sanchemical28@gmail.com

Subject: **EC for Proposed manufacturing unit of Formaldehyde of Capacity 400 TPD at Plot No. 323 F, HSIIDC, Refinery Road, Industrial Estate, Panipat, Haryana by Shubham Garg (as per possession certificate issued by HSIIDC reference No.EST/Panipat/PSC/2023/18723 dated 11.12.2023)**

Sir/Madam,

This has reference to your Proposal No. SIA/HR/IND3/465879/2024 dated 14.03.2024 subsequent letter dated 01.04.2024 and 02.07.2024 for obtaining Environmental Clearance under Category 5(f) of EIA Notification dated 14.09.2006 along with submission of due Scrutiny fee (as applicable) of 1,00,000/- vide DD No.511397 dated 22.01.2024 (in compliance of Haryana Government, Environment & Climate Change, Department Notification No. DE&CCH/3060 dated 14.10.2021). The proposal has been appraised as per prescribed procedure in the light of provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with the application viz., Form-1, Form1-A, Conceptual Plan, EIA/EMP Report on the basis of approved TOR and additional clarifications furnished in response to the observations of the State Expert Appraisal Committee (SEAC) constituted by MoEF&CC, GoI vide their Notification dated 21.02.2022, in its 289th Meeting held on 29.03.2024.

2. The particulars of the proposal are as below :

(i) EC Identification No.	EC24B2410HR5366972N
(ii) File No.	SEAC/HR/2024/051
(iii) Clearance Type	Fresh EC
(iv) Category	B1
(v) Project/Activity Included Schedule No.	5(f) Synthetic organic chemicals industry Proposed manufacturing unit of Formaldehyde of Capacity 400 TPD at Plot no. -323 F, HSIIDC, Refinery Road, Industrial Estate, District- Panipat, State- Haryana by Shubham Garg
(vii) Name of Project	

(viii) Name of Company/Organization	SHUBHAM GARG
(ix) Location of Project (District, State)	PANIPAT, HARYANA
(x) Issuing Authority	SEIAA
(xi) Applicability of General Conditions as per EIA Notification, 2006	No

3. It is inter-alia, noted that the project involves in the EC for Proposed manufacturing unit of Formaldehyde of Capacity 400 TPD at Plot No. 323 F, HSIIDC, Refinery Road, Industrial Estate, Panipat, Haryana.

4. The basic details of project are as under:

Sr. No.	Particulars	
1.	Online Proposal Number	SIA/HR/IND3/465879/2024
2.	Latitude	29°28'6.60"N
3.	Longitude	76°54'47.32"E
4.	Plot Area	2789.0Sq.m.
5.	Proposed Products	Formaldehyde- 400 TPD Methanol-200 TPD
6.	Raw materials	Water – 200 KLD Silver Granules (Catalyst)- 150 Kg
7.	Covered Area	1111.98 Sq.m.
8.	Open Area	135.0Sq.m.
9.	Road and Parking Area	621.65 Sq.m.
10.	Total Green Area (33.00 %)	920.37 Sq.m.
11.	Rain Water Harvesting Pits (with size)	Ino. of rectangular rainwater collection tank is required to collect 60.32 m3/day rain water which will be utilized for greenbelt.
12.	Water Requirement	285 KLD
13.	Evaporator Salt	6.0 TPA
14.	GG Set Capacity	400 kVA & 600 kVA (Fuel- Gas Fired)
15.	Boiler Capacity	1 Boiler Capacity of capacity 800 Kg/Hr. (Gas Based)
16.	Power Requirement	500 kW Uttar Haryana BijliVitrان Nigam Limited.
17.	Power Backup	Capacity of DG Sets is 400KVA & 600 KVA.
18.	Manpower	25Persons
19.	Total Cost of the project:	Rs. 10.0 crores
20.	EMP Budget	45.36 lakhs (Capital cost) 12.74 lakhs (Recurring cost)
	i) PM 2.5	55.92(g/m3)
	Incremental ii) PM 10	76.13(g/m3)
21.	Load in respect iii) SO2	21.08(g/m3)
	of: iv) NO2	35.15(g/m3)
	v) CO	0.76(g/m3)

EMP Budget related to the project which is as under:

Sr. No.	Environmental Components	Capital Cost in Lakhs	Recurring Cost in Lakhs
1	Continuous Online Monitoring System	3.0	0.2

2	Water and Waste Water Management	30.0	5.0
3	Greenbelt Development	3.36	0.84
4	Environmental Monitoring	-	5.0
5	Rain water Harvesting	2.0	0.2
6	Occupational Health and Safety	5.0	1.0
7	Solid and hazardous waste Management	2.0	0.5
	Total	45.36	12.74

Corporate Environment Responsibility(CER)

1	Providing Dust Bins to the Gram Panchyat and villagers for waste disposal in Kutana, Baholi, Khorakheri, Dadlana, Gudha, AsanKalan, Baljatan, Sithana and Rajapur villages.	3.0	
2	Providing Dual Desks, Almirahs, Tables and Chairs in Govt. Schools of villages Kutana, Dadlana, Khorakeri, Kachrauli, Baljatan, Bohali and Sithana	6.0	
3	Plantation of trees at road side of project site in Razapur village	3.0	
	Total	12.0	
	Sub Total	57.36	12.74

List of Raw Materials

S.No.	Raw Materials	CAS No.	Quantity	Supply Source
1	Methanol	67-56-1	200 TPD	Sourced from Kandla Port, Gujarat
2	Silver Granules (Catalyst)	7440-22-4	150 kg	Local Market
3.	Water	7732-18-5	200 KLD	Ground water

5. In view of the recommendations made by State Expert Appraisal Committee (SEAC) in the said case and further consideration of the documents/details submitted by the Project Proponent; the Authority after discussions decided during 177th Meeting held on 02.07.2024 to “GRANT ENVIRONMENT CLEARANCE” to Shubham Garg (as per possession certificate issued by HSIIDC reference No.EST/Panipat/PSC/2023/18723 dated 11.12.2023) under Category 5(f) of EIA Notification dated 14.09.2006 issued by the Ministry of Environment and Forest, Government of India,

Copy To

1. Director (IA Division), MoEF& CC, GoI, Indira Paryavaran Bhavan, Zorbagh Road-New Delhi-110003.
2. Chairman, State Environment Impact Assessment Authority, Bay No. 55-58, Prayatan Bhawan, Sector-2, Panchkula, Haryana.
3. Chairman, Haryana State Pollution Control Board, C-11, Sector-6, Panchkula.
4. Director, Environment & Climate Change Department, Haryana, Bay No. 55-58, Prayatan Bhawan, Sector-2, Panchkula, Haryana.
5. Director General, Town & Country Planning Haryana, Plot No. 3, Sector - 18A, Madhya Marg, Chandigarh- 160018.
6. Regional Office, Ministry of Environment, Forests & Climate Change, Govt. of India, Bay's No. 24-25, Sector 31-A, Dakshin Marg, Chandigarh-160018.

Specific EC Conditions for (Synthetic Organic Chemicals Industry)

1. Statutory Compliance

S. No	EC Conditions
1.1	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
1.2	The project proponent shall obtain clearance from the National Board for wildlife, if applicable.
1.3	The Project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendation of the approved Site Specific Conservation Plan/ Wildlife Management Plan shall be implemented in consultation with the state Forest Department. The implementation report shall be furnished along with the six monthly compliance report (in case of the presence of schedule-1 species in the study area).
1.4	The project proponent shall obtain Consent to establish/operate under the provision of air (Prevention & Control pollution) Act, 1981 and the water (Prevention & control of pollution) Act, 1974 from the concerned State Pollution Control Board/Committee.
1.5	The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as attended from time of time.
1.6	The company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MJVA), 1989.
1.7	Air quality monitoring and preservation: The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
1.8	The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.
1.9	The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM25 in reference to PM emission, and SO2 and NOX in reference to SO2 and NOx emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120 each), covering upwind and downwind directions.
1.10	To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. Sulphur content should not exceed 0.5% in the coal for use in coal fired boilers to control particulate emissions within Permissible limits (as applicable). The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.

S. No	EC Conditions
1.11	Storage of raw materials, coal etc shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
1.12	National Emission Standard for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608 (E) dated 21st July, 2010 and amended form time to time shall be followed.
1.13	The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R No. 826 (E) dated 16th November,2009 shall be complied with
1.14	<p>Water quality monitoring and preservation:</p> <p>The project proponent shall provide online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises (applicable in case of the projects achieving ZLD).</p>
1.15	As already committed by the project proponent. Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises (applicable in case of the projects achieving the ZLD).
1.16	The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the State Pollution Control Board while granting Consent under the Air/Water Act, whichever is more stringent.
1.17	Total fresh water requirement shall not exceed the proposed quantity or as specified by the Committee. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.
1.18	Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.
1.19	The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.
1.20	The DG sets shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.
1.21	<p>Noise monitoring and prevention:</p> <p>Acoustic enclosure shall be provided to DG set for controlling the noise pollution.</p>
1.22	The overall noise levels in and around the plant areas shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.
1.23	The ambient noise levels should conform to the standards prescribed under E (P) A Rules, 1986, viz. 75dB (A) during day time and 70 dB (A) during night time.
1.24	<p>Energy Conservation measures</p> <p>i. The energy sources for lighting purposes shall preferably be LED based</p> <p>ii. The PP will follow guidelines of ECBC required for industrial projects.</p>

S. No	EC Conditions
1.25	<p>Waste management Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.</p>
1.26	<p>Process organic residue and spent carbon, if any, shall be sent to cement industries, ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.</p>
1.27	<p>The company shall undertake waste minimization measures as below:</p> <ol style="list-style-type: none"> Metering and control of quantities of active ingredients to minimize waste. Reuse of by-products from the process as raw materials or as raw material substitutes in the other process. Use of automated filling to minimize spillage. Use of Close Feed system into batch reactors. Venting equipment through vapors recovery system. Use of high pressure houses for equipment clearing to reduce wastewater generation.
1.28	<p>Green Belt: The green belt of 5-10 m width shall be developed in more than 33% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.</p>
1.29	<p>Safety, Public hearing and Human health issues: Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.</p>
1.30	<p>The PP shall carry out heat stress analysis for the workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act.</p>
1.31	<p>Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking , mobile toilets, mobile STP , safe drinking water , medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project.</p>
1.32	<p>Occupational health surveillance of the worker shall be done on a regular basis and records maintained as per the Factories Act.</p>
1.33	<p>Corporate Environment Responsibility: The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.</p>
1.34	<p>The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/forest/ wildlife norms/conditions and /or shareholders/stakeholders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of the six-monthly report.</p>
1.35	<p>A separate Environmental Cell both at the project and company head quarter level, with qualified</p>

S. No	EC Conditions
	personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
1.36	Action plan for implementing EMP and Environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by the competent authority. The Year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted and for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
1.37	Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out
1.38	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the Cement plants shall be implemented.
1.39	<p>Miscellaneous</p> <p>The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.</p>
1.40	The copies of the environmental clearance shall be submitted by the project proponents to the heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
1.41	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
1.42	The project proponent shall monitor the criteria pollutants level namely: PM10, SO2 ,NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
1.43	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
1.44	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
1.45	The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
1.46	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State government.

S. No	EC Conditions
1.47	The project proponent shall abide by the all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
1.48	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
1.49	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (protection) Act, 1986.
1.50	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
1.51	The Ministry reserves the right to stipulate additional conditions if found necessary. The company in a time bound manner shall implement these conditions.
1.52	The Regional Office of this Ministry shall monitor compliance of the stipulate conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/information/ monitoring reports.
1.53	The above conditions shall be enforced, inter-alia under the provisions of the Water (Presentation & Control of Pollution), Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, The Environment (Protection) Act, 1986. Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other order passed by the Hon'ble Supreme Court of India/ High Courts and any other Court of Law relating to the subject matter.
1.54	Any appeal against this EC shall lie with the National Green Tribunal, if preferred within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

2. Specific Conditions

S. No	EC Conditions
2.1	The PP shall get the mandatory registration of boiler as per the Boiler Act 1923 and rules 1950 from the Chief Boiler Inspector.
2.2	The PP shall ensure effective functioning of safety, drain valve, monitoring instruments of critical parameter through regular checks and maintain the record for it.
2.3	The PP shall ensure the compliance of safety provisions for the transportation of methanol and formaldehyde from the source of procurement and to the sale point
2.4	The PP shall display the emergency information panel at front and back or both sides of the vehicle while transportation as per the Central motor vehicle rules 1989.
2.5	The PP shall ensure all the safety measures for the workers at the project site and also ensure that methanol and formaldehyde shall not be misused/consumed by the workers as these chemicals are

S. No	EC Conditions
	highly dangerous and could lead to blindness or even death.
2.6	The PP shall ensure that the underground tanks constructed for the purpose of storage of methanol shall comply with the existing provisions of the safety measures and shall be safely transmitted through full proof method of safety into the reactors.
2.7	The PP shall ensure that no leakage shall take place from the underground tanks as the leakage destroys the underground water
2.8	The PP shall obtain authorization for boilers and their renewal from time to time from competent Authority.
2.9	The PP should install sensors to measure the methanol vapors in the project area and also ensure the installation of online motoring system for fugitive emission i.e. CH ₃ OH, VOC, CCO, CO ₂ , NO _x , SO _x etc and connect to server of CPCB/HSPCB. Continuous online (24X7) monitoring system for stack emissions shall be installed for Measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
2.10	The PP agrees that they will shift to the gas-based generator set as and when the gas is available and HSD will be used presently in the DG set and appropriate APCM will be used in the generator sets.
2.11	The PP shall take the floor wash, chemicals spill etc. of the project to the ETP and shall be properly treated before being used and also ensure that these spills shall not be mixed with rainwater. Effluent shall be treated in the ETP and should adhere to the HSPCB/CPCB Guidelines.
2.12	The PP shall ensure the zero liquid discharge shall be undertaken and the effluent of ETP shall be used inside the factory, no waste/treated water shall be discharged outside the premises.
2.13	Consent to Establish/Operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974.
2.14	Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016, Solid Waste Management Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.
2.15	To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. The gaseous emissions shall be maintained through stack of adequate height as per CPCB/SPCB guidelines.
2.16	Process effluent/any wastewater shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.
2.17	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.
2.18	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.

S. No	EC Conditions
2.19	The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.
2.20	Separate wet and dry bins must be provided at ground level for facilitating segregation of waste. Solid Waste shall be segregated into wet garbage and inert materials. Wet Garbage shall be composted. Adequate area shall be provided for solid waste management within the premises which will include area for segregation, composting. The Inert waste from the project will be sent to dumping site.
2.21	The Project Proponent shall obtain all necessary clearance/permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
2.22	The Approval of the Competent Authority shall be obtained for structural safety of building code due to earthquakes, adequacy of firefighting equipments etc. as per National Building Code including protection measures from lightening etc.
2.23	The company shall undertake waste minimization measures as below:- (a) Metering and control of quantities of active ingredients to minimize waste. (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high-pressure hoses for equipment clearing to reduce wastewater generation.
2.24	For the DG sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.
2.25	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.
2.26	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
2.27	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.
2.28	Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
2.29	The PP shall ensure the compliance of provisions of Plastic Waste Management (Amendment) Rules, 2022 relevant for the project.
2.30	The PP may provide electric charging stations to facilitate electric vehicle commuters.
2.31	Any change in stipulations of EC will lead to Environment Clearance void-ab-initio and PP will have to seek fresh Environment Clearance.

S. No	EC Conditions
2.32	No tree cutting has been proposed in the instant project. A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The Existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed 920.37 Sq.m. (33.00%) shall be provided for green area development.
2.33	01 Rectangular Rainwater tank shall be provided as per the CGWB norms.
2.34	The PP shall register themselves on https://dustapphspcb.com portal as per the Direction No. 14 dated 11.06.2021 issued regarding dust mitigation by Commission for Air Quality Management in National Capital Region and Adjoining Areas.
2.35	That in order to rule out leakage of raw material and finished product into the ground, the project proponent will locate raw material and finished product tanks in a concrete enclosure and that all leakages at the time of loading should be arranged to go into a safe container.

