



सत्यमेव जयते

**Government of India
Ministry of Environment, Forest and Climate Change**



Date: 28/09/2024

ACKNOWLEDGEMENT

This is to acknowledge that SRI LAXMI TULASI AGRO PAPERS (P) LIMITED has provided the information on PARIVESH Portal in respect of Sri Luxmi Tulasi Agro Paper (P) Ltd. in the format attached herewith under the provisions of Para 7(ii) b of EIA Notification, 2006 and its subsequent amendment S.O.980 (E), dated 02nd March 2021.

To claim exemption from obtaining Prior Environment Clearance under the provisions of Para 7(ii) b of EIA Notification, 2006 and its subsequent amendment S.O 980 (E) dated 02nd March 2021 in respect of any increase in production capacity with or without any change in (i) raw material-mix or (ii) product-mix or (iii) quantities within products or (iv) number of products including new products falling in the same category or (v) configuration of the plant or process or (vi) operations in existing area or (vii) In areas contiguous to the existing area specified in the environmental clearance of the project, the project proponent / SPCB or UTPCC shall follow the following process:

1. The project proponent shall inform the SPCB or UTPCC, as the case may be, in specified format along with: (i) 'No increase in Pollution Load' certificate from the Environmental Auditor or reputed institutions empanelled by the SPCB or UTPCC or CPCB or Ministry; (ii) last Consent to Operate certificate for the project or activity; and (iii) online system generated acknowledgement of uploading of intimation and 'no increase in pollution load' certificate on PARIVESH Portal.
2. Based on the submission of above information, the project proponent may carry on the proposed activity as per the submitted details. However, if on verification the SPCB or UTPCC, as the case may be, holds that the change or expansion or modernization will result or has resulted in increase in pollution load, the exemption claimed under this clause shall not be valid and it shall be deemed that the project proponent was liable to obtain Prior Environmental Clearance before under taking such changes or increase, as per the clause (a) of sub-paragraph (ii) of paragraph 7 of EIA Notification, 2006 and the provisions of Environment (Protection) Act, 1986 shall apply accordingly.

Encl: Attached the Information provided by the project proponent

[CAFForm 10](#)

Application for No Increase in Pollution Load - Form-10

- 1
Basic Information
- 2
Product Details
- 3
Emission Generation
- 4
Hazardous Waste Generation
- 5
Additional Information
- 6
Undertaking

Basic Details

1.		Whether Project /Activity accorded prior EC?	Yes
1.1.	SEIAA/AP/KHA-12/2009-824		
Proposal No.			
1.2.	SRI LUXMI TULASI AGRO PAPER (P) LTD.		
Name of Project			
1.3.	7(ii) (b)		
Whether the Project Activity attracts the provisions under			
1.3.1.	Category		B1
1.3.2.	Whether Project/Activity falls in the category of Processing or Production or Manufacturing Sectors?		Yes
1.3.3.	Whether multiple items (Components) as per the notification involved in the proposal?		No
1.3.3.1.	Item No. as per schedule to EIA Notification, 2006 for Major Activity	5(i) Pulp & Paper Industry	Standalone Paper manufacturing from waste paper pulp or other ready pulp with deinking/bleaching/colouring
1.3.3.2.	Capacity	98550	TPA
1.3.3.3.	Whether Project/Activity falls in 'B2' Category		No
2.	Whether the project proposed to be located in the Notified industrial area?		No

3. Details of Consent under Air (P&CP) Act, 1981 & Water (P&CP) Act, 1974

Consent No/Application No	Date	Valid Up to	Copy of Consent order
0	21/03/2023	31/03/2028	cfo - march 2023 - valid up to march 2028.pdf Preview

4. Details of Authorization under Hazardous & Other Waste Management Rules, 2016 and subsequent amendment

Authorization No./ Application No	Date	Valid Up to	Copy of Authorization order
0	21/03/2023	31/03/2028	cfo - march 2023 - valid up to march 2028.pdf Preview

Product Details

1. Details of products & by-products including changes in product mix

List of products/by-products permitted under EC / CTO with CAS Number	Quantity permitted under EC / CTO	Unit	List of products/by-products proposed under clause 7(ii)(b) with CAS Number	Quantity proposed under clause 7(ii)(b)	Unit	Remarks if any
Duplex boards	85	TPD	Duplex Board or Kraft Paper (Non EC product)	220	TPD	--
News print & White paper (or) Kraft paper	90	TPD	News print & White paper (EC product)	175	TPD	--
Electricity in MW	16	TPD	Electricity in MW (EC product)	16	TPD	--
Kraft paper & Paper Board	95	TPD	Kraft paper & Paper Board (Non EC product)	230	TPD	--

2. Details of Raw materials including water consumption and fuel consumption including changes in the raw material mix

List of raw materials envisaged under EC / CTO with CAS Number	Quantity permitted under EC/CTO	Unit	List of raw materials proposed under clause 7(ii)(b)	Quantity proposed under clause 7(ii)(b)	Unit	Remarks if any
--	0	TPD	Waste paper, old newspaper, magazines & note books , ready pulp etc (Non EC product)	480	TPD	--
Waste paper, board, Kraft etc	295	TPD	Waste paper, old newspaper, magazines & note books , ready pulp etc (EC product)	220	TPD	--

2.1.

Approval for additional water consumption if applicable

No

3.Details of Effluent Generation

3.1.Quantity

Propose	Quantity of existing effluent generation in KLD (as per EC/CTO)	Quantity of effluent generation after the proposed change in product or raw material mix in KLD	Mode of Disposal Ultimate Receiving Body
Boiler	298	298	No change
Process + APCM	1321	450	Process & Washings for EC product
Washing	0	871	Process & washings for Non-EC product
Other	0	0	As per CTO we have

Propose	Quantity of existing effluent generation in KLD (as per EC/CTO)	Quantity of effluent generation after the proposed change in product or raw material mix in KLD	Mode of Disposal Ultimate Receiving Body
			mentioned effluent quantities and mode of disposal as follows. Process & washings , Boiler blown & cooling bleed off - The treated effluent shall be utilized for irrigation/Recycling in to process/used for suppression of dust/ash quenching etc and excess treated waste water shall be used for irrigation in their own land and leased land, Domestic - Septic tank followed by soak pit
Domestic	34	34	No change

3.2. Quality

Composition as per the EC/CTO	Concentration as per EC/CTO in (mg/L)	Composition after proposed change in product or raw material mix	Concentration after proposed change in product or raw material mix in (mg/L)	Remarks, if any
0	0	0	0	--

3.3. Total load in respect of Effluent

Total load in respect of Effluent as per the EC/CTO	Treatment facility existing (with capacity in KLD)	Total load in respect of Effluent after proposed change in product or raw material mix in KLD	Treatment facility proposed with capacity after proposed change in product or raw material mix in KLD	Remarks if any
1653	0	1653	0	As per CTO we have mentioned effluent - 1619 KLD & Domestic - 34 KLD

3.4. Details of effluent management

3.4.1. Whether Segregation of Concentrated stream and its disposal is proposed?	No
7.4.2. Whether Reduction / Recycle / Reuse of effluent are proposed?	Yes
7.4.2.1. Brief report on details of Reduction / Recycle / Reuse of effluent	cfo order.pdf Preview
7.4.3. Whether any additional Effluent Treatment Facilities Provided?	No
7.4.4. Whether is there any proposal for up-gradation of	No

ETP?	
7.4.5. Whether the unit is having Membership of Common Effluent Conveyance / Disposal Facility?	No
7.4.6. Whether it is Proposed to achieve zero discharge?	No
7.4.7. Whether Project has Membership of CETP?	No

Emission Generation

1.Details of Emission Generation

1.1.

Quantity

(i) From Stacks

Point Source (s)	Height of stack (m)	As per EC / CTO			After the proposed change in product or raw material mix				
		Emission rate	Unit	Total emission	Unit	Emission rate	Unit	Total emission	Unit
Fluidised bed boiler (60 TPH)	72	0	Others	0	Others	0	Others	0	Others
Fluidised bed boiler (30 TPH)	45	0	Others	0	Others	0	Others	0	Others
DG Set 1x62.5 KVA	0	0	Others	0	Others	0	Others	0	Others
DG Sets 2x600 KVA	0	0	Others	0	Others	0	Others	0	Others

(ii) From Fugitive sources

Fugitive Sources	Height of discharge in m	As per EC / CTO			After the proposed change in product or raw material mix				
		Emission rate	Unit	Total emission	Unit	Emission rate	Unit	Total emission	Unit
0	0	0	Others	0	Others	0	Others	0	Others

(iii) From other sources

Other Source(s)	Height of discharge in m	As per EC / CTO			After proposed change in product or raw material mix				
		Emission rate	Unit	Total emission	Unit	Emission rate	Unit	Total emission	Unit
0	0	0		0	Others	0	Others	0	Others

1.2.

Quality

Stack attached to	Stack Height in Meter	APCM	Parameter	Concentration			
				As per EC / CTO	Unit	After the proposed change in product or raw material mix	Unit
Fluidised bed boiler (60 TPH)	72	Electro static precipitator	--	0	Others	0	Others
DG Set 1x62.5 KVA	0	Acoustic enclosed	0	0	Others	0	Others
DG Sets 2x600 KVA	0	Acoustic enclosed	0	0	Others	0	Others
Fluidised bed boiler (30 TPH)	45	Electro static precipitator	0	0	Others	0	Others

2.

Total load in respect of Emission

Total load in respect of emission as per the EC / CTO	Unit	APCM existing with capacity	Unit	Total load in respect of emission after proposed change in product or raw material mix	Unit	APCM proposed with capacity after proposed change in product or raw material mix	Unit	Remarks if any
0	Others	0	Others	0	Others	0	Others	--

3.Details of emission management

3.1. Whether there is any Proposal for switching over to cleaner fuel?	No
3.2. Whether there is any Proposal for the up gradation of existing APCM? (with the time-bound program)	No
3.3. Whether there is Proposal for the installation of new APCM? (with time-bound program)	No

1.Hazardous Waste Generation

1.1.

Quantity and type of waste

Type of Waste	Category (As per Schedule under Hazardous & Other Waste Management Rules, 2016)	Generation per Year						
		Existing as per the EC / CTO	Unit	After Change in Product Mix	Unit	Source of Generation	Mode of Storage	Mode of Treatment & Disposal method
Fines & Fiber	--	32	Tons per Day (TPD)	32	Tons per Day (TPD)	--	--	Shall be sent to Board mills
Rejected pins	--	3	Tons per Day (TPD)	3	Tons per Day (TPD)	--	--	Shall be sold out
Waste oil / Spent lubricant oil in KL per month	--	0.416	Others	0.416	Others	--	--	Shall be disposed to authorized reprocessors or recyclers
Shines & Dirt	--	4	Tons per Day (TPD)	4	Tons per Day (TPD)	--	--	Shall be used in boiler firing
Waste plastic rejects	--	18	Tons per Day (TPD)	18	Tons per Day (TPD)	--	--	Shall be disposed to authorized pastic recyclers.
Boiler ash	--	190	Tons per Day (TPD)	190	Tons per Day (TPD)	--	--	Shall be disposed to brick units
ETP Sludge	--	18	Tons per Day (TPD)	18	Tons per Day (TPD)	--	--	Shall be disposed to authorized egg tray manufacturing units or sent to Sundry paper board industries
Detoxified Container & Container Liners of Hazardous Waste & Hazardous Chemicals in Nos per month	--	233	Others	233	Others	--	--	After detoxification, it shall be disposed to the authorized agencies

1.2.

Details of Waste management

1.2.1. Whether Proposal for reduction / recovery / reuse / recycle / sale of waste (with technical details) is proposed?	No
1.2.2. Whether Project has Membership of Common Secured Landfill Site?	No
1.2.3. Whether Project has Membership of Common hazardous waste incineration facility	No

2. No Increase in Pollution Load certificates from the authorized environmental auditor and countersigned by Project Proponent

2.1. Authorized environmental auditor/Reputed Institution Empaneled by the SPCB/CPCB/MoEFCC	Authorized Environmental Auditors
2.2. Upload the Certificate of 'No Increase in Pollution' Load.	nipl certificate.pdf Preview

3. Online Continuous effluent/emission Monitoring System

Quantity

							Date of connection to the servers of	
Attribute	Constituents	Date of installation	Details calibration of OCEMS	No. of time data exceeds the limit	Value Exceeded	Status of OCEMS functioning	CPCB	SPCB
Emissions	0	27/11/2019	--	0	0	Yes	27/11/2019	27/11/2019

1. Additional Information

S. No.	Document Name	Remark	Document
1	Site Plan	Site Plan	site plan.pdf Preview
2	NIPL Report	NIPL Report	nipl report final.pdf Preview
3	EC Order	EC Order	ec copy.pdf Preview
4	EC Amendment order	EC Amendment order	ec amendment order.pdf Preview

S. No.	Document Name	Remark	Document
5	CFO Order	CFO Order	cfo.pdf Preview
6	NIPL Certificate	NIPL Certificate	nipl certificate.pdf Preview

1.Undertaking

I hereby give undertaking that the data and information given in the application and enclosures are true to be best of my knowledge and belief and I am aware that if any part of the data and information is found to be false or misleading at any stage, the project will be rejected and clearance given if any to the project will be revoked at our risk and cost. In addition to the above, I hereby give undertaking that no activity/construction/expansion has been taken up

1.1. Name	Padala Ramakrishna reddy
1.2. Designation	Director
1.3. Company	SRI LAXMI TULASI AGRO PAPERS (P) LIMITED
1.4. Address	Flat No: 12/60, Main Road, Aswaraopeta
1.5. Date	28-09-2024