



सत्यमेव जयते

File No: 431412/02-IND2/12-2023  
Government of India  
Ministry of Environment, Forest and Climate Change  
(Issued by the State Environment Impact Assessment  
Authority(SEIAA), ODISHA)

\*\*\*



Dated 14/03/2024



To,

SRI SUBHASA CHANDRA AGRAWAL  
At/Po/Ps- Lathore, BALANGIR, ODISHA, 767038  
agrawalsubash34@gmail.com

**Subject:** Grant of EC under the provision of the EIA Notification 2006-regarding.

**Sir/Madam,**

This is in reference to your application for Grant of EC under the provision of the EIA Notification 2006-regarding in respect of project Application of EC for Production of 1.35 KLD Mohua Flower Based Out Still country Liquor manufacturing unit, M/s Pottangi main O.S Shop At/ Mouza/ Tahasil- Pottangi, District- Koraput in favour of the Licensee Sri Subash Chandra Agrawal. submitted to SEIAA, Odisha vide proposal number SIA/OR/IND2/431412/2023 dated 09/03/2024.

2. The particulars of the proposal are as below :

(i) EC Identification No.	EC23C2507OR5408278N
(ii) File No.	431412/02-IND2/12-2023
(iii) Clearance Type	EC
(iv) Category	B2
(v) Project/Activity Included Schedule No.	5(g) Distilleries,5(g) Distilleries Application of EC for Production of 1.35 KLD Mohua Flower Based Out Still country Liquor manufacturing unit, M/s Pottangi main O.S Shop At/ Mouza/ Tahasil- Pottangi, District- Koraput in favour of the Licensee Sri Subash Chandra Agrawal.
(vii) Name of Project	
(viii) Name of Company/Organization	SUBHASA AGRAWAL
(ix) Location of Project (District, State)	KORAPUT, ODISHA
(x) Issuing Authority	SEIAA
(xii) Applicability of General Conditions	no
(xiii) Applicability of Specific Conditions	no

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-2 (Part A and B) were

submitted to the SEAC for an appraisal by the State Level Expert Appraisal Committee(SEAC) under the provision of EIA notification 2006 and its subsequent amendments for grant of EC.

4.The above-mentioned proposal has been considered by the State Level Expert Appraisal Committee (SEAC) in its meeting held on 29.01.2024. The minutes of the meeting and all the Applications and documents submitted [(viz. Form-2(Part A and B)] for EC are available on PARIVESH portal which can be accessed by scanning the QR Code above.

5.The brief configuration of the project/unit/plant, equipment, products and by products and salient features of the project along with environment settings, as submitted by the Project proponent in Form-2 (Part A and B) presented to SEAC are annexed to this EC as Annexure (2).

6.The SEAC, in its meeting held on 29.01.2024, based on information & clarifications provided by the project proponent and after detailed deliberations recommended the proposal for grant of Environmental Clearance under the provision of EIA Notification, 2006 and as amended thereof subject to stipulations of specific and general conditions as detailed in Annexure (1).

7. The matter was further examined in the State Environment Impact Assessment Authority (SEIAA), Odisha in its 157th meeting held on 22.02.2024 in accordance with the EIA Notification, 2006 and further amendments thereto and recommendation of SEAC.

8.Environmental Clearance (EC) is granted under the provisions of EIA Notification No. S.O. 1533 (E) dated the 14th September, 2006 of the Government of India in the erstwhile Ministry of Environment and Forests, as amended from time to time for production of 1.35 KLD Mohua Flower Based Out Still country Liquor manufacturing unit, M/s Pottangi main O.S Shop At/ Mouza/ Tahasil- Pottangi, District- Koraput in favour of the Licensee Sri Subash Chandra Agrawal (licenses ) with the following stipulations, environmental conditions and safeguards as detailed in Annexure (1).

9.The SEIAA, Odisha reserves the right to stipulate additional conditions if found necessary. The Company in a time-bound manner shall implement these conditions. The SEIAA, Odisha may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.

10.The Environmental Clearance to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.

General Instructions:

- The PP is under obligation to implement commitments made in the Environment Management Plan, which forms part of this EC.
- Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Regional Office, MoEF&CC, Govt. of India, Bhubaneswar as well as SEIAA, Odisha along with the Six Monthly Compliance Report.
- The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment, Forest and Climate Change at [www.environmentclearance.nic.in](http://www.environmentclearance.nic.in) and a copy of the same should be forwarded to the Regional Office and in addition this shall also be displayed in the project proponent's website permanently.
- The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- It shall be mandatory for the project management to submit half yearly compliance reports on the status of implementation of the above stipulated environmental safeguards to Integrated Regional Office of the MoEF& CC, GoI Bhubaneswar in soft copies on 1st day of June and December of each calendar year. No hard copy of Six-Monthly Compliance report shall be submitted to SEIAA. The proponent shall upload the six- monthly compliance report including results of monitored data, as applicable in the website of the Ministry([www.parivesh.nic.in](http://www.parivesh.nic.in)) for monitoring of EC Conditions, failing which EC is liable to be revoked.
- The Regional Office, MoEF&CC, Govt. of India, Bhubaneswar/ Concerned Lease granting Authority/ Mining Officer

shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/information/monitoring reports.

- The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

11. This issues with the approval of the Competent Authority.

### **Copy To**

Joint Secretary (Environment), Ministry of Environment, Forests and Climate Change Govt. of India, Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi-110003 for information.

Additional Chief Secretary, Forests & Environment Dept., Government of Odisha for information.

Member Secretary, State Pollution Control Board, Odisha, Paribesh Bhawan, A/118, Nilakantha Nagar, Unit-8, Bhubaneswar for information.

Additional Principal Conservator of Forests, Regional Office (EZ), Ministry of Environment & Forests, A-31, Chandrasekharpur, Bhubaneswar for information.

Chairman, Central Pollution Control Board, CBD-cum-office Complex, East Arjun Nagar, New Delhi-110032 for information.

The Superintendent of Excise, Koraput ; Excise Department, Govt. of Odisha for kind information and necessary action.

The Member Secretary, CGWA, 18/11, Jamnagar House, ManSingh Road, New Delhi-110011 for information.

The Collector, Koraput for information.

Chairman, SEAC/Member Secretary, SEAC, Paribesh Bhawan, A/118, Nilakantha Nagar, Unit-VIII, Bhubaneswar for information.

Guard file for record.

**Annexure 1**

### **Standard EC Conditions for (Distilleries)**

#### **1. Specific Conditions**

<b>S. No</b>	<b>EC Conditions</b>
<b>1.1</b>	Project Proponent (licensee) shall deposit Rs.50,000/-, with the respective District Environment Society for raising 100 plants of native species especially Mahua Plant (Madhuca Indica) within 2 years in a suitable location or village common land adjoining to the unit.
<b>1.2</b>	Ash generated from burning of rice husk shall be sold to local farmers for use as soil conditioning of paddy field and /or sold to brick manufactures. All the waste ash (from husk) and mahua flower residue shall be gainfully utilized without piling up at the site.
<b>1.3</b>	Husk Ash generated from burning of rice husk shall be stored in closed covered room on concrete surface so that it does not adversely affect the air by being air borne by wind, or water regime during rainy season by flowing along with the storm water. Direct exposure of workers to ash should be avoided.

S. No	EC Conditions
1.4	The solid Mahua flower residue and other solid waste if any generated from the country liquor unit shall be used as organic manure and same shall not be disposed off haphazardly. Solid waste (mahua flower residue, and ash) shall be disposed off for productive purposes in the locality regularly, periodically, without allowing the material to accumulate at the site for long.
1.5	Water logging in the work area and outside the premises shall be prevented with proper drainage and cleaning of the work area.
1.6	Work zone area including the internal roads surrounding the plant shall be asphalted or concreted. Sanitation and cleanliness of the total premises shall be maintained, so that there is neither foul smell nor water spreading here and there. Water spraying system shall be installed for regular spraying of water on roads and work zone to minimize fugitive dust emission.
1.7	The unit shall develop necessary greenbelt in and around the factory premises.
1.8	The unit shall carryout distillation activity in closed shed. The storm water channels shall be separated from industrial drains and all drains shall be covered properly. In no case the waste water from the unit shall be kept in open or hold for a longer time to avoid decomposition and consequent odour problem in the area.
1.9	The proponent shall take adequate measures to prevent fire hazards during distillation process.
1.10	A complete plan for rainwater harvesting so as to harvest the quantum of rain water inside the unit premises during the rainy days shall be drawn up and implemented in a full year to compensate the total quantity of water consumed for various usages by the unit project.
1.11	Recycling of water in the cooling process, in other usages shall be maximized. Net drawal of water from underground shall be minimized by suitably designing the process.
1.12	To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and / or the National Ambient Air Quality Standard (NAAQS). The gaseous emissions shall be dispersed through stack of adequate height as per CPCB / SPCB guidelines. The stack height should be minimum 6 meters.
1.13	The project authority shall install rain water harvesting pit and use the rainwater for plantation purposes and also for underground recharge.
1.14	The project authority shall install water meter, to be attached at the point of drawal of ground water and accordingly, the daily quantity of water drawal be recorded. The waste water generated shall be safely drained to the approved sewerage point in the project & disposed of accordingly.
1.15	The project authority shall submit geo-coordinate photographs of their unit, plantation activities, rain water harvesting pit, ETP, drain etc.
1.16	NOC from the Concerned Local authority shall be obtained before start of the construction of plant and drawing of the surface water for the project activities, State Pollution Control Board / Pollution Control Committees shall not issue the Consent to Operate (CTO) under Air (Prevention and Control of Pollution) Act and Water (Prevention and Control of Pollution) Act till the project proponent shall obtain such permission. No ground water shall be used for the plant operations.

S. No	EC Conditions
1.17	Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time.
1.18	This environmental clearance shall be coterminous with the period of validity of the existing Excise License.
1.19	Raw materials such as Mahua flower, rice husk/coal shall be on concrete floor with covered roof.
1.20	Water used for the process should be of potable quality.
1.21	Good house-keeping practices shall be followed to improve the work environment. All roads and shop floors shall be cleaned regularly.
1.22	Domestic effluent shall be discharged to soak pit via septic tank constructed as per BIS standards.
1.23	The proponent shall install Effluent Treatment Plant (ETP) for treatment of waste water generated from country liquor unit. The treated effluent shall conform to the standards prescribed for "Fermentation Industries" under Environment (Protection) Rules, 1986. Treated water shall be used for cooling purpose and/or gardening/ agriculture farm / water sprinkling for dust suppression.
1.24	Open drainage of waste water in the premises has to be avoided by having evaporation tanks for such water. Waste water to be drained into a concrete tank, from where the same shall be led into an ETP.
1.25	The proponent shall adopt Zero Liquid Discharge (ZLD) practice and shall not discharge any waste / treated water to outside the premises.

## 2. General Conditions


S. No	EC Conditions
2.1	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <a href="https://parivesh.nic.in/">https://parivesh.nic.in/</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
2.2	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
2.3	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall

S. No	EC Conditions
	also be sent to the respective Regional Offices of MoEF&CC by e-mail.
2.4	Any appeal against this clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
2.5	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.
2.6	The above conditions will be enforced, inter alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous & Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and rules.
2.7	The proponent shall obtain fresh environmental clearance if they shift the unit to other location and/or go for higher production capacity.
2.8	The SEIAA, Odisha reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.
2.9	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
2.10	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
2.11	The proponent shall obtain all the clearances applicable for the project from the competent authorities.
2.12	The proponent shall strictly adhere to the stipulations made by the State Pollution Control Board, State Excise Department and any other statutory authority.
2.13	The SEIAA, Odisha may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
2.14	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.

**Annexure 2**

**Details of Products & By-products**

Name of the product /By-product	Product / By-product	Quantity	Unit	Mode of Transport / Transmission	Remarks (eg. CAS number)
Mahua Flower based Out still country liquor	Mahua Flower based Out still country liquor	1.35	Kilo Litre per Day (KLD)	Road	



Proposal No.	SIA/OR/IND2/431412/2024
Date of application	12.12.2023
File no.	431412/02-IND2/12-2023
Project Type	New proposal for EC
Category	B2
Project/Activity including Schedule No.	5(g) Distilleries
Name of the Project	Proposal for EC for production of 1.35 KLD Mohua Flower Based Out Still country Liquor manufacturing unit, M/s Pottangi main O.S Shop At/ Mouza/ Tahasil- Pottangi, District- Koraput
Name of the company/Organization	Sri. Sri Subash Chandra
Location of Project	At/ Mouza/ Tahasil- Pottangi, District- Koraput
ToR Date	N/A
Name of the Consultant	N/A

**1. Proposal in brief:** The highlights of the proposal as ascertained from the application and as revealed from proceedings/discussion held during the meeting of SEAC/SEIAA, are given as under.

- i) This is a proposal for Production of 1.35 KLD Mohua Flower Based Out Still country Liquor manufacturing unit, M/s Pottangi main O.S Shop At/ Mouza/ Tahasil- Pottangi, District- Koraput .
- ii) The present licenses of the E.P. holder granted vide number 02/2023-24 and Online license No.: 21/2019/0025 dtd. 01.04.2023 and valid up to 31.03.2024 with GPS co-ordinates of Latitude 18°33'23.83"N - 18°33'25.81"N and Longitude 82°58'8.94"E- 82°58'10.6"E.
- iii) The PP has submitted the scrutiny fee of Rs. 1.0 lakh vide e Challan Reference Id no. 35D519A985 dt. 08.12.2023
- iv) **Salient Features of the Project**

1	Name of the Project	Proposed Production of 1.350 KLD Mahua Flower Based Country Liquor Manufacturing Unit of M/s Pottangi Main Out Still Liquor Shop, at/Mouza/Tahsil- Pottangi, Dist.- Koraput
2	S.No. in the Schedule	Activity 5(g)
3	Registered Office	Main Out Still Liquor Shop, Pottangiat /Mouza /Tahsil- Pottangi, Dist.-Koraput
4	Name of the Promoters	Sri Subash Chandra Agrawal At/Po:- Pottangi Dist.- Koraput - 764039
5	Present Business	Country liquor manufacturer
6	Location of Unit:	
	Village/ Mouza	Pottangi
	Tahsil	Pottangi

	District	Koraput
	Khata No	207
	Plot No	1179
	Area of Unit	0.50 Ac
	Topo Sheet No	74 A/14
	Latitude	Lat - 18°33'23.83"N - 18°33'25.81"N
	Longitude	Long - 82°58'8.94"E- 82°58'10.6"E
	Land Kisam	Gharabari
	Ownership of Land	LEASED LAND OF SRI RABI KHARA & SRI PUR-NA KHARA.
7	Proposed Capacity	1.35 KLD of Mahua Based Country Liquor Manufacturing Unit
8	Cost of the Project	16.05 Lac
9	Man Power	12 People
10	Water Requirement	7.44 m <sup>3</sup> /Day Will be sourced from well.
11	Power Requirement	1.5 KW Will be met from Odisha State Electricity Board
12	Nearest Railway Station/ Airport	Damanjodi station is at a distance of 24.98 Km from unit.
13	Nearest Town, City, District Head - quarters along with distance in	Nearest Town- Semiliguda – 20.53km. Nearest City- Koaput is at 34.73Km, District Headquarter- Koraput at 34.73 Km.
14	Air Pollution and Management	One no. chimneys of height of 30 ft AGL attached to rice husk fired bhatti (1 no of deck still capacity 1350 litres). The emissions generated will be passed through air filter before releasing in to the atmos- phere through the stack or chimney.
15	Waste Water Generation and Management	Solid Waste Generation from process and boiler- Mahua waste (383.4 kg/day) and fly ash (318.6 kg/day). Process waste water generation is 3.936KLD- It will be recycled and will be used for cooling purpose. Domestic Waste Water generation is 0.9 KLD – It will be routed through separate septic tank and then to soak pit.
16	Solid Waste Generation and Man- agement	Solid Waste Management– Mahua Waste obtained during distillation and cooking process is dried com- pletely and then it is used as cattle feed or compost- ing. Fly ash from rice husk fired bhatti- The fly ash generated is sold /supplied to brick-kilns for making fly ash bricks and also

v) Any deficiencies/omission have been noticed in the above documents- Nil

2. **Whether SEAC recommended the proposal** – The proposal was placed in SEAC meeting held on 29.01.2024 and The SEAC considered the proposal as 'B2' category as the unit is generating waste water less than 100 KLD and recommended to grant Environmental Clearance for production of 1.35 KLD of county Liquor with modified conditions as recommended in the SEAC meeting held on 19.06.2018.

**Decision of Authority: Approved**

After detailed deliberation in the matter, the Authority **allowed the EC** with standards and specific stipulation applicable for Distilleries unit of country liquor along with specific stipulation

- The EC is valid upto the excise license period i.e. 31.03.2024.
- The new Project Proponent (licensee) shall deposit Rs.50,000/-, with the respective District Environment Society for raising 100 plants of native species especially Mahua Plant (*Madhuca Indica*) within 2 years in a suitable location or village common land adjoining to the unit.

