



सत्यमेव जयते

File No.: SEIAA 26 MIN 2024
Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), KARNATAKA)



Dated 21/11/2024



To,

Sri. ABHISHEK
S/o Sharanagouda A.Patil, #12-11-33/1, Ward No.16, Near Old Tahsildhar Office, Lingasugur,
Lingasuguru Taluk, Raichur District, Karnataka., RAICHUR, KARNATAKA, 584122
abhishekatil12365@gmail.com

Subject: Grant of prior Environmental Clearance (EC) to the proposed Mining Project under the provisions of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application submitted to SEIAA vide proposal number SIA/KA/MIN/467083/2024 dated 17/04/2024 for grant of prior Environmental Clearance (EC) to the project under the provision of the EIA Notification 2006-and as amended thereof.

2. The particulars of the proposal are as below :

(i) EC Identification No.	EC24C0108KA5459465N
(ii) File No.	SEIAA 26 MIN 2024
(iii) Clearance Type	Mining EC Under 5 Ha
(iv) Category	B2
(v) Project/Activity Included Schedule No.	1(a) Mining of minerals
(vii) Name of Project	Building Stone Quarry of Sri Abhishek
(ix) Location of Project (District, State)	RAICHUR, KARNATAKA
(x) Issuing Authority	SEIAA
(xii) Applicability of General Conditions	No

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-2(Part A, B and C)/ EIA & EMP Reports were submitted to the SEIAA for an appraisal by the SEIAA under the provision of EIA notification 2006 and its subsequent amendments.

4. The above-mentioned proposal has been considered by SEIAA in the meeting held on 05/08/2024. The minutes of the meeting and all the project documents are available on PARIVESH portal which can be accessed from the PARIVESH portal by scanning the QR Code above. Brief description of the project is as under:

5. Details of the minerals to be mined along with production capacity and the brief on the salient features of the project as submitted by the project proponent in Form 1 (Part A and B) in the reports and as presented during SEIAA are annexed to this EC as Annexure (1).
6. The SEIAA, in its meeting held on 05/08/2024, based on information submitted viz: Form 1 (Part A, B and C), EIA/EMP report etc & clarifications provided by the project proponent and after detailed deliberations on all technical aspects and public hearing issues and compliance thereto furnished by the Project Proponent, recommended the proposal for grant of Environment Clearance under the provision of EIA Notification, 2006 and as amended thereof subject to stipulation of Specific and Standard EC conditions as detailed in the point below.
7. The SEIAA has examined the proposal in accordance with the provisions contained in the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and based on the recommendations of the SEIAA hereby accords Environment Clearance for the instant proposal to M/s. ABHISHEK under the provisions of EIA Notification, 2006 and as amended thereof subject to compliance of the Specific and Standard EC conditions as given in Annexure (2)
8. The Ministry reserves the right to stipulate additional conditions, if found necessary.
9. The Environmental Clearance to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
10. The PP is under obligation to implement commitments made in the Environment Management Plan, which forms part of this EC.
11. General Instructions:
 1. The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of SEIAA website where it is displayed.
 2. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn must display the same for 30 days from the date of receipt.
 3. The project proponent shall have a well laid down environmental policy duly approved by the Board of Directors (in case of Company) or competent authority, duly prescribing standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions.
 4. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the project proponent (during construction phase) and authorized entity mandated with compliance of conditions (during operational phase) shall be prepared. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Six monthly progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.
 5. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
 6. The Regional Office of this SEIAA shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
 7. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
12. This issue with an approval of the Competent Authority.

Copy To

1. The Secretary, Ministry of Environment, Forests and Climate Change, Indira, Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi – 110 003,
2. The Member Secretary, Karnataka State Pollution Control Board, Bengaluru,
3. The APCCF, Regional Office, Ministry of Environment & Forests (SZ), Kendriya Sadan, IV Floor, E & F wings, 17th Main Road, Koramangala II Block, Bengaluru –560 034,
4. The Director, Department of Mines and Geology, Khanija Bhavan, Race course road,
5. Bangalore – 560 001
6. Guard File,

Annexure 1

Standard EC Conditions for (Mining of minerals)

1. Statutory Compliance

S. No	EC Conditions
1.1	The Environmental clearance shall be subject to orders of Hon'ble Supreme Court of India, Hon'ble High Courts, NGT and any other Court of Law, from time to time, and as applicable to the project
1.2	The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
1.3	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
1.4	The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. TThe implementation report shall be furnished along with the six-monthly compliance report (in case of the presence of schedule-I species in the study area).
1.5	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
1.6	The project proponent shall obtain the necessary permission from the Central Ground Water Authority
1.7	Solid/hazardous waste generated in the mines needs to addressed in accordance to the Solid Waste Management Rules, 2016/Hazardous & Other Waste Management Rules, 2016.
1.8	Permission of power supply to be taken from the concerned authority for meeting power demand of the project site.
1.9	The maximum production or peak production at any given time shall not exceed the limit as prescribed in the EC.
1.10	Validity of EC is as per life of the mine mentioned in EC letter or 30 years as per EIA Notification, 2006 and its amendments therein

2. Air Quality Monitoring And Mitigation Measure

S. No	EC Conditions
2.1	Adequate ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for monitoring of pollutants, namely particulates, SO ₂ and NO _x . Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive receptors in consultation with the State Pollution Control Board. Online ambient air quality monitoring station/stations may also be installed in addition to the regular air monitoring stations as per the requirement and/or in consultation with the SPCB
2.2	The Ambient Air Quality monitoring in the core zone shall be carried out to ensure the Coal Industry Standards notified vide GSR 742 (E) dated 25th September, 2000 and as amended from time to time by the Central Pollution Control Board. Data on ambient air quality and heavy metals such as Hg, As, Ni, Cd, Cr and other monitoring data shall be regularly reported to the Ministry/Regional Office and to the CPCB/SPCB.
2.3	Transportation of coal, to the extent if permitted by road, shall be carried out by covered trucks/conveyors. Effective control measures such as regular water sprinkling/rain gun/ Fog cannon /mist sprinkling etc., shall be carried out in critical areas prone to air pollution with higher level of particulate matter all through the coal transport roads, loading/unloading and transfer points. Fugitive dust emissions from all sources shall be controlled regularly. It shall be ensured that the ambient air quality parameters conform to the norms prescribed by the Central/State Pollution Control Board.
2.4	Major approach roads shall be black topped and properly maintained.
2.5	PP to install solar lights along the road used for transportation of coal to avoid the accidents at night and also seek its maintenance.
2.6	The transportation of coal shall be carried out as per the provisions and route proposed in the approved mining plan. Transportation of the coal through the existing road passing through any village shall be avoided. In case, it is proposed to construct a 'bypass' road, it should be so constructed that the impact of sound, dust and accidents could be appropriately mitigated.
2.7	Vehicular emissions shall be kept under control and regularly monitored. All the vehicles engaged in mining and allied activities shall operate only after obtaining 'PUC' certificate from the authorized pollution testing centres.
2.8	Coal stock pile/crusher/feeder and breaker material transfer points shall invariably be provided with dust suppression system. Belt-conveyors shall be fully covered to avoid air borne dust. Side cladding all along the conveyor gantry should be made to avoid air borne dust. Drills shall be wet operated or fitted with dust extractors.
2.9	Coal handling plant shall be operated with effective control measures w.r.t. various environmental parameters. Environmental friendly sustainable technology should be implemented for mitigating such parameters.
2.10	Adequate number of Fog canon (mist sprayer) shall be installed to reduce the impact of air pollution at dust generating sources with time bound action plan.
2.11	PP should Install Wind breaker/shield arrangement along the railway siding for reducing the dust propagation in upwind direction.

S. No	EC Conditions
2.12	Post environmental closure third party monitoring by reputed instituted in air quality, water, land & soil etc shall be carried out and analysed with EMP measures at regular interval. A suitable recommendation in this regard, shall be furnished to IRO, MoEF&CC for compliance. The data used for analysis shall be obtained from continuous AQMS, site specific water regime. Also third party shall analyses the implementation of river diversion, meeting to the requirement of project report.

3. Water Quality Monitoring And Mitigation Measures

S. No	EC Conditions
3.1	The effluent discharge (mine waste water, workshop effluent) shall be monitored in terms of the parameters notified under the Water Act, 1974 Coal Industry Standards vide GSR 742 (E) dated 25th September, 2000 and as amended from time to time by the Central Pollution Control Board.
3.2	The monitoring data shall be uploaded on the company's website and displayed at the project site at a suitable location. The circular No.J-20012/1/2006-1A.11 (M) dated 27th May, 2009 issued by Ministry of Environment, Forest and Climate Change shall also be referred in this regard for its compliance.
3.3	Regular monitoring of ground water level and quality shall be carried out in and around the mine lease area by establishing a network of existing wells and constructing new piezometers during the mining operations. The monitoring of ground water levels shall be carried out four times a year i.e. pre-monsoon, monsoon, post-monsoon and winter. The ground water quality shall be monitored once a year, and the data thus collected shall be sent regularly to MOEFCC/RO.
3.4	Monitoring of water quality upstream and downstream of river including ponds, lakes, tanks shall be carried out once in six months and record of monitoring data shall be maintained and submitted to the Ministry of Environment, Forest and Climate Change/Regional Office.
3.5	Ground water, excluding mine water, shall not be used for mining operations. Rainwater harvesting shall be implemented for conservation and augmentation of ground water resources.
3.6	The project proponent shall not alter major water channels around the site. Appropriate embankment shall be provided along the side of the river/nallah flowing near or adjacent to the mine. The embankment constructed along the river/nallah boundary shall be of suitable dimensions and critical patches shall be strengthened by stone pitching on the river front side, stabilized with plantation so as to withstand the peak water pressure preventing any chance of mine inundation.
3.7	Garland drains (of suitable size, gradient and length) around the critical areas i.e. mine shaft and low lying areas, shall be designed keeping at least 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine sites. The sump capacity shall also provide adequate retention period to allow proper settling of silt material of the surface runoff
3.8	The water pumped out from the mine, after siltation, shall be utilized for industrial purpose viz. watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly

S. No	EC Conditions
3.9	Industrial waste water from coal handling plant and mine water shall be properly collected and treated so as to conform to the standards prescribed under the Environment (Protection) Act, 1986 and the Rules made thereunder, and as amended from time to time. Oil and grease trap shall be installed before discharge of workshop effluent. Sewage treatment plant of adequate capacity shall be installed for treatment of domestic waste water.
3.10	Adequate groundwater recharge measures shall be taken up for augmentation of ground water. The project authorities shall meet water requirement of nearby village(s) in case the village wells go dry due to dewatering of mine.
3.11	The surface drainage plan including surface water conservation plan for the area of influence affected by the said mining operations shall be prepared, considering the presence of any river/rivulet/pond/lake etc., with impact of mining activities on it, and implemented by the project proponent. The surface drainage plan and/or any diversion of natural water courses shall be as per the provisions of the approved Mining Plan/ EIA-EMP submitted to this Ministry and the same should be done with due approval of the concerned State/GoI Authority. The construction of embankment to prevent any danger against inrush of surface water into the mine should be as per the approved mining plan and as per the permission of DGMS.
3.12	The project proponent shall take all precautionary measures to ensure reverian/ riparian ecosystem in and around the coal mine upto a distance of 5 km. A revarian /riparian ecosystem conservation and management plan should be prepared and implemented in consultation with the irrigation / water resource department in the state government.
3.13	Domestic water shall be providing to the residents/villages which are coming under the zone of influence of the project due to ground water extraction by installing a RO plant with proper supply line and Taps within 2 years
3.14	No obsolete technologies for sewage treatment shall be implemented. Construction of Sewage Treatment Plant with latest technology should be completed within 2 years and treated water shall be reused for plantation. CTE and CTO of STP shall be obtained as per the norms.

4. Noise And Vibration Monitoring And Prevention

S. No	EC Conditions
4.1	Adequate measures shall be taken for control of noise levels as per Noise Pollution Rules, 2016 in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with personal protective equipments (PPE) like ear plugs/muffs in conformity with the prescribed norms and guidelines in this regard. Adequate awareness programme for users to be conducted. Progress in usage of such accessories to be monitored.
4.2	The noise level survey shall be carried out as per the prescribed guidelines to assess noise exposure of the workmen at vulnerable points in the mine premises, and report in this regard shall be submitted to the Ministry/RO on six-monthly basis.

5. Mining Plan

S. No	EC Conditions
5.1	5- Star Rating is mandatory to obtaine certification as per guidelines of Mininstry of Coal
5.2	Mining shall be carried out under strict adherence to provisions of the Mines Act 1952 and subordinate legislations made there-under as applicable.
5.3	No change in mining method i.e. UG to OC, calendar programme and scope of work shall be made without obtaining prior approval of the Ministry of Environment, Forests and Climate Change (MoEFCC).
5.4	Mining shall be carried out as per the approved mining plan (including Mine Closure Plan) abiding by mining laws related to coal mining and the relevant circulars issued by Directorate General Mines Safety (DGMS).
5.5	Underground work place environmental conditions shall be rendered ergonomic and air breathable with adequate illumination in conformance with DGMS standards.
5.6	No mining shall be carried out in forest land without obtaining Forestry Clearance as per Forest (Conservation) Act, 1980 and also adhering to The Scheduled Tribes and Other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 read with provisions of Indian Forest Act, 1927.
5.7	Efforts should be made to reduce energy and fuel consumption by conservation, efficiency improvements and use of renewable energy.
5.8	Tranportation by Railway Siding shall be developed to avoid transportation by Road

6. Land Recalmtion

S. No	EC Conditions
6.1	Digital Survey of entire lease hold area/core zone using Satellite Remote Sensing survey shall be carried out at least once in three years for monitoring land use pattern and report in 1:50,000 scale or as notified by Ministry of Environment, Forest and Climate Change(MOEFCC) from time to time shall be submitted to MOEFCC/Regional Office (RO).
6.2	Post-mining land be rendered usable for agricultural/forestry purposes and shall be handed over to the respective State Government, as specified in the Guidelines for Preparation of Mine Closure Plan, issued by the Ministry of Coal dated 27th August, 2009 and subsequent amendments.
6.3	Regular monitoring of subsidence movement on the surface over and around the working areas and its impact on natural drainage pattern, water bodies, vegetation, structure, roads and surroundings shall be continued till movement ceases completely. In case of observation of any high rate of subsidence beyond the limit prescribed, appropriate effective mitigation measures shall be taken to avoid loss of life and materials. Cracks should be effectively plugged in with ballast and clay soil/suitable material.
6.4	Fly ash shall be used for external dump of overburden, backfilling or stowing of mine as per provisions contained in clause (i) and (ii) of subparagraph (8) of fly ash notification issued vide SO 2804 (E) dated 3rd November, 2009 as amended from time to time. Efforts shall be made to utilize

S. No	EC Conditions
	gypsum generated from Flue Gas Desulfurization (FGD), if any, along with fly ash for external dump of overburden, backfilling of mines. Compliance report shall be submitted to Regional Office of MoEF&CC, CPCB and SPCB.
6.5	A separate team for subsidence monitoring and surface mitigation measures shall be constituted and continuous monitoring & implementation of mitigation measures be carried out.
6.6	Thorough inspection of the mine lease area for any cracks developed at the surface due to mining activities below ground shall be carried out to prevent inrush of water in the mine.
6.7	Native tree species shall be selected and planted over areas affected by subsidence.
6.8	The project proponent shall make necessary alternative arrangements, if grazing land is involved in core zone, in consultation with the State government to provide alternate areas for livestock grazing, if any. In this context, the project proponent shall implement the directions of Hon'ble Supreme Court with regard to acquiring grazing land.

7. Public Hearing And Human Health Issues

S. No	EC Conditions
7.1	Adequate illumination shall be ensured in all mine locations (as per DGMS standards) and monitored.
7.2	The project proponent shall undertake occupational health survey for initial and periodical medical examination of the personnel engaged in the project and maintain records accordingly as per the provisions of the Mines Rules, 1955 and DGMS circulars. Besides regular periodic health check-up, 20% of the personnel identified from workforce engaged in active mining operations shall be subjected to health check-up for occupational diseases and hearing impairment, if any, as amended time to time.
7.3	Personnel (including outsourced employees) working in core zone shall wear protective respiratory devices and shall also be provided with adequate training and information on safety and health aspects.
7.4	Skill training as per safety norms specified by DGMS shall be provided to all workmen including the outsourcing employees to ensure high safety standards in mines.
7.5	Effective arrangement shall be made to provide and maintain at suitable points conveniently situated, a sufficient supply of drinking water for all the persons employed.
7.6	Implementation of the time bound action plan on the issues raised during the public hearing shall be ensured. The project proponent shall undertake all the tasks/measures as per the time bound action plan submitted with budgetary provisions during the public hearing. Land oustees shall be compensated as per the norms laid down in the R&R policy of the company/State Government/Central Government, as applicable.
7.7	The project proponent shall follow the mitigation measures provided in this Ministry's OM No.Z-11013/5712014-IA.II (M) dated 29th October, 2014, titled 'Impact of mining activities on

S. No	EC Conditions
	habitations-issues related to the mining projects wherein habitations and villages are the part of mine lease areas or habitations and villages are surrounded by the mine lease area’.
7.8	PP to conduct need based assessment survey of the area to for in order to decide the activities to be carried under the CSR and to provide detail of the activity carried out with adequate budgetary provision and time bound action plan.
7.9	PP should conduct epidemiology study to (analysis of the distribution, patterns and determinants of health and disease conditions in defined populations).
7.10	Permanent Health care facilities of Hospital should be established within 5 km of project boundary for the local people.
7.11	PP must ensure an emergency action plan during pandemic in order to provide assistance to the nearby villages located within the 10 km radius buffer zone (If required)
7.12	PP is asked to also identify the rural areas for installation of solar light with its maintenance within the study area of 10 km radius buffer zone with time bound action plan
7.13	PP to take measure for installation of Renewable Energy sources in nearby area falling within 10 km radius

8. Corporate Environment Responsibility

S. No	EC Conditions
8.1	The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/forest/wildlife norms/conditions. The company shall have defined system of reporting infringements/deviation/violation of the environmental/forest/wildlife norms/conditions and/or shareholders/stake holders.
8.2	A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
8.3	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
8.4	Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
8.5	PP should establish in house (at project site) environment laboratory for measurement of environment parameter with respect to air quality and water (surface and ground. A dedicated team to oversee environment management shall be setup which should comprise of Environment

S. No	EC Conditions
	Engineers, Laboratory chemist and staff for monitoring of air, water quality parameters on routine basis. Any non-compliance or infringement should be reported to the concerned authority

9. Miscellaneous

S. No	EC Conditions
9.1	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
9.2	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
9.3	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
9.4	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
9.5	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
9.6	The project authorities shall inform to the Regional Office of the MOEFCC regarding commencement of mining operations.
9.7	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
9.8	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
9.9	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
9.10	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
9.11	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.

S. No	EC Conditions
9.12	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
9.13	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
9.14	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
9.15	The proponent shall abide by all the commitments and recommendations made in the EIA/EMP report and also that during presentation to the EAC. All the commitments made on the issues raised during public hearing shall also be implemented in letter and spirit.
9.16	Compensation of the land acquired for the project shall be settled as per the R&R Policy. Adequate facility of drinking water, plantation and other social amenities should be provided to established R&R villages.
9.17	Persons of nearby villages shall be given training on livelihood and skill development to make them employable with its proper records.
9.18	The illumination and sound at night at project sites disturb the villages in respect of both human and animal population. Consequent sleeping disorders and stress may affect the health in the villages located close to mining operations. Habitations have a right for darkness and minimal noise levels at night. PPs must ensure that the biological clock of the villages is not disturbed; by orienting the floodlights/ masks away from the villagers and keeping the noise levels well within the prescribed limits for day light/night hours

Additional EC Conditions

N/A

Annexure 2

Details of the Project

S. No.	Particulars	Details
a.	Details of the Project	Building Stone Quarry of Sri Abhishek
b.	Latitude and Longitude of the project site	15.94086606334206,76.57288597621488 15.94286372155949,76.57463884705439

S. No.	Particulars	Details	
		Nature of Land involved	Area in Ha
c.	Land Requirement (in Ha) of the project or activity	Non-Forest Land (A)	2.023
		Forest Land (B)	
		Total Land (A+B)	2.023
d.	Date of Public Consultation	Public consultation for the project was held on	
e.	Rehabilitation and Resettlement (R&R) involvement	NO	
f.	Project Cost (in lacs)	151	
g.	EMP Cost (in lacs)	44.74	
h.	Employment Details	21	

Details of Minerals Products & By-products

Name of the Mineral to be mined	Classification of mineral [Major/Minor]	Production capacity in MTPA	Remarks
NA	NA	NA	NA



सत्यमेव जयते

State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

No. SEIAA 26 MIN 2024

To,

Sri Abhishek
S/o Sharanagouda A Patil
#12-11-33/1, Ward No.16,
Near Old Tahasilodar Office Lingasgur
Lingasgur Taluk, Raichur District.

Sir,

Sub: Proposed Building Stone Quarry Project at Sy.No.97/*2 of Madakinal Village, Maski Taluk, Raichur District by Sri Abhishek - Issue of Environmental Clearance - Reg.

* * * * *

This has reference to your online application dated 25.03.2024 bearing proposal No. SIA/KA/MIN/467083/2024 addressed to SEIAA, Karnataka on the subject mentioned above. It has been noted that the proposal is for grant of Environmental Clearance under the provisions of EIA Notification, 2006, for Quarrying of Building Stone. The proposal has been appraised as per the procedure prescribed in the provisions of the EIA Notification, 2006 on the basis of the mandatory documents enclosed with the application viz., the CAF, Form 1, EMP, PFR, Approved Quarry Plan and the additional clarifications furnished in response to the observations of the SEAC, Karnataka. SEAC has recommended the following for issue of Environmental Clearance in their meeting held on 25th & 26th June 2024.

Sl. No.	Particulars	Information
1	Type of Mineral	Building Stone Quarry
2	New/Expansion/Modification/Renewal	New
3	Type of Land [Forest, Government Revenue, Gomal, Private/Patta, Other]	Patta Land
4	Area in Acres	5-00 Acres
5	Quarry Plan DMG approval date	29.12.2023
6	Land Use Details	
	a. Area for Quarrying	3-21
	b. Roads	0-03
	c. Overburden Dumps	0-03
	d. Infrastructure	0-03
	e. Mineral Storage	
	f. Topsoil Yard	
g. Safety Zone	1-10	

	h.	Untoched Area					
	i.	Other Specify					
	Total		5-00				
7	Project Co –Ordinates		N 15° 56' 29.5122"		E 76° 34' 22.47		
			N 15° 56' 33.8020"		E 76° 34' 25.53		
			N 15° 56' 34.2640"		E 76° 34' 28.66		
			N 15° 56' 32.0234"		E 76° 34' 27.83		
			N 15° 56' 31.0012"		E 76° 34' 27.68		
			N 15° 56' 27.1378"		E 76° 34' 25.28		
8	Quarrying Method		Open Cast and Semi Mechanized method.				
9	Proved Quantity of mine/ Quarry-Cu.m/Ton		27,84,845 Tons(including waste)				
10	Annual Production (Metric Ton / Cum) Per Annum		73,684 Tons/ Annum (including waste)				
11	Permitted Quantity Per Annum -Cu.m/ Ton						
	Year	1 st Year	2 nd Year	3 rd Year	4 th Year	5 th Year	Total
	Building Stone Production in Tonnes (Excluding Waste)	70,000	70,000	70,000	70,000	70,000	3,50,000
	Murrum in Tonnes	15,725	12,761	9,446	10,477	22,761	71,170
12	Waste rock to be handled for a period of five years/Plan Period.		18,420 Tonnes for five years				
13	Water Requirement		13.95 KLD				
14	EMP Budget		Capital Cost- Rs. 36.07 lakhs & Recurring cost - Rs. 8.67 lakhs				
15	Employment details		21 No's				
16	Project Cost in Rs.		Rs.1.51 Crores (Rs.151 Lakhs)				

The SEIAA Karnataka in its meeting held on 5th & 6th August 2024, after due consideration of the relevant documents submitted by the project proponent and additional clarifications furnished in response to its observations and has accepted the recommendation of SEAC and has decided to accord Environmental Clearance in accordance with the provisions of Environmental Impact Assessment Notification-2006 and its subsequent amendments, subject to strict compliance of the following terms and conditions: -

A. SPECIFIC CONDITIONS:

1. Validity of this Environmental Clearance is co-terminous with lease period or 30 years from the date of issue Environment Clearance letter, whichever is earlier.
2. Quarry plan approved by the Department of Mines and Geology shall be strictly implemented and shall not be operated beyond the validity period of the approved quarry plan.

3. Baseline data on health profile of each of the workers shall be maintained.
4. PAs should get the health checkup done for the quarry workers on quarterly basis and submit report periodically.
5. The SEIAA, Karnataka reserves the right to withdraw the environmental clearance subject to any change in the quarrying policy by the State Government as may be applicable to this project.
6. Quarrying shall be undertaken strictly in accordance with provisions of MM (D&R) Act 1957 / KMMC RULES-1994.
7. All the conditions stipulated in the Consent for establishment issued (If applicable) by the Karnataka State Pollution Control Board should be effectively implemented.
8. The quarrying operations shall not intersect ground water table. Prior approval of the SEIAA / Ministry of Environment & Forests and Central Ground Water Authority shall be obtained for quarrying below water table.
9. The topsoil if any should be stacked at earmarked site only and should not be kept unutilized for a period more than 3 years. The topsoil should be used for reclamation and plantation.
10. Waste rock shall be stacked at earmarked site (s) only. The maximum height of the stack should not exceed 10m duly providing suitable terraces. The overall slope of the dump shall not exceed 27°. A retention wall shall be built around the waste rock dump to prevent sliding.
11. Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from quarry working area and rock dumps. The water so collected should be utilized for watering the haulage area, roads, green belt development etc., the drains should be regularly de-silted particularly after monsoon and maintained properly.
12. Dimension of the retaining wall at the toe of dumps within the quarry to check run off and siltation should be based on the rainfall data.
13. The project authority should implement suitable conservation measures to augment ground water resources in the area in consultation with the Regional Director, Central Ground Water Board within 3 months and report be submitted to the Authority.
14. Appropriate mitigation measures should be taken to prevent pollution of nearby water bodies in consultation with the State Pollution Control Board.
15. The project proponent shall submit commitment from the competent authority for drawl of requisite quantity of water for the project before starting work on the project.
16. Suitable rainwater harvesting measures on long-term shall be planned and implemented in consultation with Regional Director, Central Ground Water Board for complete rain water harvesting by constructing check dams/converting quarried pits to rain water harvesting ponds.
17. Vehicular emissions should be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in quarrying operations and in transportation of blocks.
18. Digital processing of the entire lease area using remote sensing technique should be done regularly once in three years for monitoring land use pattern and report submitted to SEIAA Karnataka, Department of Environment and Ecology, Govt. of Karnataka and the APCCF, Regional Office, MoEF, Bangalore.

19. This environmental clearance does not confer any right to the proponent on the land proposed for quarrying until and unless quarry lease and all other statutory clearance are obtained from the respective department/agencies.
20. The project authorities should undertake sample survey to generate data on pre-project community health status within a radius of 1 km from proposed quarry.
21. Consent to operate if applicable shall be obtained from State Pollution Control Board prior to start of production from the quarry.
22. Proper sanitary facilities should be installed for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the labourers.
23. The project proponent shall take all precautionary measures during quarrying operation for conservation and protection of endangered fauna spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. The proponent shall contribute towards the cost of implementation of the plan and / or Regional Wildlife Management Plan for conservation of wild life. The amount so contributed shall be included in the project cost. A copy of the action plan may be submitted to the SEIAA, Department of Environment and Ecology, Govt. of Karnataka, and the Regional Office, MoEF, Bangalore within 3 months.
24. The project proponent shall delineate Quarry Closure Plan/ exit protocol to rehabilitate the quarried out land to match its surrounding land use including removal, storage and reuse of waste rock from quarry area to cover reclaimed area. Post Quarry Land Use Plan with rehabilitation of quarried out area (with Plan and Section) provided and submit to SEIAA.
25. Plantation monitoring programme during post project period for ensuring survival and growth rate of plantation in reclaimed area.
26. A Final Quarry Closure Plan along with details of Corpus Fund should be submitted to the SEIAA Karnataka, Department of Environment and Ecology, Govt. of Karnataka and the Regional Office, MoEF, Bangalore 5 years in advance of final quarry closure for approval.
27. Retention walls should be a minimum of 2.5 mtr height with base of 3 mtr.
28. Check dams and gully plugs along the smaller streamlets in the area, should be constructed to arrest the loose soil flow from the quarry area.
29. Particulars of dimensioned block production and dispatch shall be provided by the quarry owner yearly.
30. The infrastructure of transport roads should be improved collectively by the quarry owners of the area.
31. Link road from quarry site to main road shall be maintained and black topped by the project proponent.
32. The quarry lease area to be properly demarcated using the lat-long coordinates and duly erecting 4 feet concrete/granite pillars on the ground.
33. No quarrying shall be undertaken outside the lease area.
34. The project Authorities shall maintain a margin of 7.5 meters along the lease boundary except in case where common boundary working permission is obtained from the competent authority.

35. The project authority shall ensure that the quarry pits are well protected erecting a compound wall of stone masonry of appropriate height conforming to safety norms.
36. The project authority shall avoid stagnation of water in the quarry pits which would turn out to be mosquito breeding centers resulting in spreading of diseases such as malaria, dengue, etc.
37. The project proponent shall prevent damage to adjoining land, from fire due to activities during quarrying operation.
38. Haulage approach road should not be through village till the main road is reached.
39. The project authorities shall get the annual health checkup of quarry workers as well as people in the nearest vicinity of the quarry for respiratory diseases such as silicosis and maintain records. Appropriate care shall be taken for remedy in case of prevalence of such health disorders.
40. Clearance/NOC from the competent authority shall be obtained for transportation of water by tankers in order to avoid hardship to the competitive users
41. This Environmental Clearance is granted subject to obtaining prior clearance from Forestry and Wild Life angle including clearance from the Standing Committee of the National Board for Wildlife as applicable. Further this Environmental Clearance does not necessarily implies that Forestry and Wildlife Clearance shall be granted to the project and that the proposal for Forestry and Wildlife Clearance shall be considered by the respective Authorities on their merits and decision taken. The investment made in the project if any based on Environmental Clearance so granted in anticipation from the forestry and wild life angle shall be entirely at the cost and risk of the project proponent and the SEIAA-Karnataka shall not be responsible in this regard in any manner.
42. Solid waste/hazardous waste generated in the mines/quarry needs to addressed in accordance to the Solid Waste Management Rules, 2016 / Hazardous & Other Waste Management Rules, 2016
43. Ambient air quality monitoring stations as prescribed in the statue be established for monitoring of pollutants, namely PM₁₀, PM_{2.5}, SO₂ and NO_x. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board wherever applicable.
44. Regular monitoring of ground water level and quality shall be carried out in and around the mine/quarry lease area by establishing a network of existing wells and constructing new piezometers during the Quarrying operations. The monitoring of ground water levels shall be carried out four times a year i.e. pre-monsoon, monsoon, post-monsoon and winter. The ground water quality shall be monitored once a year, and the data thus collected shall be sent regularly to MoEF&CC/RO.
45. Monitoring of water quality upstream and downstream of water bodies shall be carried out once in six months and record of monitoring data shall be maintained and submitted to the Ministry of Environment, Forest and Climate Change/Regional Office
46. Controlled blasting techniques shall be practiced in order to mitigate ground vibrations, fly rocks, noise and air blast etc., as per the guidelines prescribed by the DGMS.
47. The noise level survey shall be carried out as per the prescribed guidelines to assess noise exposure of the workmen at vulnerable points in the mine premises, and report in this regard shall be submitted to the Ministry/RO on six-monthly basis.

48. The company / project proponent shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company / Project proponent shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
49. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report
50. Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
51. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
52. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
53. The project authorities shall inform to the Regional Office of the MoEF&CC regarding commencement of Quarrying operations.
54. No further expansion or modifications in the project shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC)/ SEIAA, Karnataka.
55. The Project Proponent shall comply with provision contained in OM vide F.No. 22-65/2017-IA.III Dated 20th October 2020 , of the Ministry of Environment, Forest and Climate Change as applicable, regarding Corporate Environment Responsibility and shall execute the action plan of distribute nursery plants to Madanikal village and strengthening of approach road, Rain water harvesting pits to GLPS of Madanikal Tanda village, Solar power panels in GLPS Madanikal Tanda village, Avenue plantation either side of the approach road near quarry site & repair of road with drainage and Health camp in GLPS of Madanikal tanda village, as submitted in Parivesh portal. Compliance in this regard shall be submitted to SEIAA while furnishing the Half Year Compliance reports.
56. Safe drinking water has to be provided at the quarry site.

B. GENERAL CONDITIONS

1. No change in quarrying technology and scope of working should be made without prior approval of the SEIAA Karnataka.

2. No change in the calendar plan including excavation, quantum of mineral and waste should be made.
3. It shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the MoEF, Govt. of India, New Delhi.
4. Data on ambient air quality (PM₁₀, PM_{2.5}, SO₂, NO_x) should be regularly submitted to the SEIAA Karnataka and the Regional Office, MoEF, Bangalore and the State Pollution Control Board / Central Pollution Control Board once in six months.
5. Fugitive dust emission from all the sources should be controlled regularly. Water spray arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained.
6. Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc should be provided with earplugs / muffs.
7. Waste water from the quarry should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th may 1993 and 31st December, 1993 or as amended from time to time. Oil and grease trap shall be installed before discharge of effluents.
8. Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
9. Occupational health surveillance program of the workers should be undertaken periodically i.e. once in 3 months to observe any contractions due to exposure to dust and take corrective measures, if needed. Quarterly report in this regard should be submitted to the Department of Environment and Ecology, Govt. of Karnataka and the Karnataka State Pollution Control Board and the Regional Office, MoEF, Bangalore.
10. A separate environmental management cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the organization. The Environment management committee should be constituted with one of the member representing nearby village.
11. The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the SEIAA Karnataka, the Department of Environment and Ecology, Govt. of Karnataka, and Ecology, Government of Karnataka, and the Regional Office, MoEF, Bangalore.
12. The project authorities should inform the SEIAA Karnataka, Department of Environment and Ecology, Govt. of Karnataka, and the Regional Office, MoEF, Bangalore regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
13. The concerned Regional Office of the MoEFCC shall randomly monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the MoEFCC officer(s) by furnishing the requisite data / information / monitoring reports.
14. The project proponent shall submit six monthly report on the status of the implementation of the stipulated environmental safeguards to the SEIAA Karnataka, Department of Environment and Ecology, Government of Karnataka and the APCCF,

Regional Office, MoEF, Bengaluru; the Central Pollution Control Board and the Karnataka State Pollution Control Board.

15. **Half Yearly Compliances Reports (HYCRs) on the Environmental Conditions stipulated in the Environmental Clearance (EC) letter shall be submitted strictly through the dedicated module of PARIVESH 2.0 in the timely manner on or before 1st June and 1st December of Each calendar year as per MoEF&CC O M dated 14.06.2024. The HYCRs with its contents of a covering letter, compliance reports, and environmental monitoring data has to be in PDF format merged into a single document. The email should clearly mention the name of project, EC No. & date, period of submission and to be sent to the Regional Office of MOEF&CC by email only at email ID ros.z.bng-mefcc@gov.in. Hard copy of HYCRs shall not be acceptable.**
16. A copy of the clearance letter will be marked to the concerned Panchayath. Local NGO, if any, from whom suggestion / representation has been received while processing the proposal.
17. The project proponent should display the conditions prominently at the entrance of the project on a big panel board for the information of the public.
18. The Karnataka State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and Collector's office/ Tehsildar's office for 30 days.
19. **The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at <http://environmentclearance.nic.in> website of the MoEF&CC. A copy of the same should be forwarded to the Department of Environment and Ecology, Government of Karnataka and the Regional Office, MoEF&CC, Bangalore.**
20. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environmental (Protection) Act, 1986.
21. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
22. The SEIAA or any other competent authority may alter / modify the above conditions or stipulate any further condition in the interest of environment protection.
23. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
24. The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules made there under.

25. In case of any material supported by documents/ court orders which is contrary to the claim of the applicant and material facts produced, the SEIAA reserves the right to withdraw the EC at any point of time.

Additional Conditions:

1. The PP should get the health check-up done for the quarry workers on half yearly basis and submit report periodically.
2. The PP shall provide protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.
3. The PP shall provide proper sanitary facilities for the colony/work place. Domestic waste generated should be disposed in a scientific manner. Proper first aid facilities and health care facilities should be provided for the workers.
4. Dust suppression measures have to be strictly followed.
5. The PP shall grow trees all along the approach road & buffer zone during the first year of operation. Wherever it is not feasible to plant a tree due to geographical conditions or space constrain in the proposed project area, Proponent shall plant a tree elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted. The PP shall plant Halasu, Nerale, Mavu, Sampige, Badam, Sandalwood, Honne, Beete, Neem, Honge and other native species in their Project premises.
6. The PP shall construct a rain water harvesting structure/ recharge pits in the project area. If geographical conditions or space constrain in the proposed project area not permites to do so, Proponent shall built a Rain water Harvesting structures / recharge pits elsewhere surrounding that area in location like School/college/Hostels/Temple etc., undertaking and contact details and Email IDs of beneficiary shall be submitted.
7. The Project Proponent shall strengthen the approach road atleast by laying mettle road with minimum thickness of 20 CM of gravel and 2 layers of metal (minimum 7.5 CM thickness) however, Proponent shall adapt asphaltting or Concrete Road as per IRC standard if desired.
8. The PP shall regularly submit the compliance for the CER commitments regularly in HYCR. In case, PP has not fulfilled CER as committed shall be liable to pay Penalty and Environmental Compenasation as per the provision of The Jan Vishwas Act-2023. Affidavit in this regard shall be submitted.
9. **Any misrepresentations in regard to clarifications submitted by the Consultant on behalf of PP is also shall be held liable.**
10. Over and above the CER activities commited by the proponent in SEAC meeting, Proponent shall also provide Water supply and Sanitary facility to near by Govt. Schools.
11. The PP shall asphalt the approach road to the quarry as per standard norms.
12. The PP shall grow trees all along the approach road& buffer zone during the first year of operation.

13. The PP shall carry out regular health checkup for the workers in the nearby Hospital.
14. The PP shall provide metal sheet fencing around the working area.
15. The PP shall take necessary measures to arrest noise and vibration from the quarry area.

Yours faithfully,

(Vijay Mohan Raj V)
Member Secretary,
SEIAA, Karnataka.

Copy to:

1. The Secretary, Ministry of Environment, Forests and Climate Change, Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi – 110 003.
2. The Director, Department of Mines and Geology, Khanija Bhavan, Race course road, Bangalore – 560 001.
3. The Member Secretary, Karnataka State Pollution Control Board, Bengaluru.
4. The APCCF, Regional Office, Ministry of Environment & Forests (SZ), Kendriya Sadan, IV Floor, E & F wings, 17th Main Road, Koramangala II Block, Bengaluru – 560 034.
5. Guard File.