



सत्यमेव जयते

File No.: 8731  
Government of India  
Ministry of Environment, Forest and Climate Change  
(Issued by the State Level Expert Appraisal Committee(SEAC), UTTAR  
PRADESH)

\*\*\*



Dated 17/02/2024



To,

VIPIN KUMAR  
SBEC SUGAR LIMITED  
Village:- Loyan Malakpur, Baraut, Distt.- Baghpat-250611, Uttar Pradesh, Loyan Malakpur,  
BAGHPAT, UTTAR PRADESH, 250611  
sbecsugarlimited@gmail.com

**Subject:** Grant of Standard Terms of Reference (ToR) to the proposed Project under the EIA Notification 2006-  
and as amended thereof-regarding.

**Sir/Madam,**

This is in reference to your application submitted to SEAC vide proposal number  
SIA/UP/IND2/460296/2024 dated 30/01/2024 for grant of Terms of Reference (ToR) to the project  
under the provision of the EIA Notification 2006-and as amended thereof.

2. The particulars of the proposal are as below :

(i) ToR Identification No.	TO24B2506UP5683123N
(ii) File No.	8731
(iii) Clearance Type	Fresh ToR
(iv) Category	B1
(v) Project/Activity Included Schedule No.	5(j) Sugar Industry Proposed expansion of existing Sugar unit from 8000 TCD to 10000 TCD along with Co gen power plant - 36 MW within existing premises at Village- Loyan Malakpur, Block & Tehsil – Baraut, District- Baghpat (U.P.) by M/s SBEC Sugar Limited
(vii) Name of Project	
(viii) Name of Company/Organization	SBEC SUGAR LIMITED
(ix) Location of Project (District, State)	BAGHPAT, UTTAR PRADESH
(x) Issuing Authority	SEAC
(xii) Applicability of General Conditions	NO

3. The **SEAC** has examined the proposal in accordance with the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and after detailed examination hereby decided to grant Standard Terms of Reference to the instant proposal of **M/s. SBEC SUGAR LIMITED** under the provisions of the aforementioned Notification.
4. The brief about products and by products as submitted by the Project proponent in Form-1 (Part A, B) and Standard Terms of Reference are annexed to this letter as Annexure (1).
5. The Ministry reserves the right to stipulate additional TORs, if found necessary.
6. The Standard Terms of Reference (ToR) to the aforementioned project is under provisions of EIA Notification, 2006 and as amended thereof. It does not tantamount to approvals/consent/permissions etc required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
7. The granted letter, all the documents submitted as a part of application viz. Form-1 Part A and Part B are available on PARIVESH portal which can be accessed by scanning the QR Code above.

### **Copy To**

1. **The Principal Secretary, Department of Environment, Forest and Climate Change, Government of Uttar Pradesh, Lucknow (email – [soenvups@rediffmail.com](mailto:soenvups@rediffmail.com))**
  2. **Joint Secretary, Ministry of Environment, Forest and Climate Change, Government of India, 3rd Floor, Prithvi-Block, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi-110003 (email – [sudheer.ch@gov.in](mailto:sudheer.ch@gov.in))**
  3. **Deputy Director General of Forests (C), Integrated Regional Office, Ministry of Environment, Forest and Climate Change, Kendriya Bhawan, 5th Floor, Sector “H”, Aliganj, Lucknow – 226020 (email – [roc.lko-mef@nic.in](mailto:roc.lko-mef@nic.in))**
  4. **District Magistrate, Baghpat Uttar Pradesh.**
  5. **Member Secretary, Uttar Pradesh Pollution Control Board, TC-12V, Paryavaran Bhawan, Vibhuti Khand, Gomti Nagar, Lucknow-226010 (email – [ms@uppcb.com](mailto:ms@uppcb.com))**
  6. **Copy to Web Master for uploading on PARIVESH Portal.**
- Copy for Guard File.**

### **Annexure 1**

**Standard Terms of Reference for conducting Environment Impact Assessment Study for Sugar Industry and information to be included in EIA/EMP report**

#### **1. Executive Summary**

<b>Sr. No.</b>	<b>Terms of Reference</b>
<b>1.1</b>	Executive Summary

#### **2. Introduction**

<b>Sr. No.</b>	<b>Terms of Reference</b>
<b>2.1</b>	Details of the EIA Consultant including NABET accreditation
<b>2.2</b>	Information about the project proponent

#### **3. Project Description**

Sr. No.	Terms of Reference
3.1	Cost of project and time of completion.
3.2	Products with capacities for the proposed project.If expansion project, details of existing products with capacities and whether adequate land is available for expansion, reference of earlier EC if any.
3.3	List of raw materials required and their source along with mode of transportation.
3.4	Other chemicals and materials required with quantities and storage capacities
3.5	Details of Emission, effluents, hazardous waste generation and their management. Requirement of water, power, with source of supply, status of approval, water balance diagram, man-power requirement (regular and contract)
3.6	Process description along with major equipments and machineries, process flow sheet (quantitative) from raw material to products to be provided.
3.7	Hazard identification and details of proposed safety systems.
3.8	<p>Expansion/modernization proposals:</p> <p>a. Copy of all the Environmental Clearance(s) including Amendments thereto obtained for the project from MOEF/SEIAA shall be attached as an Annexure. A certified copy of the latest Monitoring Report of the Regional Office of the Ministry of Environment and Forests as per circular dated 08th June, 2022 on the status of compliance of conditions stipulated in all the existing environmental clearances including Amendments shall be provided. In addition, status of compliance of Consent to Operate for the ongoing /existing operation of the project from SPCB shall be attached with the EIA-EMP report.</p> <p>b. In case the existing project has not obtained environmental clearance, reasons for not taking EC under the provisions of the EIA Notification 1994 and/or EIA Notification 2006 shall be provided. Copies of Consent to Establish/No Objection Certificate and Consent to Operate (in case of units operating prior to EIA Notification 2006, CTE and CTO of FY 2005-2006) obtained from the SPCB shall be submitted. Further, compliance report to the conditions of consents from the SPCB shall be submitted.</p>

#### 4. Site Details

Sr. No.	Terms of Reference
4.1	Location of the project site covering village, Taluka/Tehsil, District and State, Justification for selecting the site, whether other sites were considered.
4.2	A toposheet of the study area of radius of 10 km and site location on 1:50,000/1:25,000 scale on an A3/A2 sheet. (including all eco-sensitive areas and environmentally sensitive places)
4.3	Co-ordinates (lat-long) of all four corners of the site. Google map-Earth downloaded of the project site. Layout maps indicating existing unit as well as proposed unit indicating storage area, plant area, greenbelt area, utilities etc. If located within an Industrial area/Estate/Complex, layout of Industrial Area indicating location of unit within the Industrial area/Estate.
4.4	Photographs of the proposed and existing (if applicable) plant site. If existing, show photographs of

Sr. No.	Terms of Reference
	plantation/greenbelt, in particular.
4.5	Land use break-up of total land of the project site (identified and acquired), government/ private - agricultural, forest, wasteland, water bodies, settlements, etc shall be included. (not required for industrial area).
4.6	A list of major industries with name and type within study area (10km radius) shall be incorporated.
4.7	Details of Drainage of the project up to 5km radius of study area. If the site is within 1 km radius of any major river, peak and lean season river discharge as well as flood occurrence frequency based on peak rainfall data of the past 30 years. Details of Flood Level of the project site and maximum Flood Level of the river shall also be provided. (mega green field projects).
4.8	Status of acquisition of land. If acquisition is not complete, stage of the acquisition process and expected time of complete possession of the land.
4.9	R&R details in respect of land in line with state Government policy.

#### 5. Forest and wildlife related issues (if applicable):

Sr. No.	Terms of Reference
5.1	Permission and approval for the use of forest land (forestry clearance), if any, and recommendations of the State Forest Department. (if applicable)
5.2	Land use map based on High resolution satellite imagery (GPS) of the proposed site delineating the forestland (in case of projects involving forest land more than 40 ha).
5.3	Status of Application submitted for obtaining the stage I forestry clearance along with latest status shall be submitted.
5.4	The projects to be located within 10 km of the National Parks, Sanctuaries, Biosphere Reserves, Migratory Corridors of Wild Animals, the project proponent shall submit the map duly authenticated by Chief Wildlife Warden showing these features vis-à-vis the project location and the recommendations or comments of the Chief Wildlife Warden-thereon
5.5	Wildlife Conservation Plan duly authenticated by the Chief Wildlife Warden of the State Government for conservation of Schedule I fauna, if any exists in the study area
5.6	Copy of application submitted for clearance under the Wildlife (Protection) Act, 1972, to the Standing Committee of the National Board for Wildlife.

#### 6. Environmental Status

Sr. No.	Terms of Reference
6.1	Determination of atmospheric inversion level at the project site and site-specific micrometeorological data using temperature, relative humidity, hourly wind speed and direction and rainfall.

Sr. No.	Terms of Reference
6.2	AAQ data (except monsoon) at 8 locations for PM10, PM2.5, SO2, NOX, CO and other parameters relevant to the project shall be collected. The monitoring stations shall be based CPCB guidelines and take into account the pre-dominant wind direction, population zone and sensitive receptors including reserved forests.
6.3	iii. Raw data of all AAQ measurement for 12 weeks of all stations as per frequency given in the NAQQM Notification of Nov. 2009 along with - min., max., average and 98% values for each of the AAQ parameters from data of all AAQ stations should be provided as an annexure to the EIA Report.
6.4	Surface water quality of nearby River (100m upstream and downstream of discharge point) and other surface drains at eight locations as per CPCB/MoEF&CC guidelines.
6.5	Whether the site falls near to polluted stretch of river identified by the CPCB/MoEF&CC, if yes give details.
6.6	Ground water monitoring at minimum at 8 locations shall be included.
6.7	Noise levels monitoring at 8 locations within the study area.
6.8	Soil Characteristic as per CPCB guidelines.
6.9	Traffic study of the area, type of vehicles, frequency of vehicles for transportation of materials, additional traffic due to proposed project, parking arrangement etc.
6.10	Detailed description of flora and fauna (terrestrial and aquatic) existing in the study area shall be given with special reference to rare, endemic and endangered species. If Schedule- I fauna are found within the study area, a Wildlife Conservation Plan shall be prepared and furnished.
6.11	Socio-economic status of the study area.

## 7. Impact and Environment Management Plan

Sr. No.	Terms of Reference
7.1	Assessment of ground level concentration of pollutants from the stack emission based on site specific meteorological features. In case the project is located on a hilly terrain, the AQIP Modeling shall be done using inputs of the specific terrain characteristics for determining the potential impacts of the project on the AAQ. Cumulative impact of all sources of emissions (including transportation) on the AAQ of the area shall be assessed. Details of the model used and the input data used for modeling shall also be provided. The air quality contours shall be plotted on a location map showing the location of project site, habitation nearby, sensitive receptors, if any.
7.2	Water Quality modeling - in case of discharge in water body
7.3	Impact of the transport of the raw materials and end products on the surrounding environment shall be assessed and provided. In this regard, options for transport of raw materials and finished products and wastes (large quantities) by rail or rail-cum road transport or conveyor cum- rail transport shall be examined.

Sr. No.	Terms of Reference
7.4	A note on treatment of wastewater from different plant operations, extent recycled and reused for different purposes shall be included. Complete scheme of effluent treatment. Characteristics of untreated and treated effluent to meet the prescribed standards of discharge under E(P) Rules.
7.5	Details of stack emission and action plan for control of emissions to meet standards.
7.6	Measures for fugitive emission control
7.7	Details of hazardous waste generation and their storage, utilization and management. Copies of MOU regarding utilization of solid and hazardous waste in cement plant shall also be included. EMP shall include the concept of waste-minimization, recycle/reuse/recover techniques, Energy conservation, and natural resource conservation.
7.8	Proper utilization of fly ash shall be ensured as per Fly Ash Notification, 2009. A detailed plan of action shall be provided.
7.9	Action plan for the green belt development plan in 33 % area i.e. land with not less than 1,500 trees per ha. Giving details of species, width of plantation, planning schedule etc. shall be included. The green belt shall be around the project boundary and a scheme for greening of the roads used for the project shall also be incorporated.
7.10	Action plan for rainwater harvesting measures at plant site shall be submitted to harvest rainwater from the roof tops and storm water drains to recharge the ground water and also to use for the various activities at the project site to conserve fresh water and reduce the water requirement from other sources.

#### 8. Occupational health

Sr. No.	Terms of Reference
8.1	Plan and fund allocation to ensure the occupational health & safety of all contract and casual workers.
8.2	Details of exposure specific health status evaluation of worker. If the workers' health is being evaluated by pre designed format, chest x rays, Audiometry, Spirometry, Vision testing (Far & Near vision, colour vision and any other ocular defect) ECG, during pre placement and periodical examinations give the details of the same. Details regarding last month analyzed data of above mentioned parameters as per age, sex, duration of exposure and department wise.
8.3	Details of existing Occupational & Safety Hazards. What are the exposure levels of hazards and whether they are within Permissible Exposure level (PEL). If these are not within PEL, what measures the company has adopted to keep them within PEL so that health of the workers can be preserved.
8.4	Annual report of health status of workers with special reference to Occupational Health and Safety.

#### 9. Corporate Environment Policy

Sr. No.	Terms of Reference
9.1	Does the company have a well laid down Environment Policy approved by its Board of Directors? If so, it may be detailed in the EIA report.

Sr. No.	Terms of Reference
9.2	Does the Environment Policy prescribe for standard operating process / procedures to bring into focus any infringement / deviation / violation of the environmental or forest norms / conditions? If so, it may be detailed in the EIA.
9.3	What is the hierarchical system or Administrative order of the company to deal with the environmental issues and for ensuring compliance with the environmental clearance conditions? Details of this system may be given.
9.4	Does the company have system of reporting of non compliances / violations of environmental norms to the Board of Directors of the company and / or shareholders or stakeholders at large? This reporting mechanism shall be detailed in the EIA report.

**10. Details regarding infrastructure facilities such as sanitation, fuel, restroom etc. to be provided to the labour force during construction as well as to the casual workers including truck drivers during operation phase.**

Sr. No.	Terms of Reference
10.1	undefined

**11. Enterprise Social Commitment (ESC)**

Sr. No.	Terms of Reference
11.1	Adequate funds (at least 2.5 % of the project cost) shall be ear marked towards the Enterprise Social Commitment based on Public Hearing issues and item-wise details along with time bound action plan shall be included. Socio-economic development activities need to be elaborated upon.
11.2	Any litigation pending against the project and/or any direction/order passed by any Court of Law against the project, if so, details thereof shall also be included. Has the unit received any notice under the Section 5 of Environment (Protection) Act, 1986 or relevant Sections of Air and Water Acts? If so, details there of and compliance/ATR to the notice(s) and present status of the case.
11.3	A tabular chart with index for point wise compliance of above TOR.

**12. Specific Conditions**

Sr. No.	Terms of Reference
12.1	Complete process flow diagram describing each unit, its processes and operations in production of sugar, along with material and energy inputs and outputs (material and energy balance).
12.2	Details on water balance including quantity of effluent generated, recycled & reused. Efforts to minimize effluent discharge and to maintain quality of receiving water body.
12.3	Details of effluent treatment plant, inlet and treated water quality with specific efficiency of each treatment unit in reduction in respect to fall concerned / regulated environmental parameters.
12.4	Number of working days of the sugar production unit.

Sr. No.	Terms of Reference
12.5	Details of the use of steam from the boiler.
12.6	Details of proposed source-specific pollution control schemes and equipments to meet the national standards.
12.7	Collection, storage, handling and transportation of molasses.
12.8	Collection, storage and handling of bagasse and press mud.
12.9	Fly ash management plan for coal based and bagasse and action plan
12.10	Details on water quality parameters such as Temperature, Colour, pH, BOD, COD, Total Kjeldhal Nitrogen, Phosphates, Oil & Grease, Total Suspended Solids, Total Coli form bacteria etc.
12.11	Details on existing ambient air quality and expected, stack and fugitive emissions for PM10, PM2.5, SO <sub>2</sub> *, NO <sub>x</sub> *, etc.,and evaluation of the adequacy of the proposed pollution control devices to meet standards for point sources and to meet AAQ standards. (*-As applicable)
12.12	If Sugar and Distillery will have integrated effluent treatment facilities. Details regarding the same.

### **Additional Terms of Reference**

- 1- The project proponent shall follow Waste water conservation and pollution control management as per MoEFCC notification 35 (E) dated 14 January 2016 which states as:-
  - a) Establishment of cooling arrangement and polishing tank for recycling the excess condensate water to process or utilities or allied units.
  - b) Effluent Treatment Plant to be stabilized one month prior to the start of the crushing season and continue to operate one month after the crushing season.
  - c) During no demand period for irrigation, the treated effluent to be stored in a seepage proof lined pond having 15 days holding capacity only.
  - d) Flow meter to be installed in all water abstraction points and usage of fresh water to be minimized.
  - e) Suitable Air pollution control devices to be installed to meet the particulate matter emission standard
- 2- The project proponent shall handle boiler ash properly.
- 3- Dedicated space for storage of boiler ash with proper fencing should be ensured.
- 4- Condensate polishing unit shall comprise of bar screen, Equalization Tank, Secondary clarifier, MGF then followed by ACF and Sludge drying beds. Reverse osmosis plant will be installed as tertiary treatment and the plan will be ZLD as proposed.
- 5- Spent wash will be concentrated in MEE and concentrate from MEE will be mixed with wet cake of decanter and then converted to DDGS as proposed.

**Annexure 2**

### **Details of Products & By-products**

Name of the product /By-product	Product / By-product	Existing	Proposed	Total	Unit	Mode of Transport / Transmission	Remarks (eg. CAS number)
Sugar	Product	920	230	1150	MT/Day	Road	NA
Molasses	By-Product	364	90	454	MT/Day	Road	NA
Bagasse	By-Product	2240	560	2800	MT/Day	Road	NA
Press Mud	By-Product	368	92	460	MT/Day	Road	NA
Power	Product	0	36	36	Mega Watt (MW)	Electrical Line	NA

**Send Approval Copy To (In case of multiple use comma as separator)**

